



STAMP AROUND

A comprehensive list of the Rest of the World stamps

E-MAIL: stamps@stamparound.com



Hello Stamp Collector,

This is our very latest Rest of the World list, dated "18JUL22". Here you can buy worldwide stamps (except for British and French colonies - see our other lists) from 45% of Scott Catalog value. That's a 55% discount from Scott's retail prices. Due to the high demand for mint China, we have priced these issues at 60% of catalog value, reflecting the high prices we have had to pay for them in a very competitive market.

Due to limits on our time, we have not been able to totally update all stamps on this list to the 2024/2023 Scott catalog values. The Scott catalog values shown can be anywhere from 2018-2024. When you order, the latest 2024/2023 Scott catalog value will be applied before the 55% discount.

You will need the Scott catalogs to get the number of each stamp that you need to complete your collection. The cost of the catalogs is very high at about \$900 per set of 6 (2 volumes per set). So, we suggest you go to your local library, stamp club or stamp store to get the numbers you need to order here. You can also buy older editions at much reduced prices online, although the catalog values will not be the same.

Don't expect all the classics to be in perfect condition like modern stamps. Hinging was the normal procedure for the majority of collectors prior to about 1960. Anything prior to 1960 that is MNH is usually from a Dealer's stockbook or from a collector's glassines that were never put into an album, or regummed. Our advice is to collect hinged stamps 1950's and earlier. If you are lucky and come across MNH then replace the hinged ones you have. Many 100 year old classic stamps are without gum, have tattered perforations and are not centered. This is normal for many classics.

We try to be as accurate as we can on our classic stamp descriptions. For example if there is no gum, it will say "ng" (see list of abbreviations, page 1).

Preferred payment is by Credit Card with a \$25 minimum. All U.S. orders are shipped by First Class Certified mail for a minimum of \$4.85 per order which includes \$4.00 for Certified Mail. If you have a large order or are buying several souvenir sheets, then shipping will be \$8.95 for Priority Mail with Delivery Confirmation and tracking. Foreign destinations please email us for exact shipping cost.

WE USE STAMPS ON ALL SHIPPED ORDERS (no meter labels). All stamps on the envelopes are hand-cancelled.

Guarantee: If for any acceptable reason, you are not completely satisfied with an item, please contact us first and we will decide if you may return it by certified mail to our address in its original condition and in its original glassine or wrapper for a full refund or credit against any future order.

Thank you,

Stamp Around

Stamp Around is a division of Devon Bay LLC, Wyoming USA.

<p>CENTERING xf = extra fine. The design is perfectly centered. vf = very fine. Well-centered, but not quite perfect. f-vf = fine to very fine. Between f and vf. f = fine. Off-center, perfsdo not cut the design. avg = average. Perfs cut into the design on 1 side. All 20th/21st century stamps listed are f - vf, unless otherwise noted. Expect average stamps from the 19th century where perfect stamps are rare, if not impossible, to come by.</p> <p>HINGING ** = mint never hinged * = mint previously hinged o = used Δ = used on piece</p> <p>ABBREVIATIONS USED 2phb = 2 side phosphor bands aph = all over phosphor or phosphorized paper bg = browned gum bkt = complete unexploded booklet blk = block, b4 = block of four bp = complete booklet pane CAM = cataloged as mint (no used value in catalog) cds = circular date stamp cm = corner margin cnr = corner cp = unsevered coil pair cphb = center phosphor band cs = cut-to-shape dg = minor disturbed gum ECV = Estimated catalog value fdx = first day cancel fog = fingerprint on gum gcm = slightly glazed edges, usually from a crystal mount. gg = slightly glazed gum gp = gutter pair(s) imperf = imperforate impr = imprint inv = inverted £ = British pound sterling mgn = margin ms = miniature sheet ng = no gum ngai = no gum as issued ns = no selvaige, usually refers to a stamp from a ms or ss nx = neat cds cancel(s) og = original gum ohs = owner's tiny handstamp on the back of the stamp pa = album paper adherence on the gum pb = plate block (e.g. pb4) px = pen cancel perf (or p) = perforated pg = part original gum ph = phosphor pl = plate pr = pair prs = pairs rx = revenue cancel se = one straight edge sfb = single from booklet pane sgl = single son = socked-on-the-nose cancel spec = specimen overprint sphb = one side phosphor band spi = small natural inclusion in the paper ss = souvenir sheet tb = traffic light block var = variety vlh = very lightly hinged wi = watermark inverted wr = watermark reversed ws = watermark sideways wsi = wrmk sideways inverted wmk = watermark</p> <p>CATALOGS USED Scott 2018 to 2024 Volumes 1 thru 6.</p>	<p>The right hand column shows the Scott Catalog value (2018-24). You pay only 45% of the latest catalog value (with minimum), with the exception of 60% for MNH & NGAI China.</p> <p>REST OF THE WORLD LIST SCOTT CAT.</p> <p>AFGHANISTAN o 207, 208C nx 3.75 o 217 nx 1.25 * 262 ngai 2.50 * 263-6 20.65 * 281, 284A .90 o 291 nx .25 * 292-3, 295, 298-9 3.65 * 309 3.50 * 318 .30 o 369, 384 nx 1.05 o 384 nx .80 o 445, 451, 453 nx 1.40 ** see note after 471 first s/s 6.00 o 473 nx .55 ** 486-90 1.25 o 506 nx .25 ** 532-5 1.00 o 549, 551, 552 nx 1.50 o 551, 552 nx 1.25 o 551 nx .25 ** 623-6, C32-5 3.90 ** 625-6, C32-3 1.40 ** 637-41 1.25 ** 642-4, C45 2.65 ** 668N 2.50 o 678 nx .25 o 710 nx .35 o 714 nx .30 o 715 nx .25 o 746 nx .25 ** 830 .40 o 846 nx .25 o 855 nx .30 o 896 nx .55 ** 908 .30 o 938, 941 nx 2.05 o 938 nx .55 o 942 nx .30 o 1056 nx .25 o 1065 nx .25 o 1077 nx .25 o 1100 nx .25 o 1104, 1106, 1108-9 nx 1.00 o 1111-4 nx 1.00 o 1114 nx .25 o 1124-5 nx .80 o 1154 nx .45 o 1165A-6 nx .50 o C11 nx .60 o C14, C14A nx 1.40 * RA1-2 6.50</p> <p>LA AGUERA * 14 fine 1.25</p> <p>ALBANIA * 49 3.50 * 147-9 2.10 * 188, 191 .50 o 197-8, 200, 202-3 nx 2.40 o 228-30 nx 6.00 * 233 .75</p>	<p>o 250-6 nx 2.05 * 310 1.25 o 313, 315 nx .50 o 315 nx .25 * 331 1.60 ** 716-21 11.50 o 1581-6 nx 1.50 * 1661-6 3.15 ** 1695 3.00 ** 2077, 2080 1.75 ** 2452-3 3.75 * C29 1.00 * J25 1.10</p> <p>ALLENSTEIN Δ 2, 4, 17 nx 13.65 * 10-14 ng 8.95</p> <p>ANGOLA o 30b nx 4.00 o 38-41, 43-6, 50 nx 7.80 o 43, 46 nx 1.50 * 88-9, 92 2.10 o 90-1, 93 nx 1.95 * 103 .75 * 118-9, 121-8, 130, 137 40.85 * 118-9, 121, 123, 128, 130 18.40 * 118-9, 121, 130 11.00 * 118-9, 130 7.00 ** 118-9 4.00 o 119-20, 122-3, 125-6, 131, 133-6, 138, 140, 142, 144, 146, 151, 153 nx 22.30 * 120-1 ng 6.00 o 120, 122-3, 125, 131, 138, 144 nx 11.45 * 243 .30 o 244-6, 248, 250, 254-5, 257-8, 259 nx 4.65 o 244, 248, 250, 254, 257 nx 1.50 o 248, 257 nx .60 * 274, 276 .65 o 275, 278-9, 281-3 nx 1.80 o 286 nx .30 * 296 1.75 o 305-14 nx 10.35 o 308 nx .30 o 315-8 nx 17.25 o 319-23A nx 5.30 o 325-6 nx 3.50 o 327 nx 3.00 o 331 nx .35 o 333, 335-52 nx 26.45 * 334-5 1.30 o 337, 341-2 nx .75 o 341 nx .25 * 359 .25 o 359-61 nx 1.50 o 360-1 nx 1.25 o 360 nx .30 * 362, 366 .50 o 362-78, 381 nx 5.80 o 362, 364-5, 368-70, 373, 375-6, 378 nx 2.85 o 368, 370, 373, 375-6 nx 1.50 o 375-6 nx .75 o 383-4 nx .90 o 385 nx .50 * 386-7 .50</p>	<p>* 386 .25 o 386-93 nx 2.30 o 387-93 nx 2.05 o 387-9, 391 nx 1.00 o 387-9 nx .75 o 388-9 nx .50 * 395-400 1.50 * 395-7, 399 1.00 * 395, 397 .50 * 395 .25 * 396 ng .25 o 396, 398-9, 401-6 nx 2.80 o 396, 401, 406 nx 1.00 o 396 nx .25 o 407 nx .45 o 410-2 nx 1.85 * 419-21 .75 o 419, 421-32B nx 9.10 o 419, 421, 426, 431, 432A nx 2.65 * 421 .25 o 426 nx .25 * 439 1.75 o 439 nx .90 * 440 .65 o 447 nx .95 * 449-53, 455, 481-2, 484 8.00 o 454, 456-8, 460-80, 483, 485-8 nx 24.60 * 459 ng .30 ** 489 .65 o 489 nx .30 o 490 nx .35 * 491-4 1.00 o 495-502, 504-6 nx 3.60 o 509 nx .30 o 510 nx .25 ** 511 1.25 o 511 nx .65 * 512 1.25 o 513-22, 524 nx 4.20 o 525 nx .25 o 526 nx .25 o 527-8 nx .75 o 529 nx .25 o 530 nx .25 o 531 nx .25 ** 532-41 5.95 o 532-41 nx 3.70 o 532, 534 nx .50 o 532 nx .25 o 542-5 nx 1.10 o 543 nx .25 o 546 nx .25 o 547 nx .35 o 548 nx .25 o 549 nx .25 o 550 nx .25 o 551-62 nx 4.80 o 555 nx .25 o 563 nx .25 o 564 nx .35 o 565-6 nx 1.05 o 568 nx .25 o 569 nx .25 o 570 nx .25 o 594 nx .25 * 595 .25 o 596 nx .25 o 597 nx .25 * 598 1.10 o 601-3 nx .75 o 612 nx .25 * 613 .45 * 616AB 4.00 * 635-6 1.45 * 642 .25 ** 654-5 .95</p>	<p>** 808-11 4.45 ** 1010 5.00 ** 1024 7.50 o C7 nx .90 * J21-8 4.10 * J21-2, J24-5 1.60 * J21, J24 .80 * J23 ng .40 * J37 .35 o RA4 nx 2.25 * RA14 .30</p> <p>ANGRA o 14-16, 19, 21-2, 24-5 nx 8.30 o 15 nx .50</p> <p>ARGENTINA * 1 ng 1.50 o 18 avg nx 17.50 o 23 nx .75 o 34 nx .65 o 35 nx 1.10 o 38-9 1.50 o 41 nx 2.75 * 43 2.25 * 44 p12 15.00 o 45 p12 14.00 o 68 avg nx .45 o 92a 40.00 o 93-6, 98-100 nx 3.40 o 110 nx .30 o 122-4, 127, 129-30, 135, 139 nx 4.45 o 477 nx .25 o 520 nx .25 * 595 1.50 o 611 nx .35 o 611 .35 ** 682 .25 o 687, 695D, 698A nx .75 o 695D, 698A nx .50 o 846 nx .25 o 923, 925, 936, 938, 940-1 nx 1.50 ** 1005, B60-1 2.15 o 1013-4 nx .55 ** 1052 3.00 ** 1062 .30 ** 1156-7 .55 ** 1171 .80 o 1235 nx .25 ** 1303-4 1.80 ** 1431-2, 1434-5, 1438 1.60 ** 1431-2, 1434-5 1.20 ** 1481 .45 o 1515-24, 1527 nx 2.95 ** 1522-4, 1526 6.90 ** 1522-4 3.40 o 1524 nx .35 ** 1625-8 5.20 o 1911, 1917 nx .70 o 2111-2 nx 1.20 o 2127, 2132 nx 6.30 o 2248a nx .75 ** B26 .25 ** B37 .70 ** B38 .25 ** B56-7 .75 o C3 nx 1.00 ** C105 1.10 o C137 nx .50 ** CB24 .70</p> <p>ARMENIA * 265 (see note after)</p>
---	--	---	--	--

ARMENIA	** B48-50 6.25	271-5, 277-8, 280	o 688,691,693,695-6, 698-702 nx 4.85	o 1337 nx .35
SCOTT CAT	** B48 1.50	7.60	o 688, 691, 693, 696, 698-9, 700-2 nx 4.40	o 1342 nx .40
set of 5 of 10 5.00	** B56-8 6.50	* 253, 264 .50	o 688, 691, 693, 696, 698-9, 701-2 nx 4.15	o 1351 nx .40
* 278 ng .50	** B59-60 5.00	** 259, 263, 266-8, 271-2 7.06	o 699, 702 nx 2.25	o 1361-5 nx 1.25
* 279-81, 283-4, 287 2.50	** B61-3 7.00	o 266, 268-9, 273, 275-7, 279, 281-7 nx 14.70	o 702 nx 2.00	o 1361-2, 1364-5 nx 1.00
	AUSTRIA	o 281-3 nx 1.00	o 702 nx 2.00	o 1363, 1364-5 nx .75
	o 3, 4 nx 10.00	* 288-92, 294 1.50	o 714 nx .35	o 1362 nx .25
	o 4 nx 6.00	o 291e nx .25	o 725 nx .35	o 1387 nx .40
	o 5e nx 4.25	o 294-8 nx 6.20	o 730 nx .25	Δ 1399 nx 1.10
	o 9a nx 20.00	o 303-24 (no 309, 323) nx 20.00	** 752 .55	o 1404 nx .60
	o 10, 11 nx 6.75	o 304-7, 310-1, 313 nx 1.75	o 756 .35	o 1408 nx .60
	o 13, 15, 16 nx 36.00	o 304, 313 nx .50	** 760 .55	o 1417 nx .60
	o 24-6 nx 6.50	* 309 1.60	o 769 nx 1.00	o 1419 nx .60
	o 29 .25	o 326-39 nx 24.65	o 769 nx 1.00	o 1428 nx .50
	o 34-5, 37 nx 2.40	o 327, 331, 336 nx .75	o 794 nx .40	o 1431 nx .50
	* 41 p10½ 6.00	o 327 nx .25	** 816 .25	o 1433 nx .50
	o 42 p10 nx .35	* 329 .25	o 824-5, 827-8 nx 1.60	o 1451 nx .50
	o 43-5 p9½ nx 4.90	o 340-52 (no 349) nx 11.40	** 838 .55	o 1461 nx .60
	o 43 p10½ nx .30	o 341, 345 nx .50	o 850 nx .45	o 1464 nx .50
	o 51-2 p10½ nx .60	o 345 nx .25	o 861 nx .25	o 1465-72 nx 3.90
	o 51 p10 fine nx .30	* 354-7, 359-64 2.50	o 877 nx .40	o 1465-9, 1471 nx 2.40
	o 52 p13 x 13½ nx .30	o 354-6, 360, 362, 364-70, 373 nx 8.05	o 884 nx .35	o 1465-8 nx 1.00
	o 53 p10½ x 10 nx .30	o 355-6, 360, 362, 366 nx 1.25	o 885 nx .25	o 1466-8 nx .75
	o 54, 56-7, 59, 63 p10.5 nx 7.10	o 360, 362, 366 nx .75	** 939 .35	o 1500 nx .70
	o 54 p13 nx .30	o 360, 362 nx .50	** 941 .35	o 1502 nx .60
	o 55, 60 p11½ nx 1.10	o 374 nx .35	o 944 nx .40	o 1504 nx .70
	o 57 p10 nx .40	* 375 .80	o 956 nx .25	o 1506 nx .65
	o 62 p12 x 12½ nx 3.00	o 376 nx .35	o 958-64, 966-9, 971-5 nx 4.55	o 1508 nx .65
	o 66-8 p10½ nx 1.55	* 377 .65	o 959-64, 966-9, 972 nx 3.30	o 1548 nx .60
	o 70-2, 75-84 +83a nx 14.90	* 381 .65	o 959-63, 964, 967-9 nx 2.30	** 1555 1.25
	o 74a-5a, 77, 79 nx 1.10	* 382-4 3.30	o 982 nx .25	o 1559 nx .80
	o 74a nx .25	* 385-7 2.90	o 985 nx .25	o 1572 nx .65
	o 86-96, 100, 102-5 nx 15.30	* 388-9 .50	o 993 nx .25	o 1599-1606, 1608 nx 4.50
	o 90 p13 nx .25	o 388 nx .25	o 995 nx .40	o 1599, 1601, 1603, 1606, 1608 nx 3.50
	o 97a, 99a nx 1.05	* 441 .25	o 1004 nx .25	o 1599, 1601, 1603, 1606 nx 1.60
	o 101a perfn LB nx .55	* 442 ng .25	o 1030b nx .25	o 1601, 1603, 1606 nx 1.35
	* 110a-1a, 114a 1.05	* 455-9 1.25	o 1035 nx .40	o 1601, 1606 nx .80
	o 111a-3, 115-26 nx 11.55	o 457-9, 461, 467, 477-9 nx 8.95	o 1038 nx .40	o 1634 nx .80
	o 112-3, 115, 118a, 120, 122 nx 1.70	o 459, 461 nx .50	o 1044 .25	** 1641 1.40
	o 112, 115, 122 nx .75	o 484, 484a nx .50	o 1057 nx .55	o 1642 nx 2.00
	o 115 nx .25	* 502, 504 .65	o 1072 nx .25	o 1648 nx .80
	o 145-6, 148-53, 155-9, 161-2 nx 8.45	o 502, 504, 506-10, 512-3 nx 4.00	o 1078 nx .55	o 1661 nx 1.00
	o 145-6, 151, 155, 157, 159 nx 1.50	o 522-4, 526-9, 531-3, 537, 539-40, 542-3, 548, 551, 553-5 nx 8.50	o 1088 nx .40	o 1665 nx 1.50
	o 146, 151, 155 nx .75	o 522, 524, 526-7, 529, 531, 539, 542-3, 551, 554 nx 2.75	o 1099 nx .55	o 1671 nx .60
	* 147, 154, 156, 158 160 5.00	o 529, 531-3, 537-9, 542-3, 548, 551, 554 nx 4.00	o 1100, 1107-9 nx 1.25	o 1671 nx .60
	o 168-70 nx 1.20	o 522, 524, 526-7, 529, 531, 539, 542-3, 551, 554 nx 2.75	o 1108-9 nx .60	o 1684 nx 1.00
	o 168 nx .40	o 597 nx .55	o 1109 nx .25	o 1685 nx 1.00
	* 171 2.00	** 619 .40	o 1109 nx .25	o 1693 nx 1.00
	o 181, 184, 187, 192, 195, 197 nx 4.35	o 619, 621-2, 623-5, 627, 628-29, 630, 630A nx 5.40	o 1110 nx .25	o 1700 nx .90
	* 182-3, 185-6, 189-91, 194, 196 6.10	o 619, 621-2, 623-4, 627, 628-9 nx 3.90	o 1113 nx .40	o 1705 nx .80
	o 182, 184 nx .50	o 619, 621-2, 623-4, 627, 629 nx 2.70	o 1125 nx .25	o 1710 nx 3.00
	o 192 nx 2.00	o 621, 623, 625 nx 1.15	o 1132 nx .40	o 1717 nx .80
	* 201, 203-4, 206, 209, 211, 214, 217 2.05	** 632 .80	o 1145 nx .25	o 1718 nx .95
	o 208-9, 213, 218 nx 1.00	o 651 nx .45	o 1164 nx .40	o 1720 nx 1.00
	o 208 .25	** 660 .95	o 1165 nx .25	o 1731 son 1.00
	* 211 .25	** 684 .40	o 1174 nx .55	o 1731 nx 1.00
	* 215a .40	o 688, 690-1, 693, 695-6, 698-702 nx 5.05	o 1176 nx .40	o 1738 son 1.00
	* 219-26, 248 3.10		o 1177 nx .25	o 1747 nx 1.00
	o 223 nx .25		o 1209 nx .25	o 1775 nx .85
	* 226 .25		o 1239 nx .25	o 1776 nx .85
	* 228-9, 231-5 2.25		o 1253 ns nx 1.20	o 1779 nx .85
	o 239 nx .25		o 1256 nx .25	o 1781 nx .85
	* 241-6 1.55		o 1257 nx .40	o 1798 nx .85
	o 247 nx .25		o 1275 nx .35	** 1799 1.25
	* 250-8, 260, 262-8, 271-5, 277-8, 280 7.60		o 1282 nx .40	o 1806 nx 1.25
			o 1285-88A nx 1.25	o 1813 nx 1.25
			o 1288 nx .25	o 1821a nx 1.25
			o 1296 nx .40	o 1823 nx 1.75
			o 1307 nx .55	o 1831 nx 1.25
			o 1308 nx .35	o 1862, 1867-9 nx 3.05
			o 1325 nx .40	o 1862, 1867-8 nx 2.35
			o 1333 nx .40	o 1903 nx 1.40
				o 1915 nx 1.40
				o 1919 ns nx 5.25

AUSTRIA (cont'd)	SCOTT CAT	M44 nx 3.45	AZERBAIJAN	** 41-4 1.00	o 87 perfin "TR" nx .85
o 1939 nx 1.40		o M49, M51-4 nx 1.25	* 1-2, 4-6, 8 ng 5.05	** 47-50 1.15	o 94 nx .25
o 1958 nx 1.40		* M50 .25	* 20, 24 ng .65	** 379 1.50	* 95 .75
o 1984, 1986 nx 3.00		o MB1 nx .80	** 669-70 ss of 6 10.00	** 380-1 1.10	o 123a nx .45
o 1984 nx 1.50		* MB2-3 .80	** 906 1.50	** 382 3.25	o 147 nx .25
o 1996 nx 4.00		* MP1, MP4 1.50	** B1 ng .40	** 705 .80	o 192-4 nx 1.30
o 2012 ns nx 3.00		* MP2-3 imperf 3.20	* B2 ng .75	** 714 2.25	o 202, 204-5, 207-10 nx 1.75
o 2018 nx 1.50		o P9B nx .40		** 714 (2 vert pairs + 2 labels in a s/s) 4.50	o 217 .25
o 2051c nx 1.60		o P9B private perf 11 nx .40	AZORES		o 227 nx .25
o 2075 nx 1.60		* P10 ng 8.50	o 62 nx 3.00	BELGIAN CONGO	o 230-2 nx 1.00
o 2076 nx 2.25		o P11a, P13a, P14a nx 73.25	o 101-2, 105 nx 1.20	o 49 nx .60	o 246-50 nx 1.25
o 2080 nx 2.25		o P12 nx 2.00	o 101, 105 nx .80	* 89, 92 .75	o 252 fine nx 2.50
o 2089 nx 1.60		* P15 ng .80	* 102-3 .90	o 89, 91, 104 nx .75	o 258-61 nx 2.10
o 2097, 2099 nx 3.25		o P16-18 nx 1.30	* 112, 115 1.40	* 115-6 .50	o 258 .40
o 2107b nx .75		* P19 .25	* 113 ng .50	o 115, 121 nx .50	o 266-7, 269-70, 272-3 275 nx 1.75
o 2127 nx 1.90		o P20-1, P23 nx 4.10	* 126, 130, 132, 134 5.10	o 121 nx .25	o 283 nx .25
o 2306 .25		* P22 ng .60	o 126, 131-2 nx 1.90	o 139, 141-8, 150 nx 2.80	o 295, 307-8 nx .75
o B1 nx .80		* P24 ng .25	* 130 fine 1.90	* 141, 145 .55	o 367 nx .30
* B2 .80		* P25, P27-8 1.05	o 141, 144 nx 1.90	o 142, 144-5, 148, 150 nx 1.40	o 373 nx .25
* B3-6 5.70		* P29-47 4.75	* 155 p15 x 14 3.00	* 166 .30	o 377, 383 nx .65
* B30-49 (no B39, B45) 6.80		* P48-55 2.00	o 157 nx 1.25	o 166, 168 nx .60	o 401 nx .25
o B39, B45, B48-9 nx 8.35		o PR1 nx 57.50	o 174, 176, 181, 183-4 nx p15 x 14 2.45	o 166 nx .25	o 402 nx .25
* B47 .30		o PR3 nx 6.75	o 174, 181 nx 1.05	* 187 .25	o 409-11, 413-5, 417-23, 431 nx 3.50
* B50-6 28.40		o PR5-6 nx 8.15	* 180 p15 x 14 .55	o 187, 189-91, 193-7, 200-1, 203-4 nx 3.25	o 435-6 nx .70
* B71-5 2.70		o PR7 nx 1.00	o 181 nx .65	o 190 nx .25	* 436 .40
* B142-5 8.35		* QE1-2 2.40	* 197, 203, 204A p12 x 11½ 1.65	o 207, 210-6, 219, 222-3 nx 2.75	o 449, 449a nx .85
* B152-5 4.90		* QE3 nx .40	o 197, 208, 215-8, 221, 223, 225, 227, 230, 235 p12 x 11.5 nx 12.90	o 207, 211, 223 nx .75	o 449a nx .60
** B156-7 11.67		* QE4d p11½ 1.60	o 208, 212, 218, 220-1, 223 p12 x 11½ nx 5.55	o 228-30 nx .75	o 451-60, 462 nx 2.75
o B215 nx .30		* QE5d .40	o 218, 223 p12 x 11½ nx 1.50	* 231-5 1.50	o 451-3, 455-6, 458, 462 nx 1.75
o B298 nx .65		* QE6 p12½ .35	* 238-43 1.65	o 231-9, 241, 244, 246-50, 252-6 nx 6.25	o 462 nx .25
o B316-8 nx 1.40		* QE7 .25	* 258-65 4.00	o 231-4, 236-9, 244, 246-50, 252-5 nx 5.00	o 462 .25
* C4, C6-9 1.35		* QE8 .25	* 273, 275, 277, 279, 280 3.15	o 232, 234, 238-9, 244, 246-7, 249-50, 253 nx 2.55	o 480-1 nx .70
* C12-14 1.60		AUSTRIA - ITALIAN OCCUPATION	* 277 .30	o 244, 246, 249-50, 253 nx 1.30	o 482-3 nx 2.90
* C12 .40		AUSTRIA - OFFICES IN CRETE	* 284-5, 290, 292-3, 297 6.95	o 246, 250, 253 nx .80	* 490 1.10
o C17 nx .40		* 12 1.00	* 300-1, 303, 306 8.55	o 253 nx .30	o 494 nx .25
** C61-3 2.00		o 12, 13 nx 33.50	o 302, 305 nx 3.90	o 262 nx .35	o 495 nx .25
o C63 nx 1.40		* 15, 17, 18 18.40	o 302 nx 1.50	** 263-71 4.50	o 496 nx .25
o J1, J3-7 p10.5 nx 16.75		o 17 nx 7.00	o 313G, 313L, 313O nx p12 x 11½ 6.50	* 263-5 .90	o 498 nx .25
o J10-21 nx 20.20		AUSTRIA - OFFICES IN TURKEY	o 313O nx p12 x 11½ 2.25	** 263 .35	o 507 nx .25
o J22-33 (no J25) nx 6.05		* 7D, 7E p9½ 1.60	** 316-21 3.70	o 263-8, 270-1, 273-80, 282 nx 4.60	o 514 nx .25
o J22 nx .25		* 7E p9½ .40	* J15, J16, J18, J20 ng 3.00	o 264-6, 268, 270-1, 273-9 nx 3.25	o 534 nx .25
* J25 .65		* 14 p10 .35	* J19 .75	o 266, 268, 270-1, 273 275-6, 278 nx 2.00	o 539 son .25
o J34-42, J44 nx 17.50		* 17 p10 nx 1.60	* J30-2 1.45	o 268, 271, 275-6 nx 1.00	o 560-1 nx .50
o J36 nx .25		* 20 p10½ .25	* J30 .35	** 306-7 .60	o 561 nx .25
o J36 fine nx .25		* 20 p10 nx .65	* Q1-3 1.50	* 306, 308 .60	o 566 nx .25
* J47-8 .50		o 21 p12½ nx .65	* Q1-2 1.00	o 306 nx .25	o 573 nx .25
o J49-52, J54-5, J57 nx 2.20		o 23 p10 x 10½ nx .25	* Q1 ng .50	** 318-20 .90	o 577 nx .25
o J49 son .25		o 32, 35, 37 p12½ nx 8.30	* Q2 .50	* J1, J3 .50	o 585 nx .25
o J60, J62 nx .95		o 33-4 p13 x 12½ nx 1.20	o Q6, Q12 avg nx 1.70	** J8-12 1.50	o 587 .35
* J63 .35		o 39-41 p13 x 12½ nx 5.60	* RA3 .65	* J13 .35	o 589 nx .25
o J64-5, 67, 69 nx 1.30		o 40a p13 x 13½ nx .80	* RA3 ng .65	o 264-6, 268, 270-1, 273-9 nx 3.25	o 591 nx .25
* J66, J71 .55		o 42 p13 x 13½ nx 1.20	* RA4 1.10	o 266, 268, 270-1, 273 275-6, 278 nx 2.00	** 596 .55
* J75-92 4.55		o 46-9, 52 nx 4.00	o RA8 nx 1.10	o 268, 271, 275-6 nx 1.00	o 597 nx .25
* J77-8, J82 .75		o 47, 49 nx .65		** 306-7 .60	o 598 nx .25
* J83 ng .25		* 51 ng .65	BELARUS	* 306, 308 .60	o 603 .25
* J93-4, J97-9 1.25		AUSTRIA - LOMBARDY-VENETIA	1920 set (see note before #1)	* 306 nx .25	* 606 .25
* J95 ng .25		o 4f 4 margins nx 30.00	* set of 5 5.00	** 318-20 .90	o 610 nx .25
* J102 .25		o 4f 3.5 margins nx 30.00	* set of 5 imperf 5.00	* J1, J3 .50	o 621 nx .25
* J103-13 3.75			* 1k, 5k, 15k ng imperf 1.30	** J8-12 1.50	o 625 son .25
* J103-7 1.25			* 5k imperf .31	** J13 .35	o 633 nx .25
** J112 .25			* 10k .62		o 643-7, 649-51, 653-4 656 nx 2.75
* J114-7, J120 1.25				BELGIUM	o 643-4, 646 nx .75
o J118-9, J121, J123 nx 1.00				o 28-30, 32 nx 3.20	o 643-4 nx .50
o J132-43, J145-50, J152 nx 4.75				o 28-9 2.05	o 663 nx .25
o J135 nx .25				o 40 nx .85	** 667-70 1.45
o J159, J161-2 nx .75				o 49-52 nx 1.95	o 671 nx .25
o J232, J236, J242 nx 2.25				o 49-50, 52 nx 1.55	o 673 nx .25
* M4 .25				o 55 nx 1.65	o 679 nx .25
* M22-3, M30, M32 1.00				o 60, 63-5 nx 1.75	** 685 .80
* M24, M27 ng .50				o 60, 64-5 .85	** 687 .80
o M26, M28, M34-5,				o 64-6 no tabs nx 1.00	** 688-9 1.05
				o 82, 84 nx .85	o 697 nx .25
					** 700-2 .95
					o 712 .25

BOLIVIA (cont'd)								
	SCOTT CAT							
o 139	.70	o 729	3.00		1457 nx	1.25	o C22, C24 nx	2.25
o 143 nx	.50	o 732	2.00	BRAZIL	o 1446, 1455, 1457		o C25 nx	1.75
o 145 nx	.50	o 735	.50	o 118 son	nx	.75	o C47 nx	1.90
o 165 nx	.35	o 736 nx	.30	o 161 nx	o 1529 nx	.25	o C60 nx	.25
** 167	.75	o 742 nx	.30	o 174-5, 177 nx	o 1547 nx	.40	o C61 nx	.30
o 180	.35	o 752	1.40	o 193 nx	o 1591 nx	.25	** C90	.25
o 189, 191 nx	.50	o 769	2.00	o 210 nx	o 1596 nx	.25	o C93 nx	.25
o 189 nx	.25	o 771 nx	.30	o 285 nx	o 1660, 1662, 1677		o C100 nx	.25
** 190	.50	** 776	4.00	o 314 nx	nx	.75	** C101	.60
o 199, 200	.70	** 782-6	17.60	o 404-5 nx	** 1711-4	2.30	o C112 nx	.30
o 205 nx	1.00	o 784 nx	1.25	o 404 nx	o 1728 nx	.30	o RA1 nx	.25
o 207 nx	.35	o 790 nx	.40	* 438	** 1745-8	2.60	o RAB1 se-tenant pair	
o 213-4, 216 nx	.90	o 797 nx	1.50	o 471 nx	o 1753	.35	son	.70
o 216 nx	.30	o 815 nx	1.00	o 475 nx	** 1760-3	1.20		
** 218	.75	o 839	1.50	o 481 nx	o 1799 nx	.25	BULGARIA	
o 218	.50	o 869 nx	1.10	o 516 nx	** 1874 (see note after)		o 28, 31, 33 nx	1.50
o 219, 223-7 nx	2.10	o C45 nx	.30	** 529	5 ss	175.00	o 33 nx	.80
* 221	.50	o C77, C79-80 nx	2.40	o 629 nx	** 1886	10.00	o 62-3 nx	.50
o 224-6	1.20	o C82 nx	2.00	o 655 nx	** 1887-90	6.50	o 92-3, 95 nx	.75
** 233	.30	o C93 nx	.25	o 711 nx	** 1896	.40	* 135, 137	.50
o 235 nx	.80	* C100	.30	o 717 nx	** 1897	6.00	o 207 nx	.25
* 242	.80	o C101	.25	o 728 nx	** 1898	.35	o 212 nx	.25
** 251	1.50	* C105-7 pg	.75	o 782 son	** 1899	.35	o 212 nx	.25
o 253-4, 256-65,		o C105, C108 nx	.50	o 790-2, 795-801	** 1900	3.25	o 681 nx	.60
267-8 nx	15.75	** C115, C117	.90	nx	** 1901	1.50	o 771-2 nx	.50
o 253-4, 260, 263	3.75	** C118	.60	o 791-2, 795-801 nx	** 1902-3	2.35	o 1094 imperf nx	1.00
		o C121	.50	o 792, 795, 797-801	** 1904	6.00	** 1126	1.25
o 270-2 nx	.80	* C126-7	1.75	nx	** 1905-10 singles	4.40	** 1130-5	3.65
o 270, 272 nx	.50	** C137	1.00	o 795 nx	** 1910a b6	4.50	o 1132-5 nx	1.20
o 272 nx	.25	o C173 nx	.30	o 830 nx	** 1911-3	.90	o 1210-5 nx	1.85
* 274-6	3.50	o C179	.25	o 848 nx	** 1914-5	2.50	o 1238, 1242, 1244	1.45
o 274-5, 277 nx	3.00	o C184 nx	.40	o 853 nx	** 1916	.30	nx	
** 281-3, 285	2.60	* C203-4 nx	.70	o 883 nx	o 1939 nx	.30	o 1312, 1316 nx	.70
* 282	.30	* C205 ng	1.50	o 884 nx	** 2012	.40	** 1616	.60
o 282 nx	.25	o C205 nx	.75	o 884 nx	o 2068, 2071-3 nx	8.00	** 1656	5.00
** 297, 300	1.25	o C228 nx	1.50	o 894 nx	o 2068, 2072-3 nx	5.00	** 1715-20	4.40
o 299 nx	.30	o C247 nx	1.25	o 899 nx	o 2117 nx	.25	o 1716 nx	.25
o 303, 305-6 nx	.90	o C269 nx	.75	o 912 nx	** 2140	.70	o 1759 nx	.25
* 306	.30	o C326 nx	.60	** 919	o 2145 nx	.25	o 1807 nx	.25
** 308, 310, 312	1.40	** C331-5	15.75	o 921 nx	o 2179-80 nx	1.10	o 1893-4 nx	.50
** 308, 312	1.00	o C333 nx	1.00	o 991 nx	o 2218 nx	4.50	o 1900 nx	.25
* 308	.40	* RA2 p11 ng	.75	o 996 nx	o 2250 nx	.50	o 1914-5 nx	.50
** 318	.25	o RA2 p11 nx	.30	o 997 nx	o 2262-4, 2266-73		o 1920-1 nx	.50
o 319-20 nx	.50	** RA22	2.00	o 1001 nx	nx	8.95	o 1929 nx	.25
** 332	.80	** RA24	1.00	** 1006	o 2263-4, 2266-73		o 1935-6 nx	.50
* 352, 355, C150-1	3.70	* RA24	1.00	o 1008 nx	nx	8.50	o 1950 nx	.25
** 355	.60	o RAC2 nx	.30	o 1022 nx	o 2264, 2266-73		o 1958-9 nx	.50
* 355	.60	o RAC2	.30	o 1027 nx	nx	8.25	o 1964-5 nx	.50
o 377 nx	.25	BOSNIA & HERZEGOVINA		o 1036-9 nx	o 2266-8, 2271-73	7.70	o 1972 nx	.25
** 378-83	3.80	o 6a nx	.90	** 1052	nx	7.70	o 1977 nx	.25
* 378, C169	.95	o 35 nx	.25	o 1052 nx	o 2267, 2271-73	5.85	o 1984-5 nx	.50
* 378 fine	.40	o 68, 70 nx	.50	** 1054	nx	5.85	o 1984 nx	.25
o 378, 380-1, C170,		** 110	.25	o 1063-7 nx	o 2320 nx	.25	o 1990-1 nx	.50
C173 nx	1.30	* 111	.25	o 1104 nx	o 2345 nx	.25	o 2007-8 nx	.50
* 384-7	2.70	o 111 nx	.25	o 1132 nx	o 2350 nx	3.00	o 2014-5 nx	.50
** 384	.30	o B9-10 nx	5.10	o 1188 nx	o 2354 nx	.25	o 2021 nx	.25
* 388-90, 392	2.40	* B15	.25	o 1225 son	o 2366 nx	1.50	o 2023 nx	.25
o 391 nx	.25	* B16-17	1.20	o 1229 nx	o 2367 nx	.25	o 2032 nx	.25
o 395, 399, 400,		o J1 nx	.35	o 1240 son	o 2386 nx	.30	o 2126-8 nx	.75
C192-3 nx	1.70	* J3-4, J6-12	26.50	o 1248-9, 1251,	o 2400 nx	.60	** 3290-3	1.90
o 400 nx	.50	* J14-15, J17-18, J20-1	3.00	1253-5, 1257 nx	o 2406 nx	1.75	o 3300-4 nx	1.25
o 400	.50			o 1257 nx	o 2409 nx	1.75	o 3339-41 nx	.85
o 409 nx	.25	BOSNIA & HERZEGOVINA - CROAT ADMIN.		o 1263 son	** 2411-3	4.45	** 3546-9	2.40
o 429 nx	.25	** 15	10.00	o 1268 nx	o 2431 nx	1.75	** 3550	3.50
o 451, C230 nx	1.00	** 47	3.00	o 1282 nx	o 2442 nx	.40	** 3727-32	2.95
o 452 nx	.75	BOSNIA & HERZEGOVINA - MUSLIM ADMIN.		o 1286 nx	o 2445 nx	.25	** 3764-5	4.00
o 453 nx	.75	** 394	3.25	o 1286 nx	o 2471 nx	1.50	** 3828-9	3.20
o 466 nx	.40	BOSNIA & HERZEGOVINA - SERB ADMIN.		o 1291 nx	o 2477 nx	4.00		
** 471, C249	2.50	** 67	20.00	** 1295-7	o 2485, 2488-9 nx	1.00	BURUNDI	
o 492 nx	.30			** 1341	** 2518	.70	o 40-1 nx	1.25
o 492	.30			o 1344 nx	o 2524 nx	8.00	o 81 nx	.35
o 510	.25			o 1414 nx	o 2533 nx	2.10	o 118, 122 nx	.60
o 536 nx	.50			o 1417 nx	** 2652	1.00	o 129 nx	.25
o 541 nx	.40			** 1425	** 2669	.65	** 186-201	28.20
o 555 nx	.30			o 1441, 1444, 1446,	o 2673ac nx	2.00	** 186-97	10.35
** 581	2.00			1448-9, 1453-5,	** 2676	.55	** 207-11, C41-5	12.80
o 725 nx	1.50			1457 nx	o 2684abc nx	5.00	o 220 nx	.25
				o 1446, 1448, 1454-5,	** 2718	1.75	** 233-5, C59-61	3.05
					o 2755a ns nx	1.63	** 280-3	2.15
					o 2810	.25	o 280-3 nx	1.00
					o C18 nx	.25	o 288-91 nx	1.65

BURUNDI		p15x14 1.05		o 345, 348 nx .50		o 253 nx .25		C46 nx 1.50	
(cont'd) SCOTT CAT		* 165-9 p15x14 1.30		o 348 nx .25		o 262 .25		o C40-1, C43, C46 nx 1.00	
** 322-8, C119-25 7.75		* 165-6 p15x14 .50		** 355 .35		o 265 nx .25		o C43 nx .25	
o 359a nx .30		* 166 p15x14 .25		* 363 nx .30		o 267 nx .25		o C63 nx .25	
o 361-3, C143-5 nx 1.60		o 172 p15x14 nx .75		* 380 .75		o 268 nx .25		* C69 .25	
o 376-8, C153-5 nx 1.60		* 173, 175, 178, 181-3 183BC p12x11.5 2.10		o 380 nx .35		* 289 .35		o C98-107 nx 2.50	
** 460-3, C199-202 19.95		* 173, 175, 178, 182 p12x11.5 1.00		o 393 nx .25		o 289 nx .25		o C99, C101-2, C106 nx 1.00	
** 507-10 11.75		* 173, 178 p12x11.5 .50		o 396 .35		o 290 nx .25		* C135 ng .35	
** 615 150.00		* 173 p12x11.5 .25		* 398 .70		o 293A, 295, 298 nx .75		o C136, C139-40 nx .75	
** 714 12.00		* 182-3D ng p12x11.5 1.65		o 407-8 nx 2.65		o 295 nx .25		* C155-9 1.25	
** 723-30 16.55		* 183, 183D ng p12x11.5 .65		o 417, 420-1 nx 2.30		o 324-8, 329A nx 1.50		* C155-6 .50	
** 723-9 12.30		* 183EHKLMOPRS nx p12x11.5 8.35		o 427 nx 1.40		o 325, 328, 329A nx .75		o C156, C158-60, C163-4 nx 1.50	
** 756abc singles 6.00		o 183EHL p12x11.5 4.35		o 432 nx .25		o 328 nx .25		o C156, C159 nx .50	
o B49-51, CB19-21 nx 1.60		o 183EHL p12x11.5 nx .75		* 459 nx .25		** 342, C248 .60		o C166 nx .40	
o B52-5, CB22-5 nx 2.20		o 183H nx .25		* C1-2 1.20		o 342 .25		** C172 1.00	
o C8-16 nx 5.15		* 195-6 1.35		* J8 ng 1.90		o 349 nx .25		* C174-5 .50	
** C45 (see note after) ss 8.00		* 202-4 3.85		* J11, J13-14, J16-18 3.05		o 354-5 nx .50		o C176, C178 nx .50	
** C208, C210 22.25		* 215 .25		* J21-8 2.65		o 355 nx .25		* C178 nx .25	
CANAL ZONE		o 216, 218, 220-1, 226-7, 229 nx 7.15		* J21, J23 .60		o 359 nx .25		* C183 .25	
o 105, 108, 111-2 1.10		o 216, 221, 226 nx 1.05		* J23 .30		o 361 nx .25		o C183-6 nx 1.00	
o 117 .25		* 234-5 .50		* J31 .30		o 362 nx .25		o C191 nx .80	
o 138, 140 .80		o 237-47 nx 3.80		* P1 p11.5 1.50		o 363 nx .25		o C199 nx .25	
o 152 coil pair .50		o 237-8, 240-3, 245-7 nx 3.30		* RA1-3 3.75		o 367 nx .25		* C222-3, C225 .75	
o 158-9 .55		o 238, 240-3, 245-6 nx 1.75		* RA1, RA3 2.50		o 372 nx .25		o C224 nx .25	
** 163 .35		o 242, 246 nx .50		* RA1 1.25		o 373 nx .25		o C235, C237-8, C240 nx 1.40	
** 163a booklet 15.00		o 257-8 nx .60		CAROLINE ISLANDS		o 376 nx .25		** C238 .35	
o C34 .30		o 268 nx .45		* 7 1.10		o 377 nx .25		o C246 nx .25	
o C43, C45 .55		* 271-2, 276 7.35		CENTRAL LITHUANIA		o 378 nx .25		o C247 nx .25	
o C43 .25		* 271 .70		o 1, 2 nx 1.10		o 380 nx .25		o C250 nx .25	
* C47 2.50		o 275 nx .65		CHILE		o 381 nx .25		** C254 .40	
o C48-9 .50		* 277-9 .75		o 25-6, 28-9 nx 1.35		** 384 .60		o C254 nx .25	
** C51, C53 2.35		* 277-8 .50		o 28 nx .50		o 385 nx .25		o C259 .25	
CAPE VERDE		* 277 .25		* 30 ng 3.00		** 399 nx .25		o C260 nx .25	
* 1 ng 5.00		* 278 .25		o 37 nx .25		** 400 .35		o C262 nx .25	
o 8 nx 3.75		* 278 ng .25		o 41 nx .35		o 402 nx .25		o C269 nx .25	
* 9 ng 6.00		o 278-84, 286 nx 5.85		* 53 nx .25		** 404 .40		o C270 nx .25	
* 10-13 14.65		o 278-84 nx 3.45		* 64 .45		o 405 nx .25		o C273 nx .25	
* 10-12 ng 12.25		o 280-2 nx .75		o 68-9, 71, 77 nx 1.15		** 412 .35		o C280 nx .25	
* 10 ng 2.75		o 280-1 nx .50		o 86 nx .25		** 422 .35		o C289 nx .25	
* 13 2.40		o 280-1 nx .50		o 98, 101, 105 nx .75		** 425 .55		o C289 nx .25	
o 14 nx 4.25		** 293 .25		o 98 nx .25		** 436 .40		o C294 nx .25	
* 15, 18 14.50		* 293 .25		o 113-4, 116, 121 nx 1.35		o 441 nx .25		o C296 nx .25	
* 15 4.50		o 293-5 nx 1.75		o 114, 116 nx .50		o 446 nx .25		o C297 nx .35	
* 18 ng 10.00		o 294-5 nx 1.50		o 116 nx .25		o 449 nx .25		o C301 nx .25	
o 19-21 nx 11.50		o 295 nx 1.10		o 124 nx .35		o 454 nx .25		** C302 .30	
* 19 nx 3.50		o 296 nx 1.10		o 127-8, 131, 134, 136-8, 139a nx 2.35		o 492 nx .25		o C302 nx .25	
* 24-5 3.20		o 297 nx .60		o 128, 131, 134, 137-8 nx 1.25		o 535 nx .90		o C307 nx .25	
o 28a nx 2.25		o 298-9 nx .85		o 135 nx .25		** 567 1.25		o C308 nx .25	
* 36-9 ng 6.95		* 299 nx .60		o 144 nx .25		o 622 nx .75		o C310 nx .25	
* 37, 54 4.50		* 302 .90		o 145 nx .40		** 689 .70		** C311 .40	
o 37, 41, 43, 45, 48, 50 nx 8.35		o 303 nx 2.10		o 163, 165-6, 168-9 nx 1.25		** 775-6 3.75		* J46 avg .50	
o 37, 43 nx .70		o 304 nx .25		o 181 nx .30		** 805 .85		o RA2 nx .25	
* 38 ng .55		* 307 .65		o 182 nx .40		o 847a nx .25		o RA3 nx .25	
o 43 nx .40		** 308-10 .75		o 183-4 nx .50		** 913-6 2.05		o RA5 nx .25	
* 72 ng 4.00		* 308-10 .75		o 185 nx .35		o 929 nx .60		o RA6 nx .25	
* 85-6, 89, 94 3.40		o 308, 310-6 nx 2.50		o 199-205, 207-9 nx 2.50		* 1010cdg ng 1.88		o RA7 nx .25	
* 85, 94 1.65		o 308, 313, 315 nx 1.00		o 199-204, 207-9 nx 2.25		** 1127 .60		o RA7 .25	
o 99 nx 1.40		* 309 .25		o 202-3, 207-8 nx 1.00		** 1300 1.10			
* 100, 107 1.35		o 313 nx .25		o 207 nx .25		** 1304-5 3.00			
* 100 .25		o 320-3 nx 2.85		o 212 nx .25		o B5 nx .25		CHINA	
o 101, 103-4, 108-9 nx 4.10		* 326 1.40		o 217, 220-1, 223-5, 227 nx 1.50		o B8, B10 nx .60		o 249, 252, 258 nx .90	
o 101, 104 nx .50		o 326 nx .90		o 217, 221, 223-5 nx 1.00		o B8 nx .30		o 275 nx .25	
o 104 nx .25		o 327 nx .70		* 236 .95		o C6A nx .35		o 299 nx .25	
* 107, 110 ng 4.85		o 333 nx .35		o 248 nx .50		* C22-3 .50		o 313, 315 nx .50	
* 134 2.25		o 344 nx .75		o 252 nx .25		* C22 .25		o 313 .25	
* 149 ng .60		o 345-8, 350, 352 nx 1.55				o C23-4 nx .50		o 325 nx .35	
o 150 p15x14 .80		o 345-8, 350 nx 1.25				o C24 nx .25		o 353 nx .25	
* 163-9 p15x14 2.40		o 345-8 nx 1.00				** C30 .30		** 492 ngai .25	
* 163, 165, 169-70 ng						* C30-6, C39 nx 2.00		** 600 .65	
						* C32-3 .50		** 611 ngai .25	
						* C32 .25		o 613-4 nx .80	
						o C32-6, C39-46, C48 nx 3.50		* 640 nx .25	
						o C32-4, C36, C39-41, C43-4, C46, C48 nx 2.75		* 686, 689 .50	
						o C32, C36, C40-1, C43, C46 nx 1.50		o 688 nx .25	
								* 690 .30	
								* 704 ng .25	
								* 717-8, 721 .75	

CHINA (ROC) (cont'd) SCOTT CAT	o 1909, 1911, 1915 nx .75	o 2196-7 nx .50	o 3031 nx .25	o 355-7 nx 10.25
** 751, 753-4 ngai .75	o 1911, 1915 nx .50	o 2206, 2209-10, 2213 nx 1.00	o 3038 nx .90	o 362-3 nx 5.75
** 769-70 ng .50	o 1911 nx .25	o 2213 nx .25	o 3045 nx .65	o 370-1 nx 9.50
** 769 ng .25	o 1942 nx .25	o 2216d nx .40	o 3077 nx .60	o 372-3 nx 1.50
** 785 ngai 1.00	o 1953 nx .80	o 2217 nx .25	o 3091 nx .55	o 374-6 nx 4.75
o 791 nx .25	o 1966-7 nx .55	o 2223, 2225 nx .50	o 3180 nx .85	o 377-8 nx 1.00
** 820 ngai .25	o 1967 nx .30	** 2240-3 4.45	o 3369 nx 10.00	** 389 ngai 4.25
** 833, 880 ngai .60	o 1975, 1978 nx .55	o 2245 nx .40	o 3371 nx .30	o 392-3 nx 4.25
** 887-8, 890, 892 ngai 1.85	o 1978 nx .30	* 2252-5 5.05	** 3581-4 2.50	o 402-4 nx 7.20
** 887 .50	o 2000 nx .40	o 2252-3, 2255 nx 1.00	o 3754 nx 1.00	o 405-6 nx 1.00
** 898, 901, 903 ngai .90	o 2001, 2004 nx .65	o 2255 nx .50	o 3862 nx .35	o 407-8 nx 1.00
** 913, 913a, 914, 915a, 916-7, 919-20 ngai 2.15	o 2004 nx .40	* 2256-9 2.30	o 3871 nx 1.60	o 412a nx 6.00
** 976 ngai .35	o 2005 nx .25	o 2259 nx .50	** 4011 3.25	o 413-5 nx 6.25
	o 2009-16 nx 2.00	o 2272bdh nx .75	o 4024 nx .85	o 416-7 nx 5.00
	o 2009-13, 2016 nx 1.50	o 2273 nx .25	o C81-2 nx .55	o 422 nx 2.50
	o 2009, 2011-3, 2016 nx 1.25	o 2279 nx .30	o C82 nx .30	o 465-6 nx 2.00
	o 2009, 2012 nx .50	** 2280-3 3.10	o C86 nx .60	o 506-17 nx 111.00
CHINA (ROC)	o 2025 nx .40	** 2283 nx .50	o C89 nx .65	o 573 nx 7.50
o 1042 nx 12.50	o 2027 nx .45	** 2284-7 7.70	* J93-7 ngai 4.00	o 606, 608-9 nx 7.65
o 1056 nx 5.00	o 2028 nx .25	o 2285-7 nx 1.10	* J93-5 ngai 2.40	o 606 nx .80
o 1126 nx 3.00	o 2031-2 nx .65	o 2287 nx .60	CHINA - TAIWAN	o 612-3 nx 8.00
o 1137 nx .25	o 2032 nx .40	o 2288, 2290, 2293, 2296, 2298, 2300 nx 1.55	* 23 ng .80	o 637-8 nx 2.50
o 1143, 1145 nx .55	o 2033 .25	o 2288, 2290, 2293, 2296, 2298 nx 1.25	* 76 ng 1.00	o 713-4 nx 3.50
** 1218 ngai .50	o 2041 nx .60	o 2288, 2290, 2296, 2298 nx 1.00	CHINA - NE PROVINCES	** 828 17.00
o 1220 nx .25	o 2045 nx .65	** 2311-4 2.60	* 10 .35	o 1022, 1033 nx .90
* 1243 1.40	o 2047-9 nx .80	o 2311, 2314 nx .50	** 25 ngai .40	o 1136, 1140, 1142 nx 5.50
* 1248-9 1.75	o 2047, 2049 nx .55	o 2317 nx .30	** 29 ngai .35	o 1165, 1169-71 nx 1.50
o 1267, 1269 nx .85	o 2050, 2052-3 nx 1.15	o 2318 nx .25	CHINA - SINKIANG	o 1179-80 nx .50
** 1270 ngai .50	o 2055 nx .25	o 2329 nx .40	** 167-9 ngai 4.35	** 1224 8.00
o 1271 nx .25	o 2063 nx .35	o 2331 nx .40		o 1317, 1322-3, 1325-6 nx 1.60
o 1294 nx .70	o 2065 nx .30	o 2332 nx .25		o 1317, 1323, 1325 nx .95
o 1320 1.40	o 2067 nx .30	o 2340, 2342 nx .65	CHINA (PRC)	o 1323, 1325 nx .65
** 1367 4.00	o 2068-76 nx 2.25	o 2342 nx .40	** 19, 20 ngai 1.75	** 1327-8 4.50
o 1375-6 nx 3.05	o 2068-73, 2075-6 nx 2.00	o 2347 nx .45	** 37-8 ngai 3.75	o 1363 nx 1.90
o 1400, 1402, 1404 nx .80	o 2077-8 nx .65	o 2355 nx .60	** 50, 53 nx 1.35	** 1473 4.50
o 1400, 1402 nx .55	o 2080 nx .55	o 2356 nx .25	** 51-2, 54 ngai 1.30	o 1612 nx 5.25
o 1409 nx .45	o 2088 nx .25	o 2360 nx .35	** 67 ngai 2.50	o 1701 nx .70
** 1479-80 41.50	o 2091 nx .35	o 2366 nx .50	** 68, 70 nx 5.00	o 1722 nx .75
o 1496-9, 1504 nx 2.05	o 2092-5 nx 1.40	o 2367, 2370 nx .65	o 78 nx .30	** 1760 10.00
o 1497, 1499, 1504 nx 1.20	o 2092 nx .25	o 2370 nx .40	** 79-81 ngai (80-1 have one se each) 3.90	** 1764 6.75
o 1504 nx .40	o 2096 nx .25	o 2372 nx .35	** 82-4 ngai 3.30	** 1969-72 11.20
o 1511 nx .25	o 2098-9 nx .75	o 2380-1 nx .65	** 85, 87, 89, 93-4 ngai 4.00	** 1979 8.25
o 1540, 1542, 1544 nx 1.20	o 2099 nx .50	o 2381 nx .40	o 90 nx 6.75	** 1983-6 8.25
o 1540, 1544 nx .50	o 2103 nx .35	o 2387 nx .40	** 111, 113-4, 116 ngai 11.00	** 1987 5.25
o 1557 nx .40	o 2105-7 nx .80	o 2388 nx .25	o 94 ngai .90	** 1987a 8.00
o 1606-9 nx 2.95	o 2107 nx .30	o 2390-1 nx 1.15	** 171, 173 ngai 7.50	** 2007-9 1.45
o 1607 nx .40	o 2107 .30	o 2395 nx .35	** 187-8 ngai 4.00	o 2032 nx .30
o 1705, 1708-9 .80	o 2108, 2111 nx .50	o 2413 nx .45	** 202-5 ngai 7.20	** 2046-7 3.05
o 1705 nx .25	o 2113 nx .30	o 2433 nx .25	** 203 ngai 1.80	o 2051, 2055-6, 2059 nx 1.15
o 1716 nx .25	o 2113 .30	o 2439-41 nx .75	** 206-9, 211-3 ngai 7.50	** 2058-9 1.00
o 1740 nx .25	o 2114, 2116-7 nx 1.00	o 2439, 2441 nx .50	o 211 nx .25	** 2102 2.00
o 1762 nx .45	o 2116-7 nx .75	o 2459 nx .30	** 229 ngai 3.25	o 2191 nx 1.25
o 1768, 1771, 1773 nx .75	o 2117 nx .45	o 2475 nx .30	o 249, 251-66 nx 14.45	** 2259-62 1.55
o 1768, 1773 nx .50	o 2119 nx .30	o 2491 nx .40	o 267-8 nx 3.35	** 2326-7 1.15
o 1773 nx .25	o 2123 nx .30	o 2566 nx .30	o 271-2 nx 4.50	** 2328 15.00
o 1783 nx .50	o 2123 .30	o 2567, 2569 nx .50	** 276 ngai 4.00	** 2330-7 7.55
o 1791-3, 1797-8 nx 1.25	o 2124-5, 2127-9, 2131-3 nx 2.00	o 2567 nx .25	o 287-9 nx 1.75	** 2338 11.50
o 1791-2, 1798 nx .75	o 2124-5, 2128-9, 2131-3 nx 1.75	o 2665 nx .60	o 290-4 nx 6.00	** 2346 .70
o 1796a nx .30	o 2125b, 2128a nx .50	o 2670 nx .65	o 295-8 nx 1.40	** 2347-9 1.60
o 1797a nx .30	o 2136 nx .40	o 2677, 2681, 2683, 2683B, 2683C nx 2.10	o 301-3 nx 2.25	** 2350 6.50
o 1798 nx .25	o 2139-42 nx 1.70	o 2683C nx .80	** 276 ngai 4.00	** 2353 .55
o 1798 nx .25	o 2142 nx .65	o 2706-7 nx 1.05	o 287-9 nx 1.75	** 2373-6 2.75
o 1812, 1815-6 nx 1.20	o 2147acd nx 1.65	o 2792-3 nx .60	o 290-4 nx 6.00	** 2377 10.00
o 1812 nx .25	o 2147d nx .55	o 2812, 2814, 2817, 2820-1, 2823 nx 3.60	o 295-8 nx 1.40	** 2380-1 1.10
o 1821 nx .60	o 2153-4, 2155-6 nx 1.65	o 2883 nx .65	o 301-3 nx 2.25	o 2384 nx .30
o 1824-5 nx .65	** 2157-8 1.00	o 2887-8 nx 1.75	o 304-5 nx 6.75	** 2397-2400 1.55
o 1824 nx .25	o 2173 nx .25	o 2888 nx 1.25	o 306-10 nx 3.00	** 2401 2.75
o 1832 nx .25	o 2178 nx .50	o 2964 nx .90	o 311-2 nx 1.15	** 2407-10 1.70
o 1838e nx .25	o 2179 nx .25	o 2989-91 nx 1.80	o 313-6 nx 12.50	** 2411 3.00
o 1843 nx .35	o 2179 .25	o 2990 nx .30	o 317-8 nx 2.00	** 2416-9 1.90
o 1864, 1868 nx .75	** 2181-2 1.15	o 3013 nx 1.10	o 319-20 nx 1.20	** 2420-1 1.20
o 1895 nx .25	o 2190 nx .25		o 321-5 nx 5.50	** 2423-4 1.20
o 1901 nx .25			o 326-9 nx 9.75	* 2425-8 1.30
			o 330-3 nx 1.20	** 2433-4 1.00
			o 334-6 nx 4.50	** 2436-7 .90

CHINA (PRC) (cont'd) SCOTT CAT	** 3706 1.25 ** 3853-6 1.50 ** 3857-60 2.50 ** 3861-2 1.00 ** 3863-8 2.60 ** 3870-3 1.50 ** 3874 1.50 ** 3875-6 1.75 ** 3877 .80 ** 3878-81 in two pairs with label between 1.50 ** 3878-81 singles 1.50 ** 3882-6 1.90 ** 3887-8 .75 ** 3889-94 2.10 ** 3895-8 1.50 ** 3899-3901 1.50 ** 3902 .60 ** 3903 .80 ** 3904-5 1.40 ** 3906-7 2.10 ** 3908-10 1.50 ** 3910a 5.50 ** 3911 1.00 ** 3912-4 1.50 ** 3915-8 1.50 ** 3919-21 2.15 ** 3930-1 1.00 ** 3932-5 1.50 ** 3936 2.60 ** 3937 1.00 ** 3938-47 + butterfly tabs 6.50 ** 3948-9 singles 1.50 ** 3950-1 2.75 ** 3952 6.50 ** 3953-8 3.00 ** 3959-60 1.00 ** 3961 2.00 ** 3962-5 1.50 ** 3966 2.00 ** 3967-9 1.25 ** 3970 1.90 ** 3971-2 .75 ** 3973 1.90 ** 3974-7 pairs 1.50 ** 3974-7 singles 1.50 ** B3-6 4.00 * C1-3 ngai 3.00 o C7-9 nx 8.00	o 803 .25 o 805 nx .25 o 805 .25 o 812 nx .25 o 812 .25 o 823 nx .25 o 858-9 nx .75 ** 1067-8 1.20 o 1093 nx 1.40 ** 1123 2.00 o 1233 nx 1.60 o C100 nx .25 o C288 nx .25 o C313 nx .25 o C361 nx .25 o C412 nx .25 o C414, C418 nx .50 o C441 nx .25 ** C468 1.00 o C487 nx .25 o C520 nx .25 o C580 nx .25 o C588 son .25 o C590 nx .25 o C590 .25 o C591 nx .25 o C591 .25 o C593 nx .25 o C594 nx .25 o C597 nx .25 ** C598 2.75 o C609 nx .25 o C611, C613 nx .50 o C624 nx .25 o C645 nx .25 o C702 nx .25 o C800 nx .50 ** C851 .75 o C865 1.25 o C870 nx 1.75 o C879 nx 1.00 * RA62 .25	o 514-9 nx 2.10 ** 521 .25 o 522 nx .25 ** 529 .25 * 536 .25 ** 542-6 1.30 o 547-52 nx 1.55 o 553-8 nx 1.85 o 553 nx .25 ** 561-4 2.10 ** 561, 563 .55 o 569, 572 nx .50 ** 582-6 1.50 o 582, 585 nx .50 o 610 nx .55 o 613 nx .25 o 616 nx .25 o 617-8 nx .50 o 618 nx .25 o 622 nx .25 o 623 nx .50 o 627 nx .35 o 647, 650, 652-3 nx 1.00 o 647 nx .25 ** 663 .25 o 666 nx .25 * 713-5 2.25 ** 713 .75 o 717 nx .60 o 769 nx .40 o 808 nx .90 o 832-3 nx .85 o 833 nx .50 ** 862-70 12.15 ** 872-7, 879 3.90 ** 879 2.25 ** 893-900 9.75 o 898 nx .25 o 905a, 909a nx CAM 26.00 o 908 nx .40 ** 910-7 16.80 o 921-2 nx .50 o 929 nx .25 ** 932 5.00 ** 944-51 6.05 o 947 nx .25 ** 952 11.00 o 956 nx .25 ** 968 9.00 ** 971-3 3.25 ** 973a imperf 6.00 ** 973a 6.00 ** 974-81 7.15 o 1005 nx .25 o 1023 nx .55 ** 1080, 1084a 20.25 o 1088 nx 1.75 o 1099 nx 1.25 ** 1102-9 21.95 ** 1139-45 11.45 ** 1146-53 15.95 o 1152-3 nx 12.25 o 1153 nx 9.00 ** 1154-8 6.05 o 1156, 1158 nx 3.85 o 1156 nx 1.10 ** 1168-71 13.00 o 1198 nx 3.00 o 1233, 1236 nx 3.00 o 1236 nx 2.50 ** 1237-40 8.00 o 1242 nx .60 ** 1258 5.00 o 1259 nx .60 o 1333-4 nx 23.00 o 1352 nx 8.00 o 1360 nx 4.50 ** 1482-4 55.00 ** 1485-6 50.00	** 1626-9 imperf horiz pairs 9.50 ** 1626-9 4.75 ** 1630 5.75 ** B48-51 3.45 ** C32-4 9.95 For Congo (Brazzaville) see our France & Colonies list:- COSTA RICA * 25 .35 o 35, 38-9 nx 1.00 o 38 nx .35 o 45 p15 nx .30 o 47 p14 nx .30 o 65 remainder 1.00 * 69 .25 o 70, 72 .50 o 83 remainder 1.40 o 121-2 nx .50 o 155-6 nx .50 o 156 nx .25 o 170, 172-3 nx .90 o 170 nx .25 o 177-8 nx .50 o 177-8 .50 o 187 nx .25 o 189 nx .30 o 251, 253, C160 nx .75 ** 405a 4.00 o 416 nx .50 ** 466-74 26.70 o 466, 471, 473 1.95 o 478 .25 o 483 1.00 ** 506 1.50 ** 516 4.50 o C83, C91A nx .80 o C125-6 nx .55 o C128, C133 nx .50 o C159 nx .55 o C160 .25 o C179, C181 .50 o C179 nx .25 o C182 nx .25 o C187 .40 o C189, C192-4, C196 nx 1.60 o C200, C204 nx .50 o C215 nx .50 o C217, 219 nx .50 o C219 nx .25 o C227-8, C230, C233-4 nx 1.30 o C227 nx .25 o C283 nx .30 o C299, C301-2 nx 2.30 * C303-5, C307 1.00 o C308 nx .25 o C453 nx .25 o C482, C485-6 nx .75 o C482 .25 o C518 nx .25 o C553-4, C556 nx .75 o C553, C556 nx .50 o C624 p13.5 nx .30 o C641 nx .35 o C659 nx .25 o C679 nx .70 o C682 nx 1.40 o C692 nx .25 o C707 nx .25 o C765 nx .40 o C840 nx .25 o C847 nx .50 o C849 nx .25 ** C919 2.00
--	--	--	--	---

CONGO, DEMOCRATIC REP
(formerly ZAIRE)

Formerly the Belgian Congo, It became independent in 1960 taking the name of the Democratic Republic of Congo in 1964. The country name was changed to Zaire in 1971. It reverted to it's prior name of the Democratic Republic of Congo in 1997 - which is the current name.

** 196-200 3.10 o 337 nx .30 o 341-3, 345-6 nx 1.25 o 342, 345 nx .50 o 388 nx .15 ** 414-6 .75 ** 429-32 1.00 ** 429-30 .50 ** 429 .25 ** 443-4 .50 ** 443 .25 ** 443 ng .25 ** 448 .25 ** 455-6 .50 ** 456 .25 * 456 .25 o 456-7 nx .50 o 456 nx .25 * 466 .40 ** 472 .25 ** 492-7 2.90 o 492 nx .25 * 499, 500, 502 .75 * 499 .25 o 502 nx .25 o 510 nx .25 ** 514-9 5.00
--

CHINA - NE CHINA

** 1L5-6 ngai 4.50 ** 1L42, 1L44, 1L46-7 ngai 13.00 ** 1L167-75 ngai 21.00

CHINA - EAST CHINA

** 5L29 ngai .35 ** 5L32-9 ngai 4.00 ** 5L33 ngai imperf 3.35 ** 5L82, 5L84, 5L86-90 ngai 11.00 o 5L85 nx .50
--

CHINA - CENTRAL CHINA

** 6L50-1 ngai 2.25

COLOMBIA

o 584 nx .25 o 652 nx .25 * 742, C429-31 3.70 o 759 nx .60 o 790 nx .25 o 793 nx .25 o 796 .25 o 803 nx .25
--

CUBA		o 308-10 .75	o 2151 nx .25	o C52 .30	o 2049 .25
(cont'd)	SCOTT CAT	o 320 1.50	o 2154-5, C257 nx .75	o C75 nx .25	** 2495-7 2.15
o C924a	1.00	o 355 nx 4.00	o 2155 nx .25	o C75 .25	o 2557 nx .50
o C936	1.00	o 355 4.00	o 2156, 2159, C261 nx .90	o C137 .25	** 2687-9 1.30
o RA6 nx .25		o 356-7 nx .50	o 2160-3, C263-4 nx 1.80	** C152 3.25	o 2696 nx .25
o RA6 .25		o 356-7 .50		* C162 ng 1.75	** 2850 .25
** RA34 .25		o 364 nx .30		o C200-1 nx .90	o C23, C25, C27 nx
** RA61-4 1.20		o 373 .50		o C205 nx .55	3.85
CRETE		o 381-2 .60	o 2160 nx .25	o C210 nx .65	o C23 nx .60
		o 394 nx .25	o 2164-6 nx .90	o C248 nx .70	o J66 nx .25
		o 396 .25	o 2165-6 nx .65	o C252 nx .25	o J71, J81 nx .50
		o 406 nx .40	o 2165 nx .25	o C269 nx .25	
		o 408 nx .30	o 2173 nx .25	o C323 nx .40	
CROATIA		o 420-2 .85	o 2179 nx .25	o E7 nx .40	
* 3 15.50		o 432 .40	o 2183-5 nx .75	o E12 .40	CZECHOSLOVAKIA -
		o 438-9 .60	o 2189 nx .25	o E18 nx 1.60	BOHEMIA & MORAVIA
		o 445-6 nx .60	o 2196-8 nx .75	* P19 .25	o 76-8 nx 1.00
		o 445-6 .60	o 2207, 2210 nx .50	* P25-6 .50	
		o 458 nx .30	o 2212-3 nx .50	* P25 .25	CZECH REPUBLIC
		o 511 .30	o 2216, 2218 nx .50	o RA1 .25	o 2879 nx .25
		o 519-20, 522-4 1.25	o 2216 nx .25	o RA2 .25	o 2888-95 nx 2.15
		o 535 nx .30	o 2239 nx .25	o RA3 nx .25	o 2888, 2890-95 1.90
		o 536 nx .25	o 2245-8 nx 1.00	o RA4 nx .25	** 2916-7 3.50
		o 540, C111 nx .65	o 2263, 2266 nx .50	o RA4 .25	o 2949-50 nx .50
		o 540 nx .30	o 2275-6 nx .50	o RA5-6 nx .50	o 2966-68A, 2969A nx 1.70
		o 552 nx .55	o 2282 nx .25	o RA5 nx .25	o 2967-68A nx 1.00
		o 583 .40	o 2283 nx .25	o RA5 .25	o 2967-8 nx .75
		o 585 nx .25	o 2295 nx .25	o RA7 nx .30	o 2968A nx .25
		o 611 nx 1.25	o 2308 nx .25	o RA8 nx .25	o 3046 nx .55
		o 639 nx .25	o 2321, 2324 nx .50	o RA9 nx .25	o 3063, 3065-9 nx 1.70
		* 641 ng .80	o 2328, 2330, 2332 nx .75	o RA9 .25	o 3063, 3065, 3068-9 nx 1.00
		o 670, 672 nx .65	o 2363 nx .25	o RA11 nx .25	o 3063, 3065, 3069 nx .75
		o 1074 nx .25	o 2366 nx .25	o RA11 .25	** 3094 5.00
		o 1208 nx .70	o 2376 nx .25	o RA16 nx .25	o 3114 nx .25
		o 1627 nx .25	o 2400 nx .25	o RA21 .30	o 3159 nx .30
		o 1636 nx .25	o 2458 nx .25	o RA26-9 1.20	o 3163 .25
		o 1715 nx .25	o 2478 nx .25	* RA34 avg .50	o 3167 nx .25
		o 1755 nx .85	o 2489 nx .25	o RA34 nx .30	o 3175a nx .69
		o 1773-9 nx 2.60	o 2498 nx .25	o RA34 .30	o 3176 nx .25
		o 1865, 1868, 1870 nx 1.20	o 2503-4 nx .50	o RA35-6 nx .60	o 3179 .35
		o 1878 nx .70	o 2510-5 nx 1.80		o 3182 nx .25
		o 1954 nx .25	o 2512, 2514 nx .65	CURACAO	o 3216 nx .30
		o 1956, 1960 nx .95	o 2519-20, 2522 nx .80	** 39-42 9.75	o 3293 .45
		o 1964, 1967-8 nx .75	o 2522 nx .30		o 3312 nx .80
		o 1981 nx .25	o 2526, 2529-30 nx 1.05	CZECHOSLOVAKIA	o 3380 nx .95
		o 1989 nx .25	o 2529 nx .30	o 71 nx .25	
		o 1990, 1992-3 nx .75	o 2533 nx .25	o 96-7 nx .50	DANISH WEST INDIES
		o 1997 nx .25	o 2571 nx .40	o 153, 156 nx .50	* 5 ng 22.50
		o 2008 nx .25	o 2579 nx .25	o 191 nx .25	o 6 nx 20.00
		o 2015 nx .25	o 2583-5 nx .75	o 277-8, 280 nx .75	o 6b nx 17.00
		o 2017-9 nx .75	o 2595 nx .25	o 294A, 296-7, 298 nx 1.00	o 6e nx 20.00
		o 2022 nx .25	o 2599 nx .25	o 301, 303 nx .50	o 8 nx 20.00
		o 2023 nx .25	** 2629-43 no 2631 7.70	o 319-21 nx .75	o 10 nx 25.00
		o 2031-2 nx .50	** 2820-4 5.35	o 344 nx .25	o 10c nx 32.50
		o 2031 nx .25	o 2946 nx .25	o 363, 364a nx .50	o 16 nx 22.50
		o 2034 nx .25	o 3036-7 nx .50	o 400 nx 2.00	o 16 fine nx 22.50
		o 2037-40 nx 1.20	** 3121 1.40	o 470-1 nx .80	o 18 nx 11.00
		o 2041 nx .25	** 3153, 3158, 3163, 3168 1.40	o 480 nx .25	* 21 3.00
		o 2043, 2046 nx .80	** 3224 1.40	o 509 nx .80	o 21-2 nx 28.00
		o 2047 nx .70	* 3224 1.40	o 600 nx .25	o 21 nx 3.00
		o 2048 nx .45	o 3529-30, 3532 nx 1.95	o 645, 654, 657 nx .75	* 24 10.00
		o 2051-3, 2055 nx 1.10	o 3663 nx .75	o 670-1 nx .75	* 29 8.00
		o 2056-8 nx .95	o 3785-7 nx 3.40	o 679 nx .25	o 31-6 nx 45.25
		o 2056 nx .25	** 4817A-20 6.05	o 721 nx .25	o 31-5 nx 35.25
		o 2059 nx .25	** 4821 2.00	o 728 .25	* 37 17.50
		o 2068 nx .25	o B1 1.00	o 731 nx .25	* 40-2 38.50
		o 2069-72 nx 1.00	* B3 ng .70	o 750 nx .35	* 41-2 22.50
		o 2080-5 nx 1.75	o C4-5 nx .50	o 781 nx .25	* 41 10.00
		o 2084 nx .25	o C4-5 .50	o 804, 806 nx .50	* 43-50 100.95
		o 2086 nx .25	o C5 .25	o 845 nx .25	* 43 1.90
		o 2088, 2090-2 nx 1.75	o C12-13, C14A, C15 1.65	o 1069 nx .25	* 43 ng 1.90
		o 2093 nx .25	o C13 nx .25	o 1123 nx .25	o 43-4, 47, 49 nx 15.80
		o 2095 nx .25	o C13 .25	o 1184 nx .25	o 44 bullseye cancel 1.90
		o 2100 nx .25	* C23 ng 2.75	** 1195 .50	* 51, 55 8.00
		o 2104 nx .55	o C40 nx .80	o 1348 .25	o J7 nx 14.00
		o 2113, 2115 nx .50	o C40 .80	o 1601-2 nx .50	
		o 2113 nx .25	o 2151, C255-6 nx .95	o 1685 nx .25	DANZIG
		o 2150-1, C255-6 nx 1.20			
		o 280 2.75			
		o 281 2.00			
		o 304, 306-7, 307a nx 1.75			

DANZIG	fluorescent paper) 1.00	o 783 nx .50	o 1252 nx .80	** 903 .45
(cont'd)		o 793 nx .25	o 1258 nx .90	** 951-4 10.20
SCOTT CAT		o 816 perfin "G", nx .50	o 1263 nx 1.25	o 977 nx .70
o 4 nx 1.10	* 407 .50	o 829 nx .50	o 1267 nx 1.00	o 992 nx .35
* 19 .25	o 407 nx .50	o 832 nx .50	o 1273 nx .85	o 994 nx .40
o 20 nx .25	* 415 .50	o 836 nx 2.75	o 1275ab nx 2.50	o 994 .40
** 63-4, 66-7 3.61	o 418 nx .50	o 845 nx .50	o 1275b nx 1.25	o 996 nx .50
** 64 .91	o 422 nx .50	o 847 nx .30	o 1277 nx 1.00	** 1031-4 8.95
* 65-7, 70 1.00	o 423 nx .50	o 854 nx .25	o 1279 nx 1.00	** 1031-3 5.20
o 71 nx .45	o 424 nx .50	o 858 nx .50	o 1284 nx 1.00	o 1040 nx .40
** 81, 88-9, 92-3 8.71	o 425 nx .50	o 861 nx .50	o 1398 1.25	** 1067-70 6.20
* 84, 90, 92-3 1.00	** 426-8 2.05	o 865 nx .50	o 1626 nx 5.00	** 1116-9 13.30
o 92 nx .35	o 426 nx .50	o 866 nx .50	** B10-1 .55	** 1123-4 2.80
** 93 1.02	o 436 nx .50	o 869 nx 1.25	o B15 nx .50	o 1147 nx .55
* 106, 114 2.66	o 437, 438-41, 442, 444C nx 2.00	o 870 nx 1.25	o B28 nx 1.25	o 1292 nx 1.50
* 107-8, 115 .90	o 438 nx .25	o 871 nx .25	o B29 nx 1.00	** B43, see note after imperf s/s 1.50
** 127, 132 1.43	o 438 .25	o 873 nx .50	o B31 nx .75	o C50 nx .25
* 129-31, 133, 135 1.00	o 454-5 nx 1.85	o 873 .50	o B32-3 nx 1.70	o C50 .25
* 135 .25	o 457 nx .50	o 880 nx .50	o B34 nx .65	o C55-6 .50
* 144-6 .75	o 458 nx .75	o 899 nx .50	o B35-6 nx 2.25	o C56 .25
o 168, 170, 173, 176-7 181, 184 nx 6.15	o 461 nx .25	o 911 nx .50	o B42-3 nx 1.30	o C62 nx .25
o 170, 173, 176-7 nx 2.80	o 462 nx .25	o 914 nx .25	** B53-4 1.45	o C62 .25
o B1 nx .85	o 463 nx .50	o 921, 923 nx 1.35	** B64 1.50	o C62 .25
* C14 .40	o 464 nx .25	o 921 nx .40	o B65 nx 2.75	o C74 nx .25
* J19 fine .60	o 465 nx .25	o 928 nx .55	o P1-3 nx 19.50	** C90 .50
o J23 nx .75	o 467 nx .25	o 933 .70		o C96 nx .25
** O2, O23, O25 8.89	o 468 nx .50	o 936 .25	DOMINICAN REPUBLIC	** C121 .95
o O25 nx .40	o 469 nx .25	o 942 nx .40	o 122 .30	o C122 nx .30
DENMARK	o 472-5 nx 2.00	o 959-60 nx 2.15	* 206 8.25	** C137 .50
o 72, 75 f-avg nx 1.65	o 472-3 nx .50	o 961-3 nx 3.00	o 214-5 nx .50	o C143 nx .30
o 97, 100 nx .75	o 477 nx .70	o 961 nx .30	* 223-4 14.75	o C150 nx .25
o 192, 197 nx .70	o 490 nx .50	o 965 nx .50	o 227-8 .70	o C154 nx .30
o 192 nx .30	o 491 nx .50	o 966 nx .50	* 265B .55	o C155 nx .30
o 234, 238 .50	o 501 nx .25	o 971 nx .70	o 299, 301 nx .50	o C187 nx .35
o 234 nx .25	** 509-12 1.35	o 974 nx .50	o 301 .25	** C193 .30
o 239 nx .25	o 513-6 nx 1.75	o 977-8 nx 1.20	** 304 .30	o C195 nx .25
o 249 nx .25	** 518 .50	o 985 .90	o 305 .25	** C269 .75
o 280-4, 286, 286B, 287, 287A nx 2.50	o 520-1 nx .50	o 986 nx .30	o 359 .25	** C283 1.10
o 280, 282-4, 286, 286B, 287 nx 2.00	** 522-3 2.00	o 990 nx .50	o 363 nx .25	** C321-2 1.65
o 280, 284, 286, 287 nx 1.00	o 522-3 nx 1.50	o 993 nx .30	o 386 .25	** C323-5 2.95
* 291 .30	** 525 1.00	o 1001-2 nx .80	o 391 .25	** C334 1.10
o 297-9 nx .75	o 525 nx .65	o 1001 nx .30	o 399 .25	** C345-6 2.15
o 297 nx .25	** 526-30 6.25	o 1004 nx .25	o 410 nx .25	** C377-9 4.95
o 302 nx .30	o 531 .50	o 1012 nx .35	o 410 .25	** C382 .85
o 306, 306a, 307, 308-9, 313-4 nx 3.05	** 553-5, 557 2.35	o 1017 nx .50	o 420 nx .25	** C383 .45
o 307a, 308 nx .75	o 566 nx .25	o 1024 nx .75	o 420 .25	* G8a ng 1.10
o 316 nx .50	o 567-9 nx 2.00	o 1026-7 nx 1.00	o 421, C62-3 nx .75	o RA16 nx .30
o 319b, 320, 323-4, 326 nx 1.25	o 578 nx .25	o 1031 nx 1.25	o 421, C62-3 .75	o RA30 nx .25
o 320, 323, 326 nx .75	o 584 nx .25	o 1037 nx .30	o 422, 424 nx .50	o RA31 nx .25
o 330-1 nx .60	** 586-9 3.10	o 1041-2 nx 1.00	o 429 nx .25	o RA32 nx .25
o 335-7 nx 1.25	o 588 nx .25	o 1041 nx .30	o 429 .25	o RA42 nx .25
o 335, 337 nx .75	** 590 1.25	o 1045 nx .30	o 431 nx .25	o RA44 nx .25
o 342-51 (no 344) nx 2.25	** 606-8 1.70	o 1049 nx .50	o 434-5 nx .50	o RA49B nx .30
o 345 nx .25	** 609-10 2.10	o 1050-1 nx 1.25	o 434-5 .50	o RA53 nx .25
o 354 nx .50	o 626 nx .50	o 1051 nx .75	o 447 nx .25	o RA58 .25
o 359 nx .50	o 648 nx .50	o 1053 nx .50	o 463 nx .25	o RA61 nx .30
o 363 nx .25	o 662 nx .25	o 1055-6 nx .80	** 474-8, C97-8 2.25	o RA62 nx .25
o 369 nx .25	o 684 nx .30	o 1056 nx .50	** 479-83, C100-2 2.40	o RA63 nx .25
o 371-3 nx 1.00	** 691, 693 1.40	o 1059 .30	o 489 nx .25	o RA78 .25
o 371-2 nx .50	o 699 nx .70	o 1064 nx .30	** 501-5, C106-8 2.60	o RA84 nx .30
o 371 nx .25	** 704, 706, 710, 712 6.25	o 1064 .30	** 501-5, C106-8 imperf 2.60	o RA89 nx .25
o 380 nx .50	o 706, 708-10, 712, 715 nx 2.45	o 1068-9 nx 1.05	o 512 nx .25	o RA89 .25
o 384-8, 390, 394 nx 3.80	o 723 nx .25	o 1077 nx .70	o 521 nx .25	o RA90 nx .25
o 385, 387, 390 nx 1.40	o 727 nx .30	o 1078 nx .50	** 525-9, C115-7 2.45	o RA91 nx .25
o 385, 390 nx 1.15	** 732 .90	o 1082 nx .30	o 528 nx .25	EASTERN RUMELIA
o 399 nx .50	o 732 nx .50	o 1090 nx .65	o 592 nx .25	* 15 .55
o 403 nx 1.40	o 735 nx .40	o 1102 son 1.25	o 611-2 nx .50	EASTERN SILESIA
o 404 nx .50	o 737 nx .50	o 1129 nx .90	o 633 nx .25	* 41-5, 50 1.75
o 405 nx .50	* 738, ** 739 3.50	o 1146-7 nx 3.65	o 638 nx .25	
o 405 .50	o 740 nx .30	o 1150 nx .30	o 646, C163 nx .50	ECUADOR
** 406 x 2 (ordinary &	** 742-4 2.75	o 1156 nx .50	o 648-51 nx 1.00	o 12, 14-17 nx 4.25
	** 745-6 1.80	o 1164 nx 1.00	o 665 .25	* 13 ng .40
	** 747-8 2.00	o 1181, 1184 nx 2.15	** 727-8, C220-1 5.05	o 25, 28 nx 3.00
	o 749 nx .50	o 1196 nx .55	** 733-5, C225 4.35	o 41-2 nx 1.00
	o 756 nx 1.60	o 1206 nx .60	** 807, C287-9 2.55	** 45-6 21.50
	o 761 nx .60	o 1218 nx .55	o 834 nx .25	* 48 .90
	o 764 .25	o 1222 nx .55	** 848-9 .60	
	o 769 nx .50	o 1226 nx .90	** 903, C382 1.30	
	o 770 nx .65	o 1230 son .65		
		o 1239 nx 1.00		
		o 1244 .70		

EQUADOR (cont'd) SCOTT CAT	o 478 nx .25 o 486, 488, C174 nx .75 o 508 nx 1.00 * 509-11 1.50 o 520, 522-3, C206 nx 1.15 o 528 nx .25 o 530-1 nx .50 o 533 nx .25 o 534-5 nx .50 o 542 nx .25 o 544 nx .25 o 544 .25 o 545-50 nx 1.50 o 547-9 nx .75 o 547 nx .25 o 554 nx .25 o 560 nx .25 o 568, 570 nx .50 o 568 nx .25 * 569 .75 o 578 nx .50 o 578 .50 o 586 nx .25 o 589-91 nx .75 o 589 nx .25 o 611 nx .25 o 613-4, C314 nx .75 o 616 nx .25 p 623-6, 628 nx 1.25 o 634-5, 637 nx .75 o 639-40 nx .50 o 645, 648 .80 o 650 nx .45 o 653-5 nx .75 o 653, 655 nx .50 o 656 .25 o 657-60 nx 1.35 o 660 nx .60 o 661-2, 665-7, 669 nx 1.50 o 662 .25 o 665-7, 669 nx 1.00 o 665 .25 ** 670 5.75 o 671 nx .25 o 677 nx .25 o 680 .25 o 684 .25 o 687-8 nx .50 o 696, 699 nx .50 o 711, 713 nx .50 o 713 nx .25 o 726 nx .35 o 746-7 nx .50 * 754A .25 o 761D nx .85 o 764BCDE nx 5.00 o 784 nx .45 o 803 .25 o 846 nx .25 o 850 nx .60 o 875 nx .25 * 881 ng .35 o 881, 886-7, 889 nx 1.00 o 896 nx .25 o 912 nx .25 o 918, 927 nx .70 ** 931, 933-6, C559-63 6.60 o 934 nx .25 o 951 .25 o 964 nx .35 o 966 nx .25 o 1300 nx .35 ** 1322 4.25 o 1323 .55 o 1325 1.25 o 1334-5 1.80	** 1457-60 12.15 ** 1461-3 8.00 ** 1959, 1960 10.25 ** 1989 1.00 o C9-12 nx 1.20 o C10 nx .25 o C26-7, C29, C31 nx 1.35 o C51-3, C55-6 nx 1.65 o C59-62 nx 1.00 o C64 nx .25 o C66-7 nx .50 o C66 nx .25 ** C73 .40 o C73-4 nx .50 * C75 .40 * C80 .65 o C80-1 nx .55 o C91 nx .25 o C116 nx .65 o C127 nx 1.30 o C152 nx .25 o C159 nx 1.30 o C214-5 nx .50 o C221 nx .25 o C238 nx .40 o C245-6, C248-52 nx 1.75 o C245-6 nx .50 o C246 nx .25 o C253-5 nx 1.80 o C255 nx .60 o C264, C266-7 nx .75 o C264 nx .25 o C276 nx .35 ** C280-1 .70 o C289, C291-2, C294-5 nx 1.25 o C289 nx .25 o C299, C301 nx .50 o C303 nx .25 o C309 nx .25 o C316-7 .50 o C325 nx .25 o C326 nx .45 o C326 .45 o C327-9 nx .90 o C329 .30 o C334 .25 o C341 nx .25 o C341 .25 ** C342 .35 o C342 nx .25 o C342 .25 o C344-5, C347-8 nx 1.00 o C350 nx .30 o C355-9 nx 1.50 o C360-1, C363-4 nx 1.00 o C367-9 nx .75 o C368-9 nx .50 o C368 nx .25 o C374 nx .30 o C376 nx .25 o C381 nx .25 o C389 nx .25 o C392, C394-5 nx .75 ** C398-400 2.10 o C435 nx .25 o C442 nx .25 o C452 nx .25 o C452 .25 o C454 nx .25 o C458 nx .25 o C488 nx .25 o C488 nx 1.00 o C498 .40 o C512, C514, C516 nx .90 o C523 .60	** C534 .30 o C550 nx .25 o C552 nx .25 o C567 .25 o C580 nx .25 o C604 .55 o C615 nx .25 o C651 nx .60 o O11 nx .40 * O28 7.50 o O107 nx 3.50 o O191 nx 1.50 o RA2 nx .25 o RA7 nx .25 o RA10-12 nx .75 o RA10-11 nx .50 o RA10 nx .25 o RA17 .25 o RA18 nx .25 o RA21 nx .35 o RA24-5 nx .50 o RA24 nx .25 o RA26 nx .25 o RA28 nx .25 o RA29 nx .25 o RA30 nx .25 o RA31 nx .25 o RA36 nx .25 o RA37 nx .25 o RA38 .25 o RA40 nx .25 o RA41 nx .25 o RA41 .25 o RA44 nx .25 o RA45 nx .25 o RA47 nx .50 o RA48 nx .25 o RA49-49A nx .50 o RA50 nx .25 o RA55 nx .25 o RA58 .25 o RA59 nx .25 o RA60-2 nx .75 o RA61-2 .50 o RA63 nx .25 o RA66 nx .25 o RA70 nx .25 o RA72 nx .25 o RA73 nx .25 o RA74 nx .25	o 96, 98-100 nx 1.00 o 128-9, 131, 133, 135-40, 142-6, + 135a, 136a, 145a nx 6.40 o 128-9, 135-6, 138-40, 142-5, + 135a nx 4.20 o 129, 135-6, 138-9, 142-5 nx 2.70 o 166 nx 2.75 o 192, 194 nx .80 o 194 nx .55 o 206-12, 214-6 nx 2.60 o 206-12, 214-5 nx 2.35 o 206-8, 210-2, 214-5 nx 2.10 o 234-8 + 234a nx 1.75 o 234-7 nx 1.25 o 234B-237 nx 1.00 * 242-51 20.55 ** 242-3, 245-7, 248-51 7.55 o 242-3, 245-7, 248-51 nx 2.25 o 242-3, 245-7, 249-51 nx 2.00 o 242-3, 245-7, 250-1 nx 1.75 ** 252 .40 ** 253 .35 o 254 nx .25 ** 256 .35 * 258-64 4.50 o 267-9A nx 1.65 o 267-8, 269A nx 1.40 ** 271 1.40 * 281-3 5.75 ** 284 .40 * 291 3.00 * 292-4 3.90 * 296-8 3.00 * 299 .85 o 300, 302, 304, 308 nx 1.10 o 300, 304 nx .50 o 304 nx .25 * 318-21 2.70 o 322-3, 325, 327-31, 333, 335-7, 340 nx 6.30 o 325, 327-31, 333, 335-7, 340 nx 5.80 o 325, 327-8, 330-31, 333, 335-7 nx 2.30 * 331-2, 335, 338, 340 29.15 o 335 nx .25 * 343 .35 o 344, 347-9, 351, 353, 357 nx 2.25 o 349 nx .25 o 368-72 nx 1.95 o 368, 371-2 nx 1.70 o 371 nx .95 o 373 nx .30 o 388 nx .75 ** 390 1.10 ** 393 1.60 ** 409a 1.60 ** 413 .30 * 413 .30 o 414 nx .25 o 415-7 nx .75 o 416-7 nx .50 o 438-44 nx 2.05 o 438, 441, 443-4 nx 1.55 ** 440, 442 .55
			EGYPT ** 29 4.25 o 29, 33-41 nx 21.35 * 33 2.50 o 33, 37-41 nx 16.30 o 37-39 nx 2.30 o 37-8 nx 1.80 o 37 nx .30 o 43-8 (including 47) nx 3.50 o 43-4, 46, 48 nx 1.00 o 43 nx .25 * 44a 1.25 o 50, 53-6 nx 2.90 o 50, 53-5 nx 2.15 o 50, 54-5 nx 1.40 * 52 3.50 o 54-5 nx .65 o 54, 58 nx 1.65 o 54 nx .25 o 55 perfin "CLA" nx .40 o 61, 66-70, 72 nx 7.10 o 66-8, 70, 72 nx 3.40 o 66-8, 72 nx 3.10 o 78-80, 82-3 nx 3.35 o 82 nx .25 o 93, 96-100 nx 1.50	

EGYPT (cont'd)	o 1219 nx .25	** C210-2 6.00	o 86 nx 1.25	* 211-6 8.25
SCOTT CAT	o 1251 nx .25	** E4 6.00	o 86 1.25	* 221 1.50
o 454 nx .25	o 1273-6, 1278, 1280, 1284 nx 2.15	o J15-17 nx 2.10	o 90-1, 93-102 nx 6.35	* 232 .40
o 460 nx .75	o 1276, 1278, 1280 nx .80	o J15, J17 nx 1.40	o 90-1, 93, 95, 97-101 nx 5.25	* 233-7, 240 nx 8.65
o 465 nx .25	o 1276, 1280 .55	o J17 nx .70	o 90-1, 93, 95, 97-99, 101 nx 5.00	* 246 3.25
o 467-9, 471-2 nx 2.50	** 1278 .60	o J30, J32, J36-7, J38A nx 4.55	o 90-1, 93, 95, 97-99, 101 nx 5.00	o 250, 252, 255-6 nx 2.45
o 468, 471-2 nx 1.50	o 1319 .25	o J32, J37, J38A nx 3.40	o 90-1, 93, 95, 97-99 nx 3.25	o 256 nx 1.25
o 471-2 nx 1.00	o 1366 nx .25	o J37 nx .35	o 91, 93, 95, 97, 99 nx 1.25	* 268-72 no ovpt 1.25
o 472 nx .50	** 1442 .40	* J40-6 17.45	o 91, 93, 95, 99 nx 1.00	* 268-70 no ovpt .60
o 473 nx .25	** 1445a 1.40	o J52 nx .50	o 108-10 nx 5.60	o 272 nx 4.50
* 474, 476 nx .50	** 1447 .55	** J60 1.25	o 109-10 nx 4.80	o 288, 290A-92A nx 2.40
o 477-9, 481, 483, 485-7 nx 2.10	** 1449a, 1453a-4 2.25	* O1 3.75	o 109 nx .80	o 292A nx .95
o 478-9, 481, 483, 486 nx 1.25	** 1458 .55	o O1 nx .25	o 115 nx .30	o 331-5 nx 13.10
o 478, 481, 486 nx .75	** 1459 .50	o O4-6 nx 1.75	o 115 nx .30	o 332 nx .95
o 481 nx .25	o 1472 nx 1.75	o O5 nx .25	o 117-8, 121, 124, 128 nx 1.40	o 358 nx .85
o 493 nx .30	** 1476-7 .80	o O10 nx 5.50	o 118, 121, 124 nx .80	o 370-4 nx 3.15
* 510 .85	** 1513, 1515 ng .60	o O16 nx 1.75	o 139 .50	o 371-2, 374 nx 2.40
o 516 nx .25	o 1513-5, 1519, + 1513a nx 1.80	o O39 nx .55	o 144 nx 1.60	o 380-1 nx .50
o 535 nx .25	o 1513-5 nx .75	o O51, O54, O58-9 nx 5.95	* 150-2 .75	o 381 nx .25
o 536-7 nx .60	** 1521 5.00	o O54 nx 1.00	** 150, 152 1.07	o 387, 389 nx 2.00
** 565 .40	** 1530 1.10	* O60-8 28.95	o 150-3 nx 2.00	o 393-4 nx .65
** 566 .35	** 1531 .45	o O69 nx .25	** 152 .54	o 396, 398-400, 402 nx 2.50
** 567 .45	** 1532 1.10	* O70 1.75	o 152 nx .25	** 406-9 2.00
** 569a, 571a, 573a 6.00	** 1534-6 3.05	o O75 nx .50	o 216, 222 nx 2.75	o 406, 409 nx .50
** 582-4 1.75	** 1538 1.10	o O80, O87-90 nx 9.95	o 252 nx .90	o 409 nx .25
o 589 .25	* 1541-2 .80	o O87 nx .45	** 269 3.25	o 418 nx 1.75
* 590, 592 1.40	** 1549 1.75	** O92 .30	** 274-5 .75	** 428-33 5.20
o 600-1, 603-5, 607, 609-11, 613-5 + 604a nx 5.05	** 1550 .45	o O93-8, O101, O93a nx 3.70	o 276 nx .25	o 443-4, 448 nx 1.00
* 603 .35	** 1597 1.40	o O93, O96 nx 1.30	o 296 nx .50	o 443-4 nx .50
o 604-5, 609-11, 613-5 + 604a nx 4.05	** 1601 .75	o O105, O107-9, O111-2 nx 5.00	** 319 3.50	o 449 nx .25
o 604-5, 609-11, 613-4 + 604a nx 3.05	o 1657 nx 1.25	o O105, O111 nx 1.00	o 326 .60	o 493, 495-6 nx 1.10
o 604-5, 609-11, 613 + 604a nx 2.20	o 1750A-2, 1754-5 nx 4.30	o O114-6, O119-21 nx 1.85	o 348 nx .65	o 510 nx .25
o 610 nx .25	o 1750A, 1754 nx 3.45	EGYPT -	o 358 nx 1.10	o 516, 518 nx .80
o 628 nx .25	* B2 14.00	OCCUPATION OF PALESTINE	o 372 nx .25	o 558-62 nx 5.60
o 631a nx 2.50	** B3-6 2.15	** N89 .35	o 387 nx .80	** 712-5 3.65
o 645 nx .25	* B3-6 2.15	** N93-5 1.45	o 457 nx + label .80	o 795-6, 803, 805 nx 4.90
o 656 nx .25	* B4-6 1.90	EPHRAIM	** 622 1.00	o 796 nx .40
o 688 nx .25	** B23-5 4.75	* 5-8 2.00	ESTONIA -	o 1179 nx .25
o 721 nx 1.50	** B29-31 4.75	* 15-8 2.80	GERMAN OCCUPATION	o 1203 nx 1.75
o 729 nx .85	o C41 nx .30	* N5, N6 pg 4.75	* NB1-6 5.00	** 1274-8 6.95
o 751 nx .25	* C51-2 1.45	EQUATORIAL GUINEA	* NB1-3, 5-6 4.30	o 1284, 1288-90, 1292, 1295, 1297 nx 8.80
o 755 nx 1.75	o C53-62 nx 15.15	o 84 nx .55	* NB1, 2 imperf ng 8.91	o 1290, 1295, 1297 nx 6.05
o 846-7 nx .50	o C65-6 nx 1.85	** 7469-70 ECV 5.00	* NB1, 3 imperf 11.46	o 1290, 1295 nx 2.05
** 857a 10.00	o C65 nx .60	** 7560-1 ECV 6.00	* NB2-6 4.40	o 1295 nx 1.25
o 866 .95	* C93 .60	ERITREA	** NB3 1.44	** 1303-6 11.20
** 890, 892 .75	* C94 2.00	** 20 1.60	* NB3 1.44	o 1311 nx .25
o 890-2, 893-7, 899-901 nx 4.15	o C95 nx .55	* 119 4.75	* NB3 ng .60	* 1393T nx 1.25
** 892 .45	o C96 1.00	* 151, 153-6 nx 7.50	ETHIOPIA	* B1-5 3.50
o 900 nx .50	o C99-100 nx 1.40	o 151, 154 nx .50	* 1, 3-7 24.00	* B5 .85
o 912 nx .30	o C100 nx 1.00	* 158 2.40	* 5, 7 8.00	* C11-13 .75
o 935 2.00	o C101-5 nx 7.70	o 158, 160, 162-4 nx 15.30	** 6, 7 8.00	o C24 nx .30
** 962 5.50	o C102-5 nx 6.10	o 160, 163-4 nx 10.20	o 90 nx 3.00	o C72-3 nx 1.45
o 963 nx .25	o C102, C105 nx 3.10	o C8, 11-12 nx 1.55	* 108-9, 112, 114-5 7.25	o C93-4 nx 1.55
o 967 nx .25	o C102 nx 1.50	o C11-12 nx 1.20	* 109, 115 3.50	o C94 nx .85
* 975 3.00	o C106 nx 1.50	o C11 nx .35	o 110 nx 2.25	o C110 nx .25
o 978 nx .25	o C107 nx .45	ESTONIA	* 115 2.25	FAROE ISLANDS
o 983 nx .25	o C135 nx .50	* 29 .25	* 118 11.00	** 7-20 13.00
** 1037 2.00	o C146-8 nx 3.90	o 35 nx 4.75	* 120-5, 127-32, 134 19.25	** 7-20 13.00
** 1052 .60	o C146-7 nx 2.15	o 41, 43 nx 1.20	** 120-7 2.10	o 8, 9 nx .50
** 1056 .25	* C147 3.50	* 56 .70	* 129, 133 ng 4.90	o 8 nx .25
o 1056-9, 1061, 1062A, 1065 nx 2.35	o C147 nx 1.75	o 65-8, 70, 72, 75 nx 4.40	* 135 3.50	** 21-3 3.80
o 1081 nx .30	o C153 nx 2.50	o 67, 70-2 nx 2.80	* 136, 138, 141 3.00	o 23 nx 1.25
o 1090 nx .25	o C171-3 2.80	o 70, 72, 75 nx 1.60	o 137 nx 1.00	** 24-7 7.65
o 1112 nx .25	o C172-3 nx 1.80	o 70, 72 nx .80	* 147 nx 1.00	** 28-30 1.45
o 1140 nx .25	o C175 nx 1.25	ESTONIA	* 155, 158-9 3.30	o 29-30 nx 1.20
** 1158 .60	** C178 1.75	* 29 .25	o 156 nx 1.40	** 31-5 2.35
o 1161 nx .25	o C182 .85	o 35 nx 4.75	* 198 avg 6.00	** 36-8 2.40
o 1163 nx .25	** C194 1.10	o 41, 43 nx 1.20	o 202 nx 1.10	** 39-40 1.00
o 1185 .60	o C194, C197-8, C202 nx 3.50	* 56 .70	ESTONIA	o 39-40 nx 1.00
o 1217 .30	o C194, C202 nx 2.10	o 65-8, 70, 72, 75 nx 4.40	* 29 1.25	** 41 .45
	o C204-6 nx 3.45		* 129, 133 ng 4.90	** 42 6.00
	o C204-5 2.20		* 135 3.50	** 43-4 1.00
	o C205 nx 1.25		* 136, 138, 141 3.00	** 45-7 1.45
	o C205 nx 1.25		o 137 nx 1.00	

FINLAND (cont'd)	o 73 nx .60 ** 77 .30 o 77-80 nx 2.55 o 78-80 nx 1.55 * 80-1 .60 * 81 .30 o 83-9, 91-4, 96-9, 101, 105-7 nx 8.55 o 83-5, 88-9, 91-4, 96-9, 105-7 nx 7.10 o 83-5, 88, 94, 96-7, 99, 101 nx 3.25 * 93, 95, 98, 100, 102 12.30 * 95, 98a .80 * 95 .50 o 105a 4.00 o 122 nx .80 o 123, 126 nx 1.40 * 130, 133 .50 * 130 .25 o 130, 32, 34-8 nx 4.10 o 134-8 nx 2.50 o 134-7 nx 2.00 o 146-7, 149 nx 2.55 * 161 .25 o 161-2, 164, 166-6B, 169-70A, 171-4, 174B-5B, 176-6B, 176D-F, 176H-I nx 7.25 o 164, 166-6B, 169, 171-3C, 174B-5, 176A, 176F, 176H-I nx 4.25 o 164, 166-6B, 169, 172-3C, 174B, 176A, 176F, 176H nx 3.25 o 177-9 nx 5.50 o 177, 179 nx 1.00 o 180 nx 5.75 o 205 nx .50 o 205a nx .70 o 219-9B nx 1.50 o 219A-9B nx 1.00 o 219A nx .50 o 239-40 nx 1.00 o 242 nx 3.25 o 247-8 nx 1.00 o 249 nx .65 o 253, 253A nx 1.50 o 253A nx .50 o 258-62 nx 1.50 o 258-62 1.50 o 261-2 nx .50 o 263 .50 o 264 nx .50 o 265 nx .50 o 265 .50 o 280 nx .50 o 292-6 nx 1.75 o 292, 295-6 nx .75 o 302-5 nx 1.25 o 303-4 nx .50 o 307 nx 1.25 o 310 nx 1.10 o 312, 314, 315-7, 319-21, 323 nx 2.25 o 314, 315-7, 319-21 nx 1.75 o 315-7, 319-21 1.50 o 336-8 nx 1.00 o 337-8 nx .50 o 357 nx .25 o 363 nx .50 o 398-414 nx 7.10 o 398-414 (no 404A, 406) nx 5.85 o 399, 407-10, 412 nx 2.50 o 407 nx .50	** 416 .70 * 418 .80 * 430 .90 ** 435 1.00 ** 441 .90 ** 442 .90 o 443 nx .30 ** 444 1.00 * 445 .90 o 446 nx .50 o 447 nx .50 o 451 nx .40 o 458-68 (no 461A) nx 8.80 o 459-61, 464A, 465, 467-8 nx 6.40 o 459A-61, 467A-8 nx 4.50 * 460 .40 o 472-3 nx .80 o 473 nx .40 o 475 nx .50 * 476 .90 o 479 .50 o 490 nx 1.25 o 491 nx .50 o 492 nx .50 o 493, 495 nx 1.00 o 501 nx .50 o 511 nx .50 o 512 nx .70 o 515 .50 o 517 nx .50 o 518, 520-1 nx 1.95 ** 519 2.50 o 522a nx 14.50 o 530 nx .50 o 534-5 nx 1.30 o 534 .65 o 538 nx .50 * 542 1.00 o 551 nx .50 o 551 .50 o 555, 558-61, 564, 566-70 nx 3.75 o 555, 559, 561, 566-7 570 nx 1.75 o 576 nx .50 o 578 nx .50 o 579 nx .50 o 579 .50 o 580 nx .50 o 581 nx .50 o 585 nx .50 o 589 nx .50 o 591 nx .50 o 593 nx .50 o 596 nx .50 ** 599 .65 o 600 nx .50 ** 604-5 1.90 o 606 nx .50 o 607 nx .50 ** 608 7.50 ** 612 .80 ** 613 1.10 ** 614 1.50 o 614 nx .50 o 616 nx .50 ** 617 .60 o 617 nx .50 ** 618 .65 ** 619 .60 o 619 nx .50 ** 620 .65 o 626a nx .35 ** 627-31, 634 3.30 ** 627 .40 o 634, 636, 639 nx 1.65 o 634, 636 nx 1.00 o 636 .50	o 644-5 nx 1.65 ** 646 .65 o 647 nx .50 o 655 nx .30 o 659 nx .50 o 662 nx .50 o 664 nx .50 o 665 nx .50 o 668 nx .45 o 676 nx .50 o 683 nx .50 o 684 nx .50 o 687 nx .50 o 693 nx .25 o 695 nx .65 o 701 nx .50 o 712 .80 ** 717 1.40 o 734 nx .75 o 738 nx .50 o 754 nx .50 ** 770 .85 o 771 nx .25 o 775 nx .50 o 782 nx .50 ** 794 5.00 ** 803 .75 o 803 nx .90 o 803 .90 o 809 nx .50 o 815 nx .50 o 818 .65 o 833 nx .50 o 845 .50 ** 863 booklet 6.50 o 871b, c 1.50 o 876 .50 ** 878-9 2.70 o 879 nx .65 o 880 nx .90 o 882 nx .50 o 896 nx .50 o 907c nx .50 o 915 1.00 o 924 nx .85 ** 937-8 3.30 o 941adefh nx 2.50 o 978 nx 1.25 o 980 nx .70 o 995 nx .75 o 1014 nx .75 o 1024 nx .55 o 1036 nx .50 o 1038 nx .60 o 1040 nx 1.25 o 1041 nx .50 o 1046 nx .65 o 1057 nx .75 o 1063 nx .55 o 1073 nx .50 o 1126 .75 o 1143 .50 o B15 nx 3.00 ** B58-9 1.30 ** B60 .30 o B62 1.25 o B65, B67 nx 1.30 * B74 .50 o B75 nx .50 o B80 nx .90 o B84-5 nx 4.50 * B94-5 1.40 ** B129-31 7.75 o B169, B172 nx 2.00 ** B179-81 3.00 ** B182-4 3.30 ** B213-4 5.75 ** B218-20 2.35 ** B219-20 1.70 ** B238-40 3.60 ** C2 .65	o C4 nx 1.25 ** M4 .65 o M4 nx .65 * M6 .50 FINLAND - ALAND ** 14, 19 7.50 ** 27 .75 o 65 nx 4.50 ** 35, 47, 54 12.40 ** 82-3 4.65 ** 86, 94-5, 99, 107A-B 6.15 o 102 nx 1.50 ** 138-9 1.85 ** 144 1.75 ** 146 2.75 ** 149-51 2.90 ** 185 5.00 ** 203 7.00 FILUME * 73, 76 ng 4.80 * 78-9 8.00 * 139-41, 144-5 vf 200.40 * 154 17.50 * 184-92 21.60 * 189 2.40 * 196-7, 203-7 21.60 * E12, E13 48.00 * P4 4.00 FUNCHAL o 13, 20 nx .90 * 22 ng 1.50 For an explanation of abbreviations, see page 1. GEORGIA * 12-17 4.80 * 18-20 1.95 ** 73-5 3.60 ** 75a 4.00 GERMAN EAST AFRICA o 3 German paquebot cancel, son 27.50 o 3 nx 27.50 GERMAN NEW GUINEA * 10, 12-15 10.75 * 13 1.75 * 20-1 2.40 GERMANY - BAVARIA o 2 nx 3.5 margins 3.50 o 11 nx 3.9 margins 12.00 o 23-4 nx 3.20 o 41 nx 1.25 o 48, 50 nx 1.45 o 48 nx .80 o 50 nx, 2 diff shades 1.30 o 54a fine nx 3.00 o 58, 60, 62-4, 70 nx 5.05 o 58, 60, 62-4 nx 3.45 o 60, 62, 64 nx 2.90 o 60 nx .65 ** 62 .30 o 77-80 nx 1.65 o 77-9 nx .90 o 78-9 nx .60
FERNANDO PO ** B5 .40				
FINLAND o 38-42 nx 3.60 o 39, 41 nx 1.00 o 60-2 nx 1.50 o 71-3 nx 1.95				

<p>GERMANY (cont'd) SCOTT CAT</p> <p>o 79 perfin "E" nx .30 o 79 perfin "E.K.N." nx .30 * 94-7, 104-7 4.40 * 94-5, 99 .75 o 95-100, 102-9 + 96a nx 30.00 o 96-100, 102-8 + 96a nx 26.00 o 96a-9, 102-5, 107 nx 18.00 o 98 perfin "E" nx 2.00 * 115 .25 o 115 nx 2.00 ** 137 .25 o 137, 139-40, 142, 144 nx 10.50 * 139, 150 .50 o 144 nx 2.50 ** 157 .25 ** 177 fine .25 * 179, 188-9 3.10 ** 193 .25 * 193-7, 199, 202-3, 205, 207 2.50 o 193-4, 196-7, 202 nx 10.00 o 197 nx 2.00 o 215 nx 12.00 * 231, 233 .70 * 231 .25 * 237 .25 o 237 nx 2.00 * 238-44, 246 2.00 o 240 nx 2.40 * 256, 258, 262, 264-5 1.55 * 256, 265 .65 o 256-63, 265-7, 269, 270A nx 120.65 o 256-61, 263 nx 11.00 o 263 perfin "BV" nx 1.40 o 270A son 95.00 * B1-3 1.20 * B1-3 ng 1.20 o O3-4 nx 1.20 o O3 nx .40 o 07-10, 12, 14, 15 nx 6.75 o 08-10, 12, 14 nx 5.30 o 09, O12 nx 2.40 * O20, 22-5, 27, 31, 33 5.85 o 052-9, 62, 64-6, 68 nx 24.95 o 052-3, 55-9, 62 nx 14.95</p> <p>GERMANY - PRUSSIA * OL1-2 2.40 * OL9, OL11 .50 o OL13 nx 1.40</p> <p>GERMANY - WURTTENBURG o 49 nx 1.60 o 57-61, 67-8 nx 11.75 o 59-60, 68 nx 2.30 * O20 1.25 o O26-7 nx .70 o O43 nx .60 * O49 .40 * O50 ng .40 * O93 .40 o O98 nx .80 * O120-1, 123, 125, 129 2.75 * O120 .55</p>	<p>o 0120, 122, 124 nx 1.20 * O152, 156-8, 161 2.80 * O152, O154-6 ng 2.15 ** O152, O156 .80 o O152 nx .40 * O154-6, O158 2.00 ** O154, O156 .80 * O155-6 ng .80 * O155 ng .40 o O177 nx 3.25 * O179, 183 ng 4.00</p> <p>GERMANY - NORTH GERMAN CONFEDERATION o 4 nx 1.60 o 21 nx 3.25</p> <p>GERMANY o 4 nx 8.00 o 32-3, 35 nx 33.90 o 37-42 nx 13.75 o 39 nx 2.00 o 46-9, 51 nx 7.00 o 46-8, 51 nx 5.60 o 47 nx 1.40 o 49a nx 115.00 o 54-5 nx 1.65 o 54 nx .90 o 68 nx 1.00 * 69 vf-xf 30.00 ** 72 346.60 o 81-4, 86, 88, 90 nx 11.25 o 81, 83-4 nx 4.50 o 83 nx 1.50 o 98-9 nx 4.50 * 118 ng .25 * 137-9, 144 1.00 * 149 ng .25 * 160 ng .25</p> <p>* 167, 170, 175, 184 1.00 o 172, 177-8, 180-4 nx 14.75 * 185, 187, 189-90 1.00 ** 200, 202-3, 206 1.70 * 200-7 2.00 * 201-2, 205-6 1.00 * 202, 206 ng .50 * 221 ng .25 * 222, 224, 227, 229, 231 1.25 o 230, 234 nx 2.90 * 239 .25 * 246, 251, 253, 255, 259, 265, 269 1.75 ** 249, 251, 259, 268 1.52 * 276 .25 * 280 ng .25 ** 281, 286, 290-1 2.53 * 286 ng .25 o 331 son .40 o 341-2 nx 1.50 o 347-9 nx 1.90 o 353b .40 o 356 nx .40 o 368-9, 374, 383 nx 9.25 o 368, 374 nx 1.35 o 406 nx .80 o 415-31 (no 420, 430) nx 6.80 o 415, 418-9, 421, 423, 426-7, 429,</p>	<p>431, nx 4.40 ** 465-6 16.00 * 492 .45 ** 506, 521 2.07 o 510, 511B nx .75 ** 519 1.04 * 529 .25 o 542, 544, 550-3 nx 1.55 * 557 .25 o 561, 564-5, 568, 571-2, 574 nx 4.75 ** 568 .37 o 635a, 641a, 643a nx 1.40 o 636, 651, 653-4, 657-8 nx 2.85 * 692 2.75 ** 694 14.50 o 697 nx .40 o 702, 704, 706-13, 715-7, 719 nx 15.05 ** 702a, 704a, 708a booklet 135.00 o 717 4.50 o 720 nx 1.20 o 727 nx 5.25 ** 732 8.00 * 733 3.25 o 733 nx .50 o 735 nx 2.40 * 738 6.50 o 743 .45 ** 747 2.25 o 748 nx .25 o 753 nx .65 o 754 nx .45 o 756-8, 760-1 nx 3.90 o 767 nx 1.10 ** 771-2 4.90 o 771-2 nx .65 o 775 nx .55 o 787 nx 1.50 o 790-1 nx .65 o 790 nx .25 o 792 nx .40 o 793-7 nx 2.45 o 803 nx .30 * 804abcde ng 15.00 o 805-6 nx .65 ** 807-8 2.50 o 808 nx 2.25 o 810 nx .30 o 812 nx .75 o 813-6 nx 2.00 ** 817 .75 o 817 nx .45 o 818-20 nx 1.50 o 818-9 nx .50 o 818 nx .25 o 821 nx 2.25 o 824-30, 832-3, 835, 837 nx 2.75 o 824-5, 827-9, 832, 835, 837 nx 2.00 o 825, 828-9, 835 nx 1.00 o 845 nx .50 o 849 nx .45 o 852-3 nx .80 o 852 nx .25 ** 854 .30 ** 855 .30 ** 856 .30 o 857-8, 860 nx .75 o 871-2 nx .60 ** 881-2 .50 ** 891 .25 ** 892-4 .75 o 892-4 nx .75 ** 895 .25</p>	<p>** 896 .25 ** 897-8 .50 o 898 nx .25 ** 899 .25 o 899 nx .30 ** 900 .25 ** 901 .30 o 903-5, 909, 911-2 nx 1.80 o 903, 905, 909, 911-2 nx 1.55 o 919, 924 nx .60 ** 931 .25 ** 933 .25 o 935 nx .25 o 937-41, 943, 949-50 nx 3.00 ** 939 .25 * 948, 951 3.25 ** 959 .25 * 959 .25 ** 960 .25 ** 961 .25 o 962 nx .30 ** 963-4 .50 o 964 nx .25 ** 965-6 .50 o 965 nx .25 ** 967 .25 * 968 .25 ** 969-70 .55 ** 971 .25 ** 972 .25 ** 973 .25 ** 976 .30 ** 977 .25 ** 978-80 .75 ** 981 .30 o 983 nx .30 o 986 nx .30 o 991 nx .30 o 1000-1, 1003 nx 1.10 o 1000 nx .25 o 1004 nx .30 ** 1011 .40 ** 1012 .30 o 1012 nx .30 ** 1018-9 .60 o 1019 nx .25 ** 1022-7 3.20 ** 1022-3, 1026 1.25 o 1024 nx .25 o 1028-44 (no 1039, 1040A, 1042A-3) nx 7.95 ** 1029-30A, 1040 2.80 o 1029-44 (no 1039, 1040A, 1042A-3) nx 7.70 o 1029-30, 1031-6, 1038, 1040, 1042, 1044 nx 4.65 ** 1045 .30 ** 1046 .30 o 1047, 1049 nx .60 ** 1053 1.40 o 1053 nx .30 ** 1059-62 1.70 ** 1066 .55 ** 1067-8 .90 * 1067 .45 ** 1068 .45 o 1069-69A nx .50 o 1070 nx .30 ** 1072 .50 ** 1073 .25 o 1073 nx .25 ** 1074, 1077, 1079, 1081-2 3.60 ** 1074, 1077, 1079, 1081 2.40</p>	<p>o 1075, 1078-80, 1082-3 nx 1.55 o 1075, 1080, 1082-3 nx 1.05 ** 1075a 3.00 ** 1087 .45 ** 1088 .45 ** 1089-90 1.30 o 1089 nx .25 ** 1091 .50 o 1091 nx .30 ** 1092 .60 o 1092 nx .30 ** 1093 1.10 ** 1094 .80 o 1094 nx .30 o 1097 nx .30 o 1102 nx .30 o 1105 nx .30 o 1106, 1109-10 nx .75 o 1109 nx .25 ** 1116 .50 o 1116 nx .30 ** 1117 .50 o 1117 nx .30 ** 1118 .40 o 1118 nx .25 ** 1119-22 3.05 ** 1123 .65 o 1125 nx .30 o 1126 .30 o 1133 nx .30 o 1135, 1139 nx 1.00 o 1141-2 nx .50 o 1142 nx .25 o 1143-4 nx .70 ** 1144 2.00 o 1144 nx .45 * 1145 1.25 o 1146 nx .25 o 1148 nx .30 o 1149 nx .30 ** 1152 .95 ** 1155-8 2.50 o 1159 nx .30 o 1165 nx .25 o 1168 nx .30 ** 1170-3, 1177-8, 1181, 1183, 1185, 1188, 1192 15.00 o 1171-2, 1175-6, 1178-9, 1182-3, 1187, 1192 nx 4.30 o 1175, 1179, 1192 nx 1.70 o 1179 nx .25 ** 1196-9 3.00 o 1196 nx .50 ** 1200 .40 ** 1201 .60 ** 1202 .40 ** 1203 ns 2.40 Δ 1203 nx 2.00 ** 1204 .90 ** 1205 1.75 ** 1206 .60 ** 1207 .90 o 1207 nx .30 ** 1208 .75 ** 1209 .75 o 1209 nx .30 ** 1210 .75 o 1211 nx .25 ** 1213 .60 ** 1214 .75 o 1214 nx .30 ** 1215 .40 o 1215 nx .25 ** 1216 .95 o 1216 nx .35 o 1217 nx .30</p>
---	---	--	--	--

GERMANY	o 1336 nx .30	o 1613 nx .50	o 1948 nx .80	o 2127 son 1.00
(cont'd)	o 1338 nx .30	o 1615 nx .45	o 1952 nx .80	o 2128 nx 1.00
SCOTT CAT	o 1339 nx .30	** 1630-4 6.55	o 1953 nx .80	o 2129 nx 1.00
** 1218-21 3.40	o 1340 nx .30	o 1642 son .40	o 1954 nx .80	o 2130 nx 1.00
o 1218-21 nx 2.80	* 1341 .75	o 1672-3 nx 1.20	** 1959 4.50	o 2132-3 nx 3.20
o 1218-20 nx 1.05	o 1341 nx .30	o 1680 nx .45	Δ 1959 nx 3.25	o 2133 nx 1.60
** 1222 1.00	o 1346 nx .30	o 1704-5, 1710-1, 1713 nx 3.50	o 1962 nx .40	o 2135, 2135A nx 2.10
** 1223 1.00	o 1349-50 nx .50	o 1710, 1713 nx 1.40	o 1966 son 1.00	o 2135 nx 1.00
o 1223 nx .30	o 1353 nx .50	o 1723-32 nx 11.10	o 1967 son .40	o 2136 nx 1.00
o 1225-6 .50	o 1355 nx .30	o 1724-32 nx 10.65	o 1969 nx .40	o 2141 nx 1.00
o 1225 nx .25	o 1355 nx .30	o 1725-32 nx 9.90	o 1970 nx .40	o 2144 nx .50
** 1228 1.05	o 1362 nx .45	o 1732 nx 2.10	o 1970 .40	o 2144 .50
o 1230 nx .30	** 1365 .65	o 1739 nx .50	o 1974-5 nx 1.80	o 2146, 2146A son 2.70
o 1234-6, 1238-9 nx 1.40	** 1369 2.25	o 1739 nx .50	o 1974 nx .90	** 2146A 3.00
** 1236-7 1.30	** 1372-3 2.15	o 1745 nx .45	o 1977 nx 1.50	o 2146A nx 1.90
o 1243a nx .25	o 1372-3 nx .50	o 1756 nx .45	o 1978 nx 2.25	o 2147 nx .80
** 1245 .85	o 1377 nx .30	o 1768 nx .50	o 1980 nx .75	o 2148 nx .80
** 1246 1.25	o 1382 son .30	o 1778-9 nx 1.50	o 1981 nx .75	o 2151 nx .80
** 1247 1.25	o 1386 nx .45	o 1778-9 1.50	o 1982 nx .75	o 2154 nx .80
o 1248-9 nx .50	o 1393 nx .40	o 1781 nx .60	o 1985 nx .75	o 2155 nx .80
o 1249 nx .25	** 1396 1.30	o 1782 nx .60	o 1989 son .75	o 2156 nx 1.75
** 1250 .85	o 1397 nx .45	o 1784 son .75	o 1989 nx .75	o 2158A son 2.00
o 1250 nx .30	o 1399 nx .30	o 1787 nx .40	o 1990 nx .75	o 2158A nx 2.00
** 1251 .60	o 1401 nx .45	o 1790 son .50	o 1992 son .45	o 2159, 2159A son 1.60
** 1252-3 1.50	* 1402 1.75	o 1793, 1795, 1800-3, 1805 nx 5.25	o 1992 nx .45	o 2159 son .80
** 1254 1.10	o 1411 nx .30	o 1800, 1802, 1805 nx 2.25	o 1996 nx .75	o 2159 .80
o 1254 nx .40	o 1415-6 nx .70	o 1802, 1805 nx 1.50	o 1996 .75	o 2165 nx .80
** 1255 .60	o 1415 nx .35	o 1802 nx .75	** 1998 1.25	o 2167 nx .80
** 1256 .75	o 1417 nx .30	o 1816 nx .50	o 1998 nx .75	o 2168 son .80
** 1257 .90	o 1419 nx .45	o 1821 nx .65	** 1999 1.40	o 2169 son .80
o 1257 nx .30	o 1421 nx .45	o 1821 nx .65	** 2000 1.50	o 2179 nx .80
** 1258-60 3.90	o 1424 nx .30	o 1821 nx .65	o 2000 fdx 1.25	o 2180 nx .80
o 1258 nx .30	o 1427 nx .45	o 1827 nx .65	** 2001 3.50	o 2182 nx .80
** 1261 1.10	o 1429 nx .30	o 1828 son .75	o 2001 nx 1.75	o 2184 nx .80
o 1261 nx .30	o 1435 nx .45	** 1829-30 2.10	o 2021 nx 1.75	o 2185-8 nx 4.95
** 1262 .40	o 1436 nx .30	o 1830 nx .45	o 2024 nx .80	o 2185-6, 2188 nx 3.55
o 1262 nx .25	o 1439 nx .30	o 1834 nx .50	o 2027 nx .80	o 2185-6 nx 1.45
** 1263 .45	** 1440-1 3.50	o 1838, 1851 nx 2.25	o 2028 nx 1.75	o 2186 cm, nx .80
o 1263 .30	o 1440 son .40	o 1862 nx .50	o 2034 nx .80	o 2204-5 nx 2.15
** 1264 .75	o 1447 nx .45	o 1865 nx 2.40	o 2043 son .75	o 2222 cm, son .65
o 1264 nx .30	o 1457-8 nx .80	o 1868 nx .50	o 2043 nx .75	o 2222 nx .65
** 1265 .60	o 1458 nx .40	o 1870 nx .60	o 2044 nx .75	o 2224 nx .80
o 1265 nx .30	o 1468 nx .45	o 1871 nx .60	o 2045 nx 1.75	o 2225 son .80
** 1266 .60	o 1476-7, 1480-1, 1483-4, 1486, 1489, 1491-2, 1493A nx 7.65	o 1871 nx .60	o 2046 .75	o 2225 nx .80
** 1267 2.40	o 1476-7, 1480-1, 1483-4, 1489, 1491, 1493A nx 4.90	o 1872 nx .50	o 2047 nx .75	o 2226 nx 2.10
Δ 1267 nx 1.40	o 1476-7, 1480-1, 1483-4, 1489, 1491, 1493A nx 4.10	o 1876 nx .60	o 2050 nx 1.75	o 2227-8 son 1.60
** 1268 .65	o 1506 nx .35	o 1878, 1880 nx 1.90	o 2057 nx .80	o 2227-8 nx 1.60
o 1268 nx .30	o 1506 .35	o 1880 nx 1.50	o 2058 nx .80	o 2228 nx .80
** 1269 .65	o 1514 nx .45	o 1882 nx 1.50	o 2059 nx .80	o 2229 nx .80
** 1270-2 2.65	o 1515A-6, 1525, 1528-31, 1534, 1536 nx 5.20	o 1882 nx .60	** 2061 1.30	o 2232-3 nx 1.60
o 1272 nx .60	o 1516, 1528-30, 1534, 1536 nx 4.00	o 1882 .60	o 2061 nx .80	o 2233 nx .80
** 1273 .75	o 1541 son .35	o 1882 .60	o 2065 nx .80	o 2233 .80
** 1274 1.00	o 1542 nx .45	o 1887 .60	o 2066 nx .80	o 2237 son .80
** 1275-6 3.50	o 1545 nx .45	o 1889 nx .60	o 2070 nx .80	o 2237 nx .80
** 1277 1.10	o 1547 nx .45	o 1890 nx .60	o 2071 nx 1.75	o 2240 nx .80
* 1277 1.10	o 1552 nx .45	o 1895 nx 1.20	o 2074-7 nx 3.20	o 2245 son .80
** 1278 .45	o 1557 nx .45	o 1900 nx .80	o 2076 nx .80	o 2245 nx .80
** 1279 .45	o 1559 nx .45	o 1901 nx .60	o 2079 fdx 1.00	o 2260, 2261A nx 1.20
** 1280 .75	o 1560 .45	o 1904 nx .60	o 2080 son .75	o 2260, 2261A son 1.20
o 1282 nx .25	o 1561 nx .90	o 1907 nx .60	o 2083 son 3.75	o 2261A son .55
** 1282a 1.20	o 1564 nx .35	o 1909 nx .40	o 2083 nx 3.75	o 2261A nx .55
o 1282a nx 1.25	o 1566 nx .45	o 1909 .40	o 2086-7 son 1.90	o 2265 son .80
o 1283 nx .45	o 1568 nx .70	o 1910 nx .50	o 2086-7 nx 1.90	o 2270 son .65
** 1284-5 2.50	o 1578 nx .80	o 1911 nx .90	o 2087 nx 1.10	o 2276b son 1.40
** 1285 1.30	o 1582 nx .50	o 1912 nx .60	o 2089 nx 1.75	o 2277 .80
o 1286 nx .30	o 1584 nx .45	o 1914 nx .60	o 2097 son .80	o 2286 nx .80
** 1287 .70	o 1588 nx .50	o 1916 son .65	o 2099 nx .80	o 2288A nx .80
o 1288 nx .30	o 1592 nx .60	o 1917 nx .80	o 2100 nx .80	o 2288A .80
o 1288 .30	o 1595 nx .60	o 1918 nx .80	o 2102 nx .80	o 2290-1 1.45
o 1289 nx .30	o 1601-2 nx 1.00	o 1922, 1924 nx 2.00	o 2103 nx .80	o 2291 nx .80
** 1290 .75		o 1922 nx .50	o 2107 nx 1.00	o 2294 nx .80
o 1292 nx .25		o 1928 nx .70	o 2112 nx 1.75	o 2299 son 2.10
** 1293 .85		o 1929 nx .65	o 2112 1.75	o 2300 nx .80
o 1298 nx .50		o 1934 son .65	o 2114-5 nx 2.00	o 2307-10, 2312-3, 2315, 2318 nx 4.45
* 1299-1301 3.00		o 1934 .65	o 2118 nx 1.00	o 2307-9, 2313, 2315 nx 2.25
o 1301 nx .35		o 1940 nx .65	o 2119 nx 1.00	o 2331 nx 1.75
o 1308, 1310-1 nx .90		o 1942 nx 2.25	o 2120 nx .95	o 2369 nx 2.10
o 1324 nx .30		o 1943 nx .65	o 2124-5 nx 2.00	o 2383 nx 2.10
o 1328 nx .25		o 1945 nx .65	o 2125 nx 1.00	o 2412 nx 2.75
o 1332 nx .35		o 1947 nx .80	o 2126 nx 1.00	
** 1333 .60				

GERMANY - BERLIN (cont'd)	o B662 son 1.25 ** B663-5 5.25 o B670 nx .60 o B715, B718-9 nx 4.90 o B715 son .90 o B734, B736-7 nx 4.25 o B734, B737 nx 2.85 o B734 nx 1.10 o B740 nx 1.50 o B753-4 nx 3.50 o B753-4 3.50 o B754 nx 1.75 o B770 son 1.40 o B787-9 nx 4.50 o B787 nx 1.25 o B787 1.25 o B791 1.60 o B805 nx 1.50 o B822 nx 2.50 o B837, B839-40 nx 5.00 o B837 nx 1.50 o B837 1.50 o B847 nx 3.75 o B855 nx 1.50 o B875-6 son 3.50 o B876 nx 1.75 o B876 1.75 o B892, B894 nx 6.75 o B892, B894 6.75 o B894 nx 4.75 o B984 nx 1.75 * C1 .25 * C1 ng .25 ** C3 1.42 * C10-11, C14 .75 * C16, C18 .50 * O13 .25 ** O17, O21 1.25 * O17, O20 .50 * OL1-2, 4, 5, 8 ng 3.90 * OL4, 5, 8 ng 1.50 * OL17-20 ng 12.50	o 9N306, 308 nx .60 o 9N312 nx .60 o 9N312 .60 ** 9N313 .75 ** 9N314 .50 ** 9N315 1.50 ** 9N316, 319, 321, 323, 323A 4.25 o 9N323A-4 nx 2.10 ** 9N326 .50 ** 9N327 .50 ** 9N328-30 1.60 ** 9N331 1.00 ** 9N332 .65 ** 9N341 .55 ** 9N342 .60 ** 9N359-62, 366-7, 369, 370, 372, 374, 376 15.65 o 9N360-3, 366 nx 1.45 o 9N360-2 nx .75 ** 9N365 .80 ** 9N381 .70 ** 9N382 .75 ** 9N383 .70 ** 9N384 .75 ** 9N385 .70 o 9N385 nx .35 ** 9N386 .75 ** 9N387 1.10 o 9N388, 390 nx .70 ** 9N411-4 3.50 o 9N411 nx .45 ** 9N415 .85 ** 9N416 1.25 ** 9N417 .55 ** 9N418 .75 ** 9N419 1.00 ** 9N420 .70 ** 9N536 1.90 ** 9NB49-52 1.30 ** 9NB70 .25 ** 9NB83-6 1.90 ** 9NB88, 90-1 1.85 ** 9NB106-9 2.50 ** 9NB119-22 2.45 ** 9NB123 .70 ** 9NB124-7 2.90 o 9NB128, 130-1 nx 2.05 ** 9NB137-40 2.20 ** 9NB142-5 2.55 ** 9NB146-7 1.95 ** 9NB148-51 2.60 ** 9NB168-70 2.40 ** 9NB176-9 3.10 ** 9NB180-1 2.10 ** 9NB208 .85	* 11N1-3, 11N6 1.00 GERMANY - OFFICES IN MOROCCO * 7, 8, 14 16.25 o 35 nx 1.10 * 45-6 1.10 GERMANY - DDR o 54-6 nx 9.00 o 120a nx 2.50 o 155-62, 163A-5, 169-71 nx 3.50 o 157, 159-61, 163A, 169 nx 1.50 o 187-8, 190-2, 194, 196-9, 203-4 nx 3.00 o 187, 194, 198 nx .75 o 216-23 nx 2.00 o 217-23 nx 1.75 o 233-4 nx .90 o 297-8, 300 nx .75 o 317-8, 320-2 nx 1.25 o 331-3, 336-8 nx 1.50 o 331,333, 336-8 nx 1.25 o 347-8 .50 o 370 nx .25 o 439 nx .25 ** 469-70 1.65 o 582, 585-6, 589A nx 1.00 o 582, 585, 589A nx .75 ** 587-90A 1.75 ** 683-7 9.00 ** 1006b 1.30 ** 1141 1.75 o 1142 nx .25 ** 1287-92 3.70 o 1294-5 nx .50 o 1306, 1308 nx .50 o 1349 nx .25 o 1366, 1368 nx .50 o 1371 nx .25 o 1375 nx .80 o 1381 nx .25 o 1383A nx .25 o 1389 nx .25 o 1403, 1405-6 nx .75 o 1426 nx .25 o 1426 .25 o 1430-3, 1435, 1439 nx 1.55 o 1430-3 nx 1.00 o 1463, 1465-6 nx .75 o 1479 nx .25 o 1484 nx .30 o 1488 nx .25 o 1489 ns, nx 1.50 o 1490 nx .25 o 1515, 1517 nx .50 o 1525-6 nx .50 o 1525 nx .25 o 1528-30 nx 1.55 o 1530 nx .95 o 1530a nx 1.90 o 1532 nx .25 o 1533-5, 1537-8 nx 1.25 o 1535, 1538 nx .50 o 1541-4 nx 1.00 o 1541, 1543-4 nx .75 o 1555 nx .25 o 1566 nx .25 o 1604-5, 1607 nx .75 o 1604, 1607 nx .50 o 1611-13 nx .95 o 1795 nx .80	o 1801-2 nx .50 o 1804 nx .25 o 1882 nx .25 ** 1932 1.25 o 2301-5 nx 1.25 ** 2384-7 2.25 o 2466 nx .40 ** 2647-50 1.30 ** 2651 1.60 ** 2690-5 2.25 ** 2696 1.80 o 2773 nx .25 ** B36-9 1.00 ** B49-52 1.00 ** B55 .25 ** B63 .25 ** B91a 1.20 o B172 nx .25 o B174 nx .25 ** B200 .30 o C5 nx .25 o O1-3, 5-12, 15-16 nx 3.25 o O1, 5, 7, 8, 10, 11 nx 1.50 o O18-21, 25-7 nx 2.25 o O28-32 nx 1.45 o O28-9, O31-2 nx 1.20 o O29, O31 nx .50 o O37, O41 nx .50 GREECE o 94a 4 mgns nx 40.00 o 167, 168b, 169-71 nx 1.30 o 168b son .25 o 170 nx .25 ** 199 1.23 o 201, 204 1.10 ** 214-6 2.10 * 214, 216 .50 ** 214 .70 o 214, 217-9, 221, 224-5, 228 nx 4.05 o 217-9, 225 nx 2.15 o 317 nx .65 o 321-31 nx 4.60 o 321, 323, 325-6, 328, 330 nx 1.55 ** 322 .86 o 325 nx .25 o 347 nx .40 o 354, 356-7 nx .95 o 363 nx 1.10 o 365-8 nx 2.00 o 377 nx 1.10 o 381 p11.5 nx 2.25 o 381 p13 x 11.5 nx 2.25 o 382 nx 1.60 o 383, 385 2.25 o 391-2 nx .50 o 392 nx .25 * 396 ng .25 ** 397 .28 o 397, 399-402, 406 nx 1.50 * 398 .25 o 402 nx .25 ** 438-9, 442, 444, 446-8, 451 2.00 o 439, 442, 445, 448 nx 1.00 ** 459-60 1.62 o 461-4 nx 1.00 ** 469 .50 * 469 .30 ** 472, 472C .80 * 472 ng .40 o 472C, 476, 479 nx 2.75
-------------------------------------	---	--	---	---

GREECE (cont'd)	o 896-7 nx .50	nx 2.25	o RA75-6 nx .50	o 110 nx .40
SCOTT CAT	** 902 nx .25	o 1328, 1337, 1339 nx .75	* RA76 .25	o 113, 118 nx 3.75
o 484-5 nx .50	** 936-8 1.75	o 1344-5 nx .50	o RA79-80 nx .50	o 118 nx 2.75
o 485 nx .25	* 936-8 1.75	o 1356, 1358-60 nx 1.00	o RA80 nx .25	o 120-5 fdx 3.70
o 501, 503 nx .50	** 939 .50	o 1358 nx .25	o RA81 nx .25	o 135 nx 1.25
o 508-9, 512-5 nx 1.50	** 940-1 1.25	o 1362, 1364 nx .50	** RA82 .25	o 152 nx 1.75
o 509, 512, 514 nx .75	o 940 nx .25	o 1369-72 nx 1.10	o RA82 nx .25	o 160 nx 2.25
o 521 nx .55	** 942-4 1.45	** 1381a .75	o RA83-4 nx .55	o 164 nx 1.40
o 523 nx .40	* 942-4 1.45	o 1384-5 nx .65	o RA85 nx .25	o 178 nx 1.40
o 525-9, 532, 534 nx 3.20	** 945 .35	o 1390, 1395 nx .70	o RA86 nx .25	o 189-93, 196 nx 14.35
o 527-8 nx .50	** 949-52 2.15	** 1394 .25	o RA87 .25	o 214, 217, 224, 228 nx 5.25
o 527 nx .25	* 949-52 2.15	o 1397 nx .25	o RA88-9 nx .95	o 214 nx .30
o 539, 542 nx .80	** 949-50 .50	o 1410, 1413-4 nx .75	o RA90 nx .25	** 268-9 4.75
o 539 nx .30	* 953-7 3.25	o 1413 nx .25	GREECE - LEMNOS	** 268 1.50
o 550 nx .25	* 953-7 3.25	o 1416, 1419 nx .65	* N19-20 1.40	o 306 nx 2.00
o 558-62, 564 nx 1.65	o 957 .45	o 1425 nx .25	GREECE - N. EPIRUS	o 320 nx 2.25
o 570 nx 9.25	** 958 .70	o 1453 nx .40	** N202 .25	o 359 nx 1.40
o 576-9, 581 nx 1.45	* 958 .70	o 1464, 1466 nx .55	** NRA1 .25	o 365, 367, 372, 374 nx 9.25
o 582 nx .40	* 959-61 2.40	o 1464 nx .25	GREECE - OCCUPATION OF TURKEY	o 387 nx 2.25
o 586 nx .40	o 962 nx .25	** 1472-86 7.20	* N126 1.00	o 394 nx .40
o 587-94, 597-8 nx 2.50	o 972, 975-7, 979, 981 nx 1.50	o 1475, 1477, 1480 nx .75	* N130 1.00	o 397 nx .80
o 587-8, 594, 598 nx 1.00	o 975, 979, 981 .75	o 1488, 1490 nx .55	* N145 avg 50.00	o 401 nx 2.75
o 594, 598 nx .50	o 983 nx .30	o 1544 nx .30	* N150 12.00	o 418 nx 3.50
o 604-7, 609-11, 614-5 nx 2.25	* 988, 990, 991a 2.00	o 1547, 1552 p13 horiz nx .60	GREENLAND	o B1 nx 1.90
o 607, 609, 611, 613 615 nx 1.25	o 988 nx .25	** 1627a 14.00	* 1-6 9.65	** B3 1.25
o 615 nx .25	** 996 1.00	** 1667-73 4.50	* 1-3, 5 7.55	** B5 1.75
o 624, 629 nx .50	* 996 1.00	o 1693, 1698 nx 1.35	* 1-3 6.55	o B9 nx .90
o 634, 636-8 nx 1.05	* 997-1001 3.15	o 1698 nx 1.10	* 1, 2 2.25	o B10 nx 1.25
* 639 .45	o 998-1001 nx 1.85	o 1754, 1757 nx .70	* 2 2.25	o B12 nx 2.00
o 639-40, 644-7 nx 1.90	* 999 .25	o 1754 nx .30	o 2-6 nx 8.50	GUATEMALA
o 647 nx .25	o 1000-1 nx 1.35	o 1763 nx .70	o 4, 6 nx 2.25	o 43, 46 nx .50
o 649-52 nx 1.40	o 1000 nx .25	o 1775 nx .30	o 4 nx 1.00	* 114 p14 .25
o 651 nx .25	o 1005, 1007-12, 1015, 1019-20, 1022-3 nx 3.65	** 1784-5 4.40	* 28-9, 36 17.60	o 161 avg nx .25
o 656 nx .50	o 1009, 1011, 1022 nx .75	** 1784A-4B 4.85	** 28, 34 .80	o 211 .25
o 658 .25	* 1018-26 8.55	o 1800 .40	** 28 .30	o 239, 242 nx .55
o 674 nx .40	* 1018-9, 1021 2.15	o 1825 nx .65	* 28 .30	o 239 nx .25
o 679, 683 nx .75	o 1027 nx .25	o 1831 nx 2.40	o 28-32, 34, 36-7 nx 9.20	o 258 .40
o 688 nx 2.00	o 1036 nx .25	o 1891 nx .85	o 28-32, 34, 36 nx 5.95	o 274 nx .25
o 691-4, 696-8, 700, 702-4 nx 2.75	o 1039-42 1.00	o 1913 nx .90	o 28-31 nx 1.35	o 277 nx .25
o 692-3, 696, 700-1, 703 nx 1.25	o 1046 nx .25	o 1933 nx .85	o 28-30 nx .95	o 321 nx .25
o 720 nx .60	** 1049 .50	o 2003 nx (selvage cr) 9.50	o 28, 30 nx .65	o 322a p12.5 CAM 5.00
o 721-4 nx 1.00	o 1049 nx .30	o 2110a nx 2.00	o 28 nx .30	o 369 p11 .25
o 741-2 nx .50	o 1071 nx .25	o 2192b nx 5.75	Δ 31a nx "GODTHAB" 1.60	o 401-2 nx .50
** 743-4 1.25	o 1076, 1079, 1081-4 nx 1.50	o 2267a nx 1.90	* 41-3 6.20	o 454 nx .25
o 746 nx .25	o 1082 .25	o 2320 nx .25	o 41, 43, 45 nx 5.75	o 458 nx .25
o 750, 753, 755, 757 nx 1.00	o 1113 nx .25	o 2432 nx 1.82	** 44-5 4.75	o 464 .35
o 750, 757 nx .50	o 1116 nx .25	o 2490 nx .25	o 46 nx 1.50	** C113 .25
o 760 nx .25	o 1122 nx .25	o 2499 nx 2.10	** 47 1.60	o C182 nx .45
o 765-6 nx .50	** 1142 .25	o 2522 nx .55	* 47 1.60	o C234 nx .30
o 766 nx .25	o 1150 nx .25	** C37 .25	* 48-54, 56-7, 61 9.10	** C271-2 .90
o 772 nx .25	o 1158, 1163-5 nx 1.00	o C73 nx 3.50	* 48-51 1.20	o C281 nx .25
o 778-9, 782-3, 786 nx 1.80	o 1158 nx .25	* C74, C78-9 nx 1.85	* 48-9 .60	** C328-32 5.30
o 779 nx .25	o 1171 nx .25	o CB6-10 2.00	** 48 .30	o C334 nx .45
o 791 nx .25	o 1184-5 nx .50	o J51-2, J54-5, J59 nx 5.65	o 48-52, 57 nx 3.40	o C342 nx .25
o 795 nx .25	o 1188-9 nx .50	* J63-7, J70 1.50	o 51 nx .40	o C362 nx .25
o 800 nx .25	o 1188 nx .25	** J63-5 .75	** 68 .65	o C437 nx .25
o 803 nx .25	o 1199, 1202 .50	* J80-1, J83, J85-6 1.90	** 69 3.50	o C448 nx .30
o 806 nx .25	o 1206 .35	* J80-1 .60	** 70 1.40	o C451 nx .25
** 812 .30	o 1208-9 nx .50	** J80 .30	* 76 2.25	o C483 nx .25
o 827-9 nx .75	o 1220-1, 1224 nx .75	** J87 .30	o 79, 84 nx .90	o C556 nx .25
o 835 nx .25	o 1240 nx .25	* J90-2 .75	** 81 .35	o C592, C596-7 nx .75
o 838 nx .25	** 1247 .25	o J93 nx .25	o 84 nx .55	o C597 nx .25
o 841 nx .25	o 1261-2 nx .50	o RA45 2.00	o 86-7 nx .50	o C690 .25
o 848 nx .25	o 1268 nx .25	o RA48 nx .25	o 8 nx .25	o C802 nx .25
o 862 nx .35	o 1271-2 nx .50	o RA55a nx .25	** 87-8 .90	o C806 nx .30
o 868, 870-3 nx 1.30	o 1277 nx .25	o RA57 nx .25	o 87 nx .25	o C835 nx 2.40
o 870, 872-3 nx .80	o 1283 nx .25	** RA61 .25	o 98-9 nx 1.50	o C842-3 nx 1.15
o 873 nx .30	o 1285-6 nx .50	o RA62 nx .25	o 100 nx .60	o C845 nx .80
o 878 nx .25	o 1290 nx .25	** RA65 .25	GUINEA-BISSAU	o RA2 nx .25
o 879-84 nx 1.50	o 1301-2 nx .60	** RA70 .25	o RA18 nx .25	o RA21 .25
o 879-82 nx 1.00	o 1308, 1310-1 nx .75	o RA72 nx .25	o RA22 nx .25	o RA22 .25
o 892 nx .75	o 1313 nx .25	** RA73 .25		
	o 1328-30, 1332, 1336-7, 1339-41	** RA75-6 .50		

HONDURAS		nx 1.20	o C541, C544 nx 1.65	o 229-30 nx 1.15	o 447 nx 3.25
(cont'd)	SCOTT CAT	o RA18, RA22 nx .50	o C541 nx .25	o 229 nx .50	** 448 1.00
** 531-2, 534	2.25	o RA23 nx .25	o C560 nx .50	* 246 .25	o 453 nx 1.00
o 605-10 nx	2.50	o RA25 .25	o C589 nx .70	o 247, 249-51 nx 6.25	o 454-5 nx 1.35
o 605-9 nx	1.75	o RA45 nx .25	o C639 nx .25	o 247, 251 nx .50	o 457 nx .25
o 605-7, 609 nx	1.50	o RAC2 nx .25	o C665 nx .60	o 251 nx .25	o 460 nx .65
o 607 nx	.25	o RAC5 nx .25	o C727 nx 1.90	o 255 nx 1.40	o 461, 469-71 nx 3.30
o 619-25 nx	2.95	o RAC5 .25	o C762 nx .25	** 257 .25	* 466 .25
o 619-24 nx	2.10	o RAC11, RAC13-15 1.00	o C764 nx .25	* 257 .25	o 470-1 nx 1.90
o 767-8 nx	1.30	o RAC15 nx .25	o C786 nx .50	o 257-60, 263, 265, 267 nx 2.85	o 473 nx 1.00
o 799 nx	.95	o RAC21-2 .50	o C786 nx .50	o 265 nx .45	** 474-5 .70
o 827, 829-32 nx	3.65		o C793 nx .25	* 278 .25	o 476 nx .45
o 859, 861 nx	.85	HATAY	o C817 nx .25	o 280, 282 1.75	* 477 .35
o 881, 884 nx	1.65	see TURKEY	o C850 .65	o 280 nx .25	o 490-1 nx 2.40
** 921-4	3.90		** C962-4 5.25	o 283 nx .35	* 492 .35
o C50-3 nx CAM 5.35			** C060 .25	o 287-8 nx .55	o 492 nx .25
o C50, C52-3 nx CAM 4.35			o C063 .25	o 290, 294 nx 12.25	o 493 nx .35
		HONDURAS	o C071-3, C078, C082, C084 nx 1.65	o 294 nx 12.00	o 495 nx .75
HAITI		* 30 .50	o C095 nx .25	* 297 .35	o 509 nx .40
o 32-3 nx .50		* 41, 43-7, 49, 50 3.60	o C098, C0100-1, C0103-4 nx 1.25	o 300 .25	o 510 nx .30
* 42 ng .90		* 51, 54 .60	o C0115 .30	o 302-4 nx 1.05	o 511 nx 4.25
o 42 nx 1.75		* 65-71, 73-5 4.80	* Q28 1.50	o 302, 304 nx .75	o 512 nx .30
o 52-5 nx 1.00		* 70-1 1.00	* O58, O61-5 7.15	o 306-7 nx .50	o 514 nx .50
* 59 ng .25		* 76 .25	o RA1 .25	o 306-7 .50	o 515 nx .75
* 96-9, 101 imperf 8.34		o 111, 113, 115 .85	o RA2 .25	o 311-2 .60	o 518 nx .55
* 96 ng .35		o 119, 122 .55	o RA3 .25	o 311 nx .25	o 520 nx .90
* 97, 101 .70		* 123 ng .40	* RA5 .25	* 319 .25	o 521, 523, 525 nx .90
* 97 .35		* 131-6 2.80		o 320-1 nx .50	o 521 nx .25
o 97-101 nx 1.75		* 141 1.25	HUNGARY	o 324 nx .50	o 526-7 nx .50
* 98-9 pg .70		o 153 .25	o 1268-70 .75	o 327 nx .50	o 526 nx .25
o 145-6 nx .50		* 174 ng .25	o 1533-5 nx .75	* 329 .25	o 529 nx .75
o 168 nx .40		o 175-6, 181 avg 3.00	** 1542 .30	o 329 .25	* 530 .35
* (219 etc) 3c + 5c ECV 1.70		o 183 1.50	o 1811-6 nx 1.55	** 330 .25	* 531 .70
o 311, 314 nx .90		* 184-5 .50	** 1542 .30	o 332 nx .25	** 534-6 2.15
o 314 .50		o 187 .25	o 1848-52 nx 1.25	o 333 nx .25	o 536 nx .35
o 315-6, 319 nx 1.00		* 190 ng .60	** 2262 .25	o 335 nx .25	o 543-4 nx .50
o 315-6 nx .50		o 212-3 .50	** 2282-7 imperf 20.00	o 339 nx .50	o 544 nx .25
* 361 .25		o 212 nx .25	o 2282-6 nx 1.25	** 340-1 .90	o 547 nx .70
o 380, 381-2, C46 nx 1.00		* 249-50 ng 1.10	** 2430-1 5.00	o 344a (10k value) nx 1.30	** 550-1 1.50
o 381, C46 nx .50		o 340 .25	** 2533-4 singles 5.60	o 345-6 nx .50	o 550 nx .65
o 402 .25		* C132, C136 ng 1.05	** 2817-21 1.55	** 346 nx .25	o 556, 558 nx .75
o 421-3, C115-7 nx 1.65		o C155-6, C158, C160 1.30	o 3018, 3022, 3025, 3028-9 nx 9.50	** 348-9 .85	o 558 nx .25
** 505-6, C208-9 1.40		** C158 1.60	** 3094-9 3.65	** 348 .25	** 564 7.00
o 505-6, C208-9 nx 1.15		* C158 1.60	** 3123-6 2.40	* 348 .25	o 565 nx .55
o 524 nx .25		o C160 .30	** 3127 3.75	o 348 nx .25	o 571 .75
o 536 nx 1.10		o C163 .35	** 3325-9 4.55	o 348 .25	o 579 nx .75
o 544, 547 nx .50		o C164, C166 .60	** 3330 2.50	** 353 1.60	o 582-3 nx 1.10
o 559 nx .25		o C164 .25		** 354 .60	o 583 nx .55
o 600 nx .25		o C170-7 2.00	ICELAND	* 355 .25	** 584-5 1.25
o 638 nx .25		o C170-1, C174 .75	o 10 nx 40.00	** 357 nx .75	o 586-7 nx 1.10
** 728-30, C494-8 5.60		o C171 .25	o 74, 76-7 nx 4.50	* 360-1 1.50	o 587 nx .55
o 758 .35		o C193 .25	* 86, 88 5.25	o 361 nx .50	o 588 nx .75
** 810-6 6.45		* C198-9 .50	o 93 nx 14.00	* 364 .30	** 590 18.00
o 840 .45		o C198-9 .50	o 99 nx 20.00	o 366 nx .25	o 593 nx .30
o 847 nx .85		o C209-11, C213 1.05	o 102 nx 1.50	o 367 nx .65	o 602 nx .35
o 854, 857 1.60		o C213 .30	o 108-9, 126 nx 21.75	o 388 nx 7.50	o 606 nx .75
o 857 1.25		o C250, C252, C256-7 nx 1.00	o 145-6 nx 2.00	o 396 nx 1.00	o 608 nx .75
o C5, C7, C8A nx 3.50		o C270, C272-3 .75	o 145 rx 4.75	o 397-8 .50	o 624 nx .75
o C7 nx 2.00		o C281, C285 .65	o 146 nx 1.00	o 401 nx 1.50	o 635-6 nx .60
o C28 nx .25		o C289, C292, C295-7 nx 1.80	o 171 nx .25	** 412-5 3.00	o 638 nx 1.75
* C33-4 .90		* C290-1 .50	o 181 nx 1.10	o 412, 414 nx .60	** 641 .90
* C34 .50		* C290 .25	o 193-4 nx .50	o 412 nx .25	o 642-3, 645 nx 2.70
o C37 nx .25		o C310, C312-3 nx .85	o 193 nx .25	o 415 nx .75	o 642 nx .50
o C46 nx .25		o C319 nx .40	o 195 nx 4.50	o 416 nx .25	o 652 nx .25
o C47 nx .50		* C325, C327 .60	o 204-5, 207, 208B nx 3.00	** 423 .35	o 663 nx .30
o C65 .25		o C334 nx .50	o 204, 207, 208B nx 1.90	** 425-6 1.20	o 669 nx .30
o C81 nx .25		o C353, C355 nx .55	o 207 1.10	o 425 nx .30	o 673-4 nx 1.05
o C91-2 1.00		o C370, C372-4 1.05	o 217a nx 5.50	** 431 .25	o 679 nx .55
o C99-100 nx .50		o C373 .25	* 218 .45	o 431-2 nx .50	** 681 11.00
o C145 nx .25		** C387 .25	o 219, 222, 224, 228 nx 3.05	o 432 .25	o 684 nx .35
o C165 nx .45		o C387, C392, C401 nx 1.30	o 219, 222, 228 nx 2.75	o 435-6 nx .50	o 698 nx .90
** C195 (see note after) ss of 2 imperf 5.50		o C392 nx .25	o 219, 222 nx .75	o 435 nx .25	** 700-1 1.80
o C348 nx 3.00		o C505, C507, C512 nx .75	o 219c nx 1.40	o 438 nx .30	o 709, 711 nx 1.20
o Q4 nx 2.40		o C512 nx .25		o 439 nx .90	o 712 nx .70
* RA4 1.40				* 445 .90	o 714 nx 2.25
o RA13-14, RA16				o 446 nx .25	** 715 12.50

ICELAND (cont'd)	SCOTT CAT	** 585-8 1.00	** B191-4 2.80	o 258-9 nx 1.10	o 184 nx .25
o 755 nx 5.50		** 589-92 2.80	** B195-8 2.20	o 261 nx .55	o 188 .25
o 761 nx 1.25		** 589-90 .90	** B195 .55	o 270 nx .25	* 190-202 + tabs 4.00
** 768-9 2.85		** 600, 602-3 .75		o 275-6 .90	
** 780-1 5.25		** 602 .25	** See note after B198	o 287, 289-90, 292 nx 1.25	o 190-2, 194-6, 198-9 nx 2.00
** 788 7.00		** 616-25 2.55	imperf ss 7.00	** 333-5 2.15	o 205 .25
o 792 nx 2.25		** 621-2 .50	** B199-202 2.25	** 335a 8.00	* 208-10 + tabs 1.25
o 818 nx 1.00		** 672 .25	** J84 .50	o 353 nx .60	* 215-7 + tabs .75
o 818 1.00		** 660 .25		o 378 nx .55	o 216-7 nx .50
o 828 nx 1.75		o 684-5 nx .55	INDONESIA - WEST IRIAN	o 387, 389 nx 1.15	* 219 + tab .35
o 832 nx .75		o 706, 708, 713, 716, 720 nx 2.00	* 34-9 2.70	o 389 nx .90	* 222 + tab .43
o 842 nx .90		o 706, 716, 720 nx 1.20	* J1-6 2.75	o 403 nx .25	o 225 nx .25
o 844 1.50		o 730-1 .95		o 453 nx .25	* 230 + tab .35
o 852-3 nx 2.25		o 731 nx .45	IONIAN ISLANDS	o 475 nx .25	** 237 + tab .70
o 852 .70		o 745 nx .25	* N18-20, N22-3 4.00	o 500-1 nx .50	* 237 + tab .70
o 854 nx 1.00		o 759-60 nx .65	* NJ2 6.50	o 763 nx .25	o 242 .25
** 862-3 2.60		** 763-5 2.55		** 919-21 1.90	* 246 .25
o 867 nx .90		o 766, 768, 770-5 nx 2.00	IRAN	** 1034-7 6.25	o 246, 249 nx .50
o 881 1.10		o 771-3, 775 nx 1.00	o 486 nx .25	** 1035 .70	* 256-8 + tabs 2.50
o 896d nx 1.50		o 788 nx .95	o 727 nx .25	o 1057 nx .35	o 257 nx .25
o 927 nx 1.50		** 810-2 22.25	o 761 nx .25	** 1354-5 5.75	* 259-62 + tabs .90
** 1036-42 7.50		o 828 nx 1.75	o 859 nx .25	** 1405 1.25	o 261 + tab nx .25
** 1054-5 4.25		o 833 nx 3.00	o 877, 879, 886 nx .75	** 1457 3.00	o 265 .25
* B18 .60		** 834-6 25.75	o 916, 927 nx .75	** 1527A 6.00	* 267 + tab .30
** B23-4 1.50		** 834-6 (*836) 25.75	o 950, 954, 957 nx .95	** 1570 2.00	* 269-70 + tabs 1.75
* B24 .75		** 859-61 18.90	o 1001 nx .25	** 1691 .44	o 272, 274 + tabs nx CAM .94
* C21 1.20		o 912 nx .25	o 1059A, 1060, 1063 nx .75	o 1828 nx .50	* 276-89 + tabs 6.52
o O33 nx 5.50		** 926-8 12.50	o 1213-4 .50	o C1-5, C7-8 nx 6.25	o 276-8, 280, 282-6, 290-1 nx 2.75
o O43 nx 1.75		** 944-6 20.00	** 1240-2 12.00	o O57-9 nx .75	o 290-1 + tabs nx CAM .93
		** 959-61 15.00	o 1379 nx .25	o O77 nx .25	o 291 nx .25
IFNI		** 978-80 9.60	o 1379 .25	o O96, O98 nx .50	o 302 nx .25
* 61 .25		o 1051-2 nx .70	** 1478-9 6.50	o O122 nx 1.50	* 304-7 + tabs 1.00
* 115 .40		o 1069 nx .45	* 1615 .25	o O126, O131 nx .70	o 317 .25
* B4-5 .65		o 1085-6, 1091-2 nx 2.45	o 1620 .25	o O211 nx .30	o 318 nx .25
* B5 .35		o 1085-6, 1091 nx 1.45	o 1656 nx .25	o O271 2.00	o 327 nx .25
* B7 .30		o 1085-6 nx .65	** 1682-3 1.00	o O274 nx .50	o 318 nx .25
* B10-12 1.10		o 1183 .80	** 1684 1.00	o O283 nx .60	o 327 nx .25
* B11, B12 .80		o 1203 nx .85	** 1697-1701 6.00	o O322 nx .90	o 331 .25
* B20 .35		o 1255 nx .45	** 1805 .35	** O336-7 1.35	o 335 .25
* B23-4 .65		o 1258-9, 1261, 1268A 1.85	o 1824 nx .25	** O337 .70	o 345, 347 nx .50
* B31-2 .65		o 1258-9, 1261, 1268A nx 1.10	o 1835 nx .25	o RA8-9 nx 9.00	o 356 nx .25
* B36 .30		o 1258-9, 1261, 1268A nx 1.10	o 2028 nx .25		o 365 + tab, nx .25
		o 1258, 1261 nx .50	o 2170 nx .25	ISRAEL	** 370, 373 + tabs .50
INDONESIA		o 1261 nx .25	o 2376 .30	o 2, 5 nx .55	** 376 + tab .25
o 371-8, 381, 383-6 nx 3.80		o 1291 nx .40	o 2632 nx 1.00	o 39-43 nx 1.25	o 378, 380 nx .50
o 371, 373-8, 381, 383-4 nx 2.80		o 1294 nx .25	* O12 8.00	o 39-42 nx 1.00	o 386, 390, 393 nx .75
o 387-96, 399-400 nx 6.25		o 1380, 1383 nx 3.85	o RA3 nx 5.00	o 40, 42 nx .50	** 389B .25
o 387-96 nx 2.75		o 1406 nx .35	o RA6 nx .50	* 52, 54 + tabs 2.00	* 391 .25
o 387-92, 393-4 nx 2.00		o 1424-5 nx 1.25		o 56, 58-60 nx 1.00	o 395 nx .25
** 389, 400 1.70		o 1530, 1532 nx 1.30	IRAQ	o 62 nx .25	** 399 + tab 1.00
o 401 nx .70		o 1532 nx 1.00	o 44-5 nx .50	o 87 nx .25	o 403-4 .50
o 419-20 nx 1.10		o 1555 nx 1.25	o 61-6, 68, 74 nx 2.15	* 94-9 1.50	o 418 nx .25
** 424-31 3.25		o 1570, 1572 nx 2.25	o 63-4, 66, 68 nx 1.00	** 94 + tab .25	o 425-6 .50
o 424-31 nx 2.00		o 1572 nx 2.00	o 79-82, 85 nx 1.25	o 94-5 .50	o 432 nx .25
o 424-5, 427-8, 430-1 nx 1.50		o 1600 nx 1.50	o 103, 107-8 nx 1.50	o 94-6 nx .75	* 447, 449 + tabs .65
** 425 .25		o 1637 nx .55	o 110, 112-4, 116-7, 122, 124, 126-7 nx 5.95	o 100 nx .25	o 450 nx .40
o 435 nx 1.00		o 1677 nx .55	o 132 nx 7.00	o 105-7, 110-3 nx 1.75	** 452-4 + tabs 1.40
** 450-6 5.60		o 1717-20 nx 1.50	o 133, 137-8 nx 3.95	* 112 + tab .25	o 463, 469, 473-4 + tabs nx CAM 1.77
** 451 .30		o 1719-20 nx 1.00	o 141A, 145, 147, 149, 150, 152-4, 156 nx 4.50	o 121-2 .50	o 466A, 468, 472B, 472C, 474 1.25
* 468-9 .50		o 1732 nx .50	o 160 nx 1.00	o 122 nx .25	o 474 .25
** 473-8 3.20		o 1755 nx .25	o 164 nx .60	o 125 .25	** 479-83 + tabs 1.00
* 473-5 .75		o 1796-8, 1801 nx 2.60	** 168-9 1.10	o 127 nx .25	o 497-500 + tabs nx 1.00
* 483-7 1.25		** 1847 .90	* 170 ng 1.00	o 128 nx .25	o 501 + tab nx .25
* 488-93 1.50		o 1816 nx .25	o 170-1 nx .95	o 129-31 nx .75	** 505 .25
* 494-5, 497 .75		o 1943 nx 1.39	* 198 .85	o 133, 134-5 nx .75	** 509-20 + tabs 7.00
o 494-8, 500 nx 1.50		* B92-7 2.10	o 198-9, 205 nx .95	o 137 nx .25	o 514 + tab nx CAM .59
* 507-9, 511 2.60		** B104-8 5.15	o 213, 216, 218, 220, 222, 224 nx 3.65	* 138-40 .75	o 523 + tab nx .25
** 544-5, 547 1.55		o B104-8 nx 5.05	o 232-7, 239-42, 244 nx 4.15	o 138, 140 .50	o 524 + tab nx .25
o 544, 549 nx .90		* B132-4 .75	o 232 nx .25	o 143 nx .25	o 525 nx .25
* 550, 554, 566 1.30		** B135-7 2.30	o 249 nx .70	o 145-6 nx .50	o 529 + tab nx CAM .42
o 550, 557, 565, 568 nx 1.35		** B146-9 1.60	o 255 nx .70	* 148 + tab .25	** 532-4 .75
** 567 .70		** B156-9 1.75		* 154 + tab .25	o 537-9 + tabs nx CAM .90
		** B156 .35		o 157-9 .75	o 540 + tab nx .25
		** B160-4 2.75		o 162 nx .25	o 541-3 + tabs nx .75
		** B165-6, 168, 170, 173-4, 176 1.75		o 168, 170, 171A, 173, 175 nx 1.25	** 552 sheet of 15 3.75

ITALY (cont'd)	o 67 nx 2.25 o 67 avg 2.25 o 74-5 nx 3.60 o 77-9, 81, 81a, 82, 87-8 nx 11.35 o 79, 81, 81a, 82, 87-8 nx 10.35 o 93 nx .90 o 93 .90 o 94-5 nx .65 o 94-5 .65 o 94 nx .35 o 102, 105 nx 1.00 o 112 nx 4.25 o 192 nx .35 o 200 nx .30 o 200 .30 * 215 .25 o 215, 217-9, 221, 223, 225 nx 1.75 o 215, 217-8, 221, 223 nx 1.25 o 253-4 nx 24.00 o 254 nx 12.00 o 284 nx .40 o 293-5, 297, 299, 301 nx 9.40 o 295, 299 nx 6.40 o 308, 309 6.90 o 312-3 5.15 o 377, 380, 382 nx 1.75 o 415 nx 2.25 * 439 ngai 2.25 * 463-4A .75 o 463, 468, 470-2A, 473A-6 nx 2.90 o 468, 470, 471A-2A, 473A-6 nx 2.25 o 481-2 nx .50 o 487-8 nx .50 o 487 nx .25 o 549-66 nx 5.40 o 549, 552-8, 561-2, 564-6 nx 3.25 o 552-8, 561-2 nx 2.25 o 555-8, 561, 564 nx 1.50 o 557 nx .25 o 566a nx .25 o 613, 615 nx 6.75 o 615 nx 6.50 o 621 nx .75 o 627, 630 nx .50 o 637-8 nx 3.75 o 672 nx .25 o 705 nx .25 o 715-6 nx 1.25 o 716 nx 1.00 o 719 nx .25 o 720 nx .25 o 721 nx .25 o 725 nx .25 o 725 .25 o 726 nx .25 o 751 nx .35 o 773 nx .25 o 790 nx .25 o 792 nx .25 o 799-805 nx 1.75 o 799-801, 805 nx 1.00 o 799, 801 nx .50 o 808 nx .25 o 812 nx .25 o 814, 816-21, 823, 825-7, 829 nx 3.00 o 814, 816-20, 826-7, 829 nx 2.00 o 846 nx .25 o 860 nx .25 ** 871-2 .55 o 877 nx .25	o 880-1 nx .50 o 881 .25 o 890 nx .25 o 903 nx .25 o 917 .25 o 935, 935B-7 nx 1.00 o 940 nx .25 o 951 nx .25 o 959 nx .25 o 965, 967 .50 o 965 .25 o 972 nx .25 ** 975 .25 o 9981 nx .25 o 1004 nx .25 o 1009 nx .25 o 1013-4 nx .50 o 1020 .25 o 1028 nx .25 o 1040 nx .25 o 1044 nx .25 o 1046 nx .25 o 1056 nx .25 o 1068 nx .25 o 1087 nx .25 o 1096 nx .25 o 1103 nx .25 o 1108 nx .25 o 1114 .25 o 1119, 1124 .50 o 1129-30 nx .50 o 1130 nx .25 o 1135 nx .25 o 1137 nx .25 o 1139 nx .25 o 1143 .25 o 1145, 1147 nx .50 o 1150 nx .25 o 1152 nx .25 o 1154 nx .25 o 1156 nx .25 o 1156 .25 o 1157 nx .25 o 1159 nx .25 o 1160 nx .25 o 1162 nx .25 o 1171 nx .25 o 1177-8 nx .50 o 1180 nx .25 o 1187 nx .25 o 1188 nx .25 o 1194 nx .25 o 1199 nx .25 o 1207-8 nx .50 o 1207 nx .25 o 1211 nx .25 o 1217 nx .25 o 1220 nx .25 o 1221, 1223 nx .50 o 1226 nx .25 o 1233 nx .25 o 1234 nx .25 o 1234 .25 o 1238 nx .25 o 1244, 1246-7 nx .75 o 1244, 1246 nx .50 o 1244 nx .25 o 1251 nx .25 o 1254 nx .25 o 1259 nx .25 ** 1261 .65 o 1265 nx .25 o 1271 nx .25 o 1292-3, 97 nx 12.50 o 1292-3 nx .50 o 1293 nx .25 ** 1350 .35 ** 1351 .25 ** 1352 .25 ** 1354 .30 o 1360 nx .25	o 1368 nx .25 o 1382 nx .25 o 1409-12, 1415-17, 1420-31 nx 4.75 o 1409, 1412, 1415, 1417, 1420-31 nx 4.00 o 1412, 1415, 1417, 1421-9, 1431 nx 3.25 o 1412, 1415, 1417, 1421-4, 1426, 1431 nx 2.25 o 1415, 1417, 1426, 1431 nx 1.00 ** 1431 1.25 o 1433a x 2 nx (coil strip of 4) .50 o 1437 .40 o 1475, 1478-9 nx 1.00 o 1478 nx .25 o 1586 nx .75 o 1641 nx 1.10 o 1658-9 nx .60 o 1659 nx .30 * 1726 1.50 ** 1729 .90 o 1836a nx 2.00 o 1863 nx .25 o 1910 nx .90 o 1925 nx .55 o 2019 nx .50 ** 2147 1.25 o 2178 nx .40 o 2225-6 nx .60 o 2225 nx .30 o 2228, 2231-2 nx .80 o 2231-2 nx .55 o 2231 nx .25 ** 2281 2.00 o 2329 nx .50 o 2417 .50 o 2446, 2449 1.15 o 2446a nx .35 o 2451a nx .80 o 2461 nx 2.00 o 2517 nx .75 o 3166 .95 o C114 nx .25 o C123-5 nx 2.05 o C123 nx .25 o C140 nx .25 o E17 nx 160.00 o E24 nx .25 o E33 nx .25 o J6 nx .80 o J60 nx .25 o Q25 (right half) nx .40 o Q47 (left half) .25	** 33-4 .70 ITALY - AEGEAN ISLANDS: ITALY - CALCHI * 3 avg 1.60 ITALY - COO * 3, 7, 8 7.95 ITALY - LERO * 2, 7, 8 avg 14.35 ITALY - LISSO * 2 avg 4.75 ITALY - NISIRO * 2, 3 fine/avg 6.35 ITALY - PATMO * 3 avg 3.25 ITALY - PISCOPI * 11 fine 1.60 ITALY - RHODES * 1, 7 avg 6.35 o 16, 18, 20-1 nx 5.60 o 18, 20 nx 1.60 * 55, 57, 60 4.80 o 58-61 nx 1.00 o 58, 61 nx .50 o C1 fine nx .40 * Q6a, Q8b, Q9b, Q10a 13.00 o Q9a, Q10a nx 1.60 ITALY - STAMPALIA * 3 avg 1.60 * 11 1.60 ITALY - TRIESTE o 97-8 nx .50 ITALIAN EAST AFRICA * 1, 4-6, 8, 9, 11-13 22.90 * 8, 13 5.25 * 21-3 2.95 JAPAN o 34 heavy cancel 30.00 o 55 nx 10.00 o 72-5, 79, 80 nx 3.05 o 73-5, 80 nx 1.80 o 73-5 nx 1.30 o 73 nx .25 o 92-3, 95-100, 103, 105 nx 3.50 o 92-3, 96, 98, 100, 103, 105 nx 1.50 o 109 nx 2.50 o 113-4 nx 16.00 o 118-9, 123 nx 2.55 * 162 ng 2.50 o 171a, 173, 175, 176a nx 9.60 o 172, 174, 176 nx .75 o 172, 176 nx .50 o 172 nx .25
ITALY o 24 3.00 o 26 se 3.25 o 35-6 5.60 o 35 1.60 o 45, 47 nx 2.90 o 67-70 nx 15.75 o 67, 70 nx 11.25				

JAPAN (cont'd) SCOTT CAT	o 425-7, 429-31, 433-4, 436 nx 6.00	o 764-6 nx .75	nx 4.85	o 1503 nx .30
o 179-80, 182, 184, 186-7 nx 7.55	o 425-7, 429-31, 434, 436 nx 5.75	o 769 nx 3.75	o 1068-87 (no 1082) nx 3.85	o 1506 nx .35
o 189 nx 3.00	o 425, 427, 429-31 nx 1.25	** 782 .25	o 1071, 1075, 1081 nx .75	o 1515 nx .25
* 190-1 4.60	** 425a .55	o 782 .25	** 1087a 22.50	o 1533 nx .25
* 191 2.60	o 430 nx .25	* 784 .25	** 1094a .85	** 1534-43 10.00
o 194-6 nx .75	o 456 single nx 22.50	o 792A nx .25	o 1094a singles nx .85	o 1558 nx .25
* 202 ng 1.25	o 475a 2y imperf from ss nx .95	o 798 nx .25	o 1096 nx .25	o 1562a nx .90
* 214-5 ng 3.25	** 509 2.50	o 801 .25	o 1101 nx .25	o 1570 nx .30
* 220 ng 6.25	** 509a 8.00	o 805 nx .25	* 1102 (see note after) ss of 3 1.75	o 1572-3 nx .60
o 222 .75	o 510-2, 513-6, 518, 520-1A nx 12.80	o 810 .25	o 1104 nx .25	o 1572 .30
* 230-1, 233 15.00	o 510-1, 513-5, 516, 518, 521-1A nx 5.75	o 814 nx .25	* 1104 nx .75	o 1574 nx .30
* 230-2 ng 11.00	o 510-1, 513, 515, 516, 518, 521A nx 4.05	o 821-2, 824 nx .75	** 1122-4 1.20	o 1578 nx .30
o 230 nx 1.00	o 527 nx 2.10	o 835 nx .25	* 1132 (see note after) ss of 3 1.75	o 1583 nx .30
* 234 3.50	o 534 nx 2.50	o 836 .25	o 1132 nx .25	o 1584 nx .25
o 234 nx .25	** 546 1.90	o 838 .25	** 1138 .30	o 1588 nx .25
o 239-42, 245-8, 250 nx 4.75	o 551 nx .75	o 846 nx .25	o 1142 nx .25	o 1612 nx .30
o 247-8 nx .75	o 556-60 nx 1.35	o 849 nx .25	o 1144 nx .25	o 1620 nx .25
o 248 nx .50	o 557 nx .25	o 854 .25	o 1145-6 nx .50	o 1621 nx .25
* 256 ng 6.25	o 566 nx .25	o 857 nx .25	o 1150 nx .25	o 1622, 1624, 1625, 1631 nx 1.10
o 256 .25	o 568 nx 1.50	o 860-3, 865, 867 nx 1.50	o 1152-4 nx .75	o 1640 nx .25
o 258-62, 264, 266, 268-73 nx 4.30	o 569 nx .60	o 865, 867 nx .50	o 1153 nx .25	o 1650a nx .90
o 258-62, 266, 268-73 nx 4.05	o 581 nx .55	o 865 .25	* 1155 (see note after) ss of 3 1.50	o 1658 nx .25
o 258-62, 266, 268, 270-3 nx 3.80	o 583-4 nx .50	o 872 nx .25	** 1158-60 1.20	o 1666 nx .25
** 259b p12 1.25	o 596 nx .25	o 875 nx .25	** 1166, 1168 .80	o 1672 nx .30
o 259c nx 1.60	o 598 nx .25	o 876-7 nx .50	o 1167-8 nx .50	o 1672 .30
* 265, 267-70, 273 ng 5.95	o 609 nx .60	o 877 nx .25	o 1170 nx .25	o 1676 nx .30
* 276 2.75	o 611 nx .25	o 878 nx .25	** 1179 .40	** 1680, 1688 2.00
** 278 3.75	o 621-2 nx 1.10	o 879 nx .25	o 1187 nx .25	o 1691-2, 1694 nx 1.05
* 286 1.60	o 622 nx .55	** 879A 2.25	** 1191a .95	o 1691a 1.00
* 296 ng 1.60	o 623 nx 1.75	o 879A-91A (no 880, 881A) nx 4.25	o 1192 nx .25	o 1707 nx .30
* 300, 302 1.40	o 636-6A nx 3.90	o 879A-91A nx (no 880, 881A, 887, 890) 3.75	* 1198 (see note after) ss of 3 1.50	o 1708 nx .25
* 301-2 ng 4.05	o 636A nx .90	o 879A, 880, 885, 887A, 888, 889-91A nx 2.25	** 1204-6 1.20	o 1715 .35
* 313-4 1.75	o 643 nx .25	o 891, 891A nx .50	o 1209 nx .25	o 1735 nx .35
* 325, 328, 330-7, 342 ng 9.75	o 646 nx .25	o 892 nx .25	** 1216-8 1.70	o 1735 .35
* 325, 340 2.25	o 648-51 nx 1.10	o 910 nx .25	o 1216 nx .25	o 1738a nx 1.00
o 325, 330-1, 333-4, 338, 340-2 nx 4.05	o 648-50 nx .80	o 913-6, 918 nx 1.25	** 1218a 1.75	o 1741-4, 1748, 1750 nx 2.70
o 325, 330, 338, 341 nx 1.15	o 649-50 nx .55	** 914 .30	** 1223-4, 1227-8 3.60	o 1743-4, 1748 nx 1.35
** 329 x 2 2 shades 1.40	o 650 .25	o 914-6, 918 nx 1.00	** 1233-4 .70	o 1753 .25
o 331 nx .25	o 652 nx .25	o 931 nx 1.00	** 1234a 1.00	o 1757 nx .35
** 339, 341 1.40	o 655 nx .25	** 933 .30	o 1244-53 (no 1250) nx 1.50	o 1763-4 nx .55
o 341 nx .25	o 656 nx .70	o 937 nx .25	o 1244-9, 1253 nx 1.25	o 1778b nx 1.00
* 343-4, 346 2.90	* 662 .70	** 940 .25	o 1244-9 nx 1.00	o 1786 nx .35
* 345-6 ng 2.70	o 662 nx .25	o 940 nx .25	** 1259a 1.90	o 1793 nx .35
** 347 5.00	o 667, 669-70 nx .80	o 949 nx .25	** 1261 .90	o 1796 nx .30
* 349-50 8.00	o 670 nx .30	o 951-3 nx 2.00	** 1268a 1.90	o 1812 nx .35
* 351-4, 355, 359 ngai 12.05	o 679 nx 1.25	o 952 nx .25	o 1282 .25	o 1817, 1819 nx 1.00
o 356, 358, 360 nx 1.15	o 680 nx .25	o 958-9 .60	o 1297 nx .25	o 1817 nx .50
o 361 x 2 (white & gray paper) nx 1.50	o 684 nx .25	o 961 nx .25	o 1301a nx .90	o 1993 nx .40
o 362, 364-72 + 364a nx 6.75	o 685 nx .25	o 975 nx .25	** 1309a 2.75	o 1997 nx .30
* 363 ngai .65	o 686 nx .25	o 978 nx .25	o 1312 .90	o 2034, 2041 nx .70
** 373 3.00	o 687 nx .25	o 979 nx .25	o 1316 nx .25	o 2061 nx .30
* 374 bg .95	o 688-9 nx .90	o 980 nx .25	** 1323a 1.90	o 2067 nx .55
* 381a ng, singles 9.50	o 688 nx .45	o 981 nx .25	o 1336a nx .90	o 2068 nx .55
** 382-3 6.35	o 695 nx .40	o 986-7 nx .50	** 1342a 1.90	o 2072 nx .35
* 384 ng 1.50	o 702 nx .25	** 988 .30	o 1343 .25	o 2094, 2097 .90
o 385-7 nx .85	o 708 nx .25	o 988 nx .25	** 1359 .90	o 2156, 2158, 2161-2 nx 1.30
o 386-7 nx .50	o 708 .25	o 989 nx .25	o 1365-6 1.80	o 2158, 2161-2 nx 1.05
o 387 nx .25	o 709 .25	o 991 nx .25	o 1380 nx .25	o 2161 nx .25
o 389, 391-3 nx 1.15	o 711 nx .25	o 992 nx .25	o 1383 nx .30	o 2178-9, 2182-3 nx 1.60
o 389, 392-3 nx .80	o 715, 721-2 nx 1.45	o 993 nx .25	** 1390a 1.90	o 2178-9 .70
o 391-3 nx .85	o 724 nx .25	o 997 .25	** 1407 .90	o 2178 .35
o 392-3 nx .50	** 728 1.00	o 999 nx .25	** 1409 .90	o 2205 nx .35
* 394 ng 3.00	o 734 nx .25	o 1020 nx .25	o 1409 nx .25	o 2244 .35
o 404 nx .95	o 739 nx .25	** 1024 .30	o 1415-7 nx .75	o 2430 nx .55
o 405 nx .25	o 746-54 nx 2.75	o 1025 nx .45	o 1422-31, 1434-5 nx 3.60	o 2450 nx .55
o 413 nx .45	o 746, 748-54 nx 2.50	o 1031 nx .25	o 1422-31 nx 2.60	o 2474 nx .35
** 417 3.75	o 746, 748-53 nx 1.85	** 1037 .30	o 1422-7, 1429-31 nx 2.35	o 2475, 2477, 2481 nx 1.10
o 424 nx 3.00	o 748-9, 751 nx .75	o 1047 nx .25	o 1422-3, 1429-30 nx 1.00	o 2475, 2477 nx .60
	** 763 .30	o 1050 .25	o 1442 nx .25	o 2477 nx .35
	o 763 nx .25	o 1057 nx .25	o 1449 nx .25	o 2503 nx .35
	o 764-7 nx 1.00	** 1065 .30	o 1501 nx .30	o 2506-7 nx .75
		o 1067-87 nx 5.15		o 2510 nx .35
		o 1067-87 (no 1082)		o 2515 nx .35

JAPAN (cont'd)		SCOTT CAT	** 215-6 .50	o 746-7 nx .50	** 1830 .65	KYRGYZSTAN	
o 2624 nx .30	o 2635 nx .55	** 2685a 4.00	o 215-6 nx .50	o 765 nx 1.00	** 2270ab 2.50	** 15 6.00	
** 2689f nx .50	o 2728 .35	o 2963i nx 1.00	o 215 nx .25	o 826, C60 nx 1.05	** 2285 3.00	** 39a 5.75	
o 3028b nx .55	o 3050ab nx 1.10	o 3050ij pair nx 1.10	** C24, C27 3.55	** 1010-3 2.85	** 2314ab 1.50	** 40 1.40	
o 3061af nx 1.10	o 3144d nx .50	** 3246a 3.80	o C24, C26-8 nx 3.00	o 1015 nx .25	** 2315 1.50	** 47 3.50	
** 3253a 6.25	** 3281 1.10	o 3281 nx .85	o C26-7 nx 1.50	o 1039 nx .25	** 2315ab 1.40	** 47a 9.00	
** 3378a 4.25	o 3389 nx .90	o 3601 nx 1.75	o C26 nx .90	o 1144 nx .70	** 2317abcd s/s 2.00	** 48-51 1.95	
** B5 2.09	* B8 1.00	o B34-5 nx 1.85	The right hand column shows the latest Scott Catalog value. You pay only 45% of this amount (with minimum).			** 2322 .75	** 51a 2.50
** B38-40 2.10	o B38-40 nx 1.65	o B39 nx .40	JORDAN			** 2323 2.50	** 52 1.75
o C17-18 nx 1.00	o C25-9, C38 nx 4.85	o C25-9 nx 2.85	For issues prior to 1946 (when Jordan was under a British Mandate from the League of Nations), see our Great Britain & British Commonwealth list.			** 2324 1.25	o 60 nx 1.50
o C26-9 nx 2.25	o C39-41 nx 1.00	o C39-40 nx .50	o 230-2, 234-5 nx 2.80	** 2025-9 4.25	** 2325 .75	o 79 nx 2.50	
o C39 nx .25	o Z17 nx .70	o Z24 nx .70	o 232, 234-5 nx 2.20	** 2039-63 3.00	** 2325a 1.25	o 87 nx 2.50	
o Z90 nx .70	o Z130, Z132 nx 1.20	o Z130 nx .50	o 235 nx 1.00	** 2044-51 4.50	** 2326 1.00	o 97-8 nx 3.50	
o Z130 nx .50	o Z153 nx .50	o Z159 nx .90	o 255, 257, 262-5 nx 16.20	** 2052-6 4.25	** 2327 1.00	o 106 nx 2.25	
o Z180 nx .90	o Z219-20, Z225 nx 2.30	o Z252 nx .90	o 271, 275, 278 nx 6.90	** 2057 6.00	** 2328 1.00	** 340 1.10	
o Z326 nx .90	** Z341a 4.00	o Z415 nx .50	o 279-80, 282-4, 286 nx 3.65	** 2058-62 4.25	** 2329 1.00	** 358 .75	
o Z548 nx .50	o Z586 nx .90	o Z586 nx .90	o 286DEFG nx 100.00	** 2064-7 4.00	** 2330-1 1.00	** 370-3 4.50	
			o 291, 293-6 nx 9.60	** 2068 5.00	** 2332 2.00	** B8a 3.75	
			o 299, 302-5 nx 7.30	** 2069-78 6.00	** 2333 7.00	** B9-10 4.00	
			o 306-17 nx 21.75	** 2079 6.75	** 2334 2.00		
			o 313-5 nx 4.60	** 2080-4 5.75	** 2335 .75		
			o 319-21 nx 1.00	** 2085 1.25	** 2336 .60		
			o 324-9, 331-3 nx 2.25	** 2086-91 6.00	** 2337 1.00	LATVIA	
			o 325-9, 331-3 nx 2.00	** 2092 .85	** 2338 .60	o 140, 145, 147, 150-2 nx 1.95	
			o 328-9, 331-3 nx 1.25	** 2093-2102 6.00	** 2339 1.00	o 150-2 nx 1.00	
			o 328-9, 332-3 nx 1.00	o C5 nx .75	** 2339c 1.25	o 150-1 nx .70	
			o 332 nx .25	o C8-15 nx 3.40	** 2340abcd b4 2.00	o 156-7 nx .50	
			o 339-43 nx 1.50	o C11 nx .25	** 2341 .75	o 176-9 nx 1.00	
			o 347 nx 1.90	o C16-21 nx 2.50	** 2342 b4 2.00	o 177-9 nx .75	
			o 348-51 nx 10.30	o C17, C20 nx .75	** 2343 b4 2.00	o 178 .25	
			o 352-4, 358-9, 361-5 nx 5.65	o C20 nx .50	** 2344 1.00	o 202-3 nx .50	
			o 362 nx .30	o C22-3, C25 nx .90	** 2345ab 1.20	o 361 .35	
			o 368 nx .25	o C28 nx 50.00	** 2346 .50	o 363, 366 "1994" .50	
			o 369-70 nx .70	o C47 nx .60	** 2346a 1.00	o 366 "1994" .25	
			o 371-3 nx 2.45	o C60 nx .80	** 2353 5.50	o 372 "1995" nx 1.10	
			o 374-5 nx .65	KAZAKHSTAN			
			** 376 .30	** 40 1.50	** 2354 2.25	o 367a "1996" nx .40	
			o 376 nx .25	** 89 1.10	** 2355ab 1.50	o 367a "1996" nx .40	
			** 377-8 8.00	** 96 1.25	** 2356 1.25	** 363c, 364b, 368b "1998" 1.05	
			o 378 nx 3.75	** 608 .50	** 2357 2.50	** 363d, 364c, 365a, 366b "1999" 3.55	
			o 379-80 nx .55	** 609 .50	** 2358 1.25	** 364d, 365b, 366c "2000" 1.45	
			o 381-2 nx .50	** 610 .50	** 2359 .75	** 363e, 364e, 365c "2002" .75	
			o 383-4 nx .55	** 614 .55	** 2361 .75	o 364g "2006" nx .25	
			o 388-94 nx 7.00	** 618 .65	** 2362 2.50	** 363g, 364h, 365f "2007" .75	
			** 398-9 .60	** 619 .65	** 2362a 3.00	o 363g, "2007" nx .25	
			o 398-9 nx .50	** 621-2 .50	** 2364 b4 4.00	** 365g, 369a "2010" .75	
			** 399a 1.50	** 623 .65	** 2365 1.50	** 363h, 364i, 365h "2011" .75	
			** 399a imperf 1.50	** 624 .65	** 2366 .75	** 379-80 3.40	
			o 404 nx .50	** 626 .45	** B19-26 5.60	o 381-2 .70	
			o 405-6 nx 1.20	** 630 .65	** B27-30 2.40	o 382 nx .35	
			o 421-2 nx 2.85	** 634 .80	** B35-8 6.00	o 391 .25	
			o 423-7 nx 3.00	** 641 .60	** B43-50 8.00	o 393 .55	
			o 428-31 nx 3.60	** 642 .60	** B51a-4a 12.00	o 446 .25	
			o 432, 434 nx 1.25	** 643 .65	o C6-8 nx 3.00	** 450abc "1998", "1999", "2000" 3.00	
			** 446-50 2.50	** 645 .60	o C39 3.75	o 453 nx .80	
			o 454-6 nx .75	** 646 .65	KOREA, NORTH		
			** 457-61 2.50	** 648 .65	o 1831 nx .25	o 453 .80	
			** 509 (see note after) 50 fils ss 17.50	KOREA, SOUTH			
			** 510-3 5.75	o 373, 374A nx 7.00	o 1891a 5.50	** 484-5 5.75	
			o 531ABDEKLM nx 3.20	o 373 nx 3.00	** 2104-7 11.00	o 497 nx .45	
			o 531DEL nx 1.30	** 381 1.60	** 2178 18.00	o 506 nx .40	
			o 531E nx .30	** 381a 4.75	** 2179-80 10.00	** 525d "2011" .25	
			o 532-532E nx 3.20	o 391 .60	** 2213 30.00	o 525e "2012" nx .25	
			o 533-3B nx 1.60	o 433 nx 8.00	** 2228 gp 20.00	o 549a nx 6.00	
			o 538-538E nx 2.70	o 524 nx 1.50	** 2229 15.00	o 588 nx 1.00	
			o 560 nx .45	o 938 nx .45	** 2229 imperf 15.00	** 613a vert pair, 1 imperf top, 1 imperf bottom 4.00	
			o 719 nx .25	o 993 .25	** 2235-6 30.00	** 670a "2010" .25	
			o 732 nx .25	o 1006, 1009 .60	** 2235-6 imperf 30.00	o 730 + label nx 1.50	
				o 1034-7 nx 4.00	** 2237-8 imperf 20.00	o 737 nx 2.34	
				o 1040 .25	** 2898-2900 imperf 2.75	** 742-3 + tabs 4.75	
				o 1099-1102 nx 3.60	o 2958 nx .25	** 757 1.25	
				o 1199 nx .80	** 3898-3900 x 2 booklet 4.80	** 761 1.40	
				o 1265 nx .25	** 3935-7 imperf 2.00	** 766 1.50	
				** 1281 .65	** 4052-3 1.25	** 775 1.40	
				** 1375 .60	** 4052-3 imperf 1.25		
				** 1378-9 3.75	** 4952 .25		
				** 1511-4 4.00			

<p>LIBERIA (cont'd) SCOTT CAT</p> <p>o 776 "2011" nx 1.35 ** 778 1.35 ** 784 1.25 ** 788 1.40 o 843 nx 2.40 o 850a ""2016" nx .25 o 895a ""2017" nx .25 o 901 nx 1.10 o 913 nx .92</p> <p>LEBANON Lebanon gained Independence in 1941. See our French list for Lebanon prior to 1941.</p> <p>o 179 nx 3.50 o 197, 202 nx .50 o 210, 214, 217 nx .90 o 238, 242 nx 5.25 o 238 nx .25 o 257 nx .25 o 259, 262, 264 nx 3.70 o 264 nx 2.75 o 281-4 nx 17.75 o 300, 302 nx .50 o 321, 323-4 nx 1.30 o 331 nx .25 ** 340 1.75 o 399-400, C363, C365 nx 1.05 ** 418-20 4.50 o 423, C396 nx .50 o 435-7, 439 nx 1.00 o 437 nx .25 o 443-6, C487-91 nx 2.25 * 445 ng 2.25 o 445 nx .25 o 455 nx .25 o 487 nx 3.50 o 522 nx 2.10 o C97 nx 2.10 o C120 nx .25 o C140 nx 1.40 o C146 nx 1.25 o C164 nx 2.40 o C176-7, C179, C181 nx 1.05 o C185, C189 nx .50 o C200-1, C204, C206 nx 2.85 o C217 nx .25 o C232, C234 nx .50 o C234 nx .25 o C248, C252-3 nx 1.05 o C248, C252 nx .50 o C259 nx .25 o C279-80 nx .50 o C297-8 nx .60 o C364-5 nx .55 ** C367-71 3.30 o C371 nx .25 o C393-4 nx .50 o C427-9, C431-2 nx 2.60 o C427, C429, C431 nx 1.35 o C427, C431 nx 1.00 o C431 nx .75 o C486, C488-9 nx .75 o C515, C517 nx .50 o C526 son .25 o C534, C538 nx .50 o C538 nx .25 o C565, C567 nx .50 o C627, C632, C636 nx .75 o C636 nx .25</p>	<p>o C661, C663, C666 nx .85 ** C708-11 9.40 o RA1 nx 3.00 o RA5 nx 1.60 o RA8 nx 6.50</p> <p>LIBERIA</p> <p>o 134-5 nx .50 o 135 nx .25 o 163, 165, 167-8 nx 1.00 o 183-5 nx .75 o 185 nx .25 o 212 nx .45 o 216, 218 nx .50 o 279 nx .35 o 317 nx .90 * 347-8, C88-9 1.10 o 351-3 nx .75 * 358-61 1.15 * 358, 360-1 .90 o 362-3, C107-8, C110 nx 1.25 o 364-7 nx 1.00 ** 401, C137 1.05 ** 407, C149 1.10 o 438, 440 .50 o 489-96 nx 2.10 o 525-30 nx 1.50 ** 669-71, 673-4 3.70 ** 703-8 5.90 ** 703-8 imperf 5.90 o 706 nx .25 ** 765-6 1.20 ** 788-90 imperf ss 8.00 ** 860-5 4.50 ** 866 3.25 ** 999-1003 5.35 ** 1046-8 4.15 ** 1049-53 5.25 ** 1060abcdefg 7.60 ** 1065abcde, 1066abcde, 1067abcde, 1068abcde 17.25 o 1105, 1107 2.40 o 1105 nx .50 o 1142h, 1142i, 1144e nx 6.00 o 1159g nx 2.92 ** 1275bcfg 6.88 ** 1276bcfg 6.88 ** 1342 p11.5 4.00 ** 1364 ss of 3 prs 9.75 ** 1364 pair 3.25 ** 1444-7 9.00 ** 2465 1.75 o B21 nx 3.25 o C3A nx .25 o C8-10 nx .75 o C89 nx .30 o C115 nx .45 ** C138 1.75 ** C150 2.00 o C194 nx 3.00 ** C218 1.75 ** CB4-6 1.15 o F10 nx .25 * O98 ng .60 o O103 nx .25 o O113-4, O116-8 nx 1.25 o O114, O116, O118 nx .75 o O118 nx .25 o O141-2, O144-5 nx 1.00 o O141 nx .25</p>	<p>LIBYA</p> <p>o 25, 27 nx .50 o 71 nx 1.00 * 95-101 21.70 o 95 nx 7.00 o 157 .25 ** 234-6 2.70 o 493 nx .25 ** 1705 4.50 ** 1712 4.25 ** 1715a 4.50 ** 1720b 8.00 ** 1730 3.50 ** 1733 4.00 ** 1738 3.00 ** 1743 1.50</p> <p>LIECHTENSTEIN</p> <p>o 4-9 nx 12.00 ** 32-43 20.50 ** 32, 35-6, 38-42 13.18 o 136-8 nx 1.40 o 183-5 nx 1.75 o 200 nx .25 o 247 nx .25 o 289 nx .80 o 336, 339, 347 nx 1.60 * 337 .25 o 339 .25 ** 368 .35 ** 380 .40 ** 406-9 1.35 o 406-9 nx 1.35 ** 415 .40 o 416-9 fdx 1.40 ** 420 .45 o 421 nx .25 ** 426-8 1.05 ** 465 .80 o 465 nx .80 o 543-4 nx .75 ** 550-1 .90 o 553-5 nx 2.20 o 564-5 nx .70 o 587-8 nx 1.10 ** 597 5.50 o 639 nx .25 o 641 nx .30 o 657-9 nx 1.35 o 662 nx .95 ** 690 .65 ** 711-5 2.45 ** 718-21 1.75 o 733-4 nx .90 ** 747-50 2.15 ** 751-3 1.30 ** 756-8 2.45 ** 759-61 2.50 ** 762-5 1.75 ** 766 1.00 ** 767-8 5.00 ** 769-71 1.35 ** 772-4 2.85 ** 775-8 2.90 ** 779-80 1.10 o 779-80 nx 1.00 ** 781-3 1.65 ** 784-6 2.40 o 786 nx 1.00 ** 787-98 7.90 ** 799-800 3.40 ** 801-3 1.70 ** 806-8 3.55 ** 809-12 2.55 ** 813-5 2.20 ** 816 4.25 ** 817-9 3.00 ** 820-2 1.70 ** 823-5 2.70</p>	<p>** 826-8 1.70 ** 832-41 4.75 o 833 nx .35 ** 843 1.40 ** 844-6 1.80 ** 847 .55 ** 848 4.50 ** 849-51 3.00 ** 852-4 3.00 ** 855-7 2.35 ** 858-60 3.05 ** 863 1.50 ** 864 2.50 ** 865-7 3.10 ** 868-70 2.15 ** 871 1.90 ** 872 2.25 ** 877-9 2.80 ** 882-4 4.10 ** 885 4.00 ** 886-7 2.40 ** 888-91 4.50 ** 895-7 1.95 ** 898-900 4.25 ** 903 3.50 ** 904-6 3.80 ** 907-10 6.00 ** 911-4 4.20 ** 915-7 1.95 ** 918-20 2.15 ** 921-3 3.45 o 931, 935 nx 1.15 o 1000 nx .75 ** 1022-3 2.50 o 1068 nx .25 o 1168 nx .75 ** 1189 2.50 ** 1223 1.75 ** 1486-7 4.25 ** 1494 4.00 ** 1522 2.25 o B22-3 nx 3.00 ** J1-10 10.21 ** O26 nx 2.75 ** O55, O58 1.90 ** O59-75 13.55</p> <p>LITHUANIA</p> <p>o 168-70 nx .75 o 169 nx .25 o 283, 285 nx .75 o 283 nx .25 o 288 nx .25 o 298-300 nx .75 o 299 .25 * 317-8 ng .65 ** 371-4 pairs 5.00 ** 371-4 2.50 o 381, 387 nx .50 o 381 nx .25 o 386 imperf pr nx .50 ** 388 .25 ** 389 .25 ** 390-2 1.25 ** 393-5 1.25 o 399 nx .59 o 422 nx .30 ** 425-6 .80 ** 437-9 1.05 ** 440-1 1.20 o 459 nx .25 ** 461-4 2.40 ** 478 .95 ** 479-80 1.60 ** 491 .50 ** 493-5 1.60 ** 496 .25 ** 497-9 1.30 o 505 nx .25 o 527 nx .25</p>	<p>o 557 nx 3.50 o 567 nx 4.00 ** 640 5.25 o 648 nx .25 ** 655a, 656a "2006" .50 ** 657-8 1.75 o 677 nx .43 o 688 nx .41 o 704 nx .40 o 707 nx .37 o 725 nx .85 o 731 nx .37 o 796 nx 1.00 ** 826b, 827b "2011" 1.20 ** 852a, 853a, 854b, 855a, 856b "2011" 2.15 ** 931 1.10 ** 933 1.10 ** 949-50 2.50 ** 955-6 3.00 o C81 nx .25</p> <p>LOURENCO MARQUES</p> <p>o 4 nx .50 o 30-2, 44 nx 1.55 o 56 bottom half nx 5.00 o 57 nx 2.50 * 58, 61-5, 67-8 51.00 * 59, 69 ng 13.00 * 76 4.00 o 88 nx .60 * 90 ng 1.50 * 96-8 10.00 * 100-6 15.50 o 107 nx 2.75 * 108-15 18.50 * 116-26, 128 13.45 o 127, 129, 131 nx 7.90 o 135a nx 1.60 * 140, 142-3 2.00 * 144 ng .90 o 154-5 nx 8.00 * 159 1.00 * 160-1 ng 1.40 * 162 .80</p> <p>LUXEMBOURG</p> <p>* 48 ng .25 * 49 .25 o 60-1, 63 2.00 o 63 nx .80 o 70-1, 73-4 nx 1.15 * 71 .40 o 73 nx .25 o 75-6, 78, 82 nx 1.00 o 82 nx .25 * 87 1.20 o 97, 99-101 nx 1.15 o 97, 99, 101 nx .75 * 100, 102-5 1.25 * 112 .25 o 113, 117, 121 nx .75 o 117, 121 nx .45 * 118 .25 o 125 fine son .25 o 126-7, 130 nx 10.35 o 133, 136, 139-41, 143 nx 1.50 * 134 .25 o 141 nx .25 o 153 nx .80 * 154, 157 .50 o 154, 157 nx .55 o 154 nx .30 o 159-62, 164, 166, 168-71, 173, 175-9,</p>
---	---	---	---	---

LUXEMBOURG (cont'd)	SCOTT CAT	o 496 nx .25 o 499 nx .25 o 503-5 nx .75 o 503, 505 nx .50 o 506 nx .25 o 507 nx .25 o 508 nx .25 ** 510-1 1.65 ** 511 .75 o 514 nx .25 o 516 nx .25 o 517 nx .25 o 520-2 nx 1.45 ** 522 .75 o 523 nx .50 o 527 nx .25 o 529 nx .25 o 534 nx .25 o 542 nx .25 o 546 nx .50 o 550 nx .25 ** 551-2 1.20 o 553 nx .25 ** 554 1.00 o 554 nx .25 o 555 nx .25 o 565 nx .25 o 573, 573A, 575-6 nx 1.60 o 573 nx .25 o 585 nx .30 o 588 nx .25 o 591 nx .25 o 597-8 nx 1.05 o 597 nx .25 o 599-600 nx .50 ** 607 2.00 o 612-3 nx .50 o 616 nx .30 o 622-3 nx .55 o 635, 637 nx .50 ** 641-2 1.70 o 644 nx .25 o 646 nx .40 o 648 nx .25 o 649 nx .30 ** 650 2.50 o 656 nx .25 o 657 nx .35 o 660-1 nx .70 o 660 nx .35 o 663-4 nx .90 o 666 nx .35 ** 667-70 2.25 o 669 nx .40 o 671 nx .35 o 672 nx .25 o 674-5 nx .65 o 676-7 nx .70 o 678-9 nx .50 o 680-1 nx .60 o 680 nx .25 o 682 nx .35 o 683 nx .25 o 687-8 nx 1.00 o 688 nx .65 o 689 nx .45 o 691 nx .35 o 693 nx .25 o 695-6 nx .50 o 698-9 nx .70 o 703 nx .35 ** 707 .55 o 707 nx .35 o 708 nx .40 o 712 nx .25 o 714, 716-7 nx 1.20 o 714 nx .25 o 718-9 nx .65 o 718 nx .25 o 721, 723 nx .55	o 723 nx .30 o 725-7 nx 1.20 o 728 nx .40 o 729 nx .45 ** 731 2.75 o 734-5 nx 1.90 o 737 nx .45 o 738 nx .25 o 740 nx .45 o 743 nx .50 o 767 nx .50 o 775, 777 nx 4.40 o 775 nx .40 Δ 796 nx .35 ** 797 .70 o 859 nx .40 o 867 nx .90 o 870 nx .40 o 878 nx 1.25 o 880 nx .35 o 882 nx .50 o 889 nx .50 ** 910-1 2.25 o 914 nx .85 o 928 nx .80 o 929 nx .50 o 936 nx .55 o 957 nx .30 ** 1043 1.00 o 1067 nx .25 ** 1124-5 .55 ** 1292 1.75 ** 1293-4 3.00 ** 1306 1.75 ** 1312-3 4.25 ** 1321 1.75 * B1 fine .30 o B11 nx .70 o B69 nx 1.50 o B86 nx .55 o B205 nx .40 o B217 nx .25 o B229, B232 nx 2.50 o B229 nx .25 o B247 nx .25 o B252-5, B257 nx 3.30 o B252 nx .25 o B258-9 nx .50 o B259 nx .25 ** B270 .25 o B270-1, B273 nx .75 o B271 nx .25 o B283 nx .25 o B288-9 nx .50 o B319 nx .30 o B324-5 nx .50 o B324 nx .25 o B329 nx .25 o B333 nx .35 o B339 nx .45 o B342, B344 nx .75 o B348-9 nx 1.00 o B349 nx .55 o B354 nx .40 ** B379-82 7.65 ** B470 1.90 o J15 nx .35 o J29, J31-2 nx .75 o J32 nx .25	o 361-2 nx 18.25 o 364 nx 4.25 * 365 4.00 o 366-7 nx 8.25 o 367 nx 5.25 o 368-9 nx 4.75 * 371 10.00 * 372-4, 377-9 15.45 * 372 .60 o 372-6, 381 nx 6.20 o 372-5 nx 1.50 o 382 nx 3.00 * 383-5 3.10 * 383 .50 o 383-90 nx 12.80 o 384-8 nx 5.15 o 386-8 nx 3.65 o 387-8 nx 2.75 * 391 6.00 o 393 nx 4.00 * 400 6.50 o 400 nx 2.00 o 401 nx 2.50 ** 402 5.00 * 404, 406-7 8.25 * 405 ng 2.25 o 405, 409 nx 2.50 o 409 nx 1.75 o 412-3 nx 3.75 o 414 nx 2.00 o 415-6 nx 3.75 ** 417 3.75 o 417 nx 1.50 o 418 nx 1.75 o 419 nx 1.00 o 420 nx .75 o 421 nx 1.00 o 424 nx .75 o 426 nx 1.00 ** 429 6.25 o 429 nx 1.75 o 430 nx .75 o 433 nx .75 o 435 nx 1.75 ** 477-82 19.50 ** 494-9 19.75 o 569 nx .80 ** 573-6 13.25 ** 577 55.00 o 581 nx 1.25 ** 751-6 4.45 ** 877 4.25 ** 937 2.75 ** 1264-7 2.50 ** 1269 1.40 ** 1270 3.00 ** 1296 2.50 ** 1298 3.00 ** 1300 2.40 ** 1302 1.25 ** 1304 3.00 ** 1306 4.00 ** 1308 3.00 ** 1310-1 2.00 ** 1313 3.00 ** 1315 3.50 ** 1319 3.00 ** 1321 3.00 ** 1323-6 3.00 ** 1328 3.00 ** 1330-1 2.00 ** 1336-9 3.50 ** 1340 3.00 ** 1342 3.00 ** 1345 3.00 ** 1347 3.00 ** 1349 3.00 ** 1351-4 3.00 o J1 nx 1.25 ** RA16 ngai 1.50	MACEDONIA ** 479 .80 ** 482-3 2.20 ** 486 1.10 ** 489-92 1.40 ** 494 .95 ** 495 .95 ** 505 .95 ** 510 1.00 ** 514 1.00 ** 522 .95 ** 528 1.00 ** 536-8 2.40 ** 541 .75 ** 542 .85 ** 545 .75 ** 570 .55 ** RA143 .50 ** RA144 .50 ** RA145 .50 ** RA146 .60 ** RA147 .50 ** RA148 .50 ** RA149 .60 ** RA150 .60 ** RA152 .50 ** RA153 .50 ** RA154 .50 ** RA155 .50 ** RA156 .50
			MANCHUKUO o 6, 7 nx 1.40 o 38, 41 nx .65 * 41 .75 o 41 nx .35 o 77 nx 1.25 * 83-4, 86, 94 1.75 o 84, 88, 93 nx .75 * 86 .40 * 88 ng .45 o 88, 93 nx .50 o 93 nx .25 * 112-5 2.25 * 112 ng 1.00 o 113 nx .25 o 127 nx 1.00 * 132 .80 * 136-7 1.25 * 154-7 8.50 * 158, 161, 163 5.25 * 158 1.00 * 158a single 5.00 * C4 ng 1.60		
			MARSHALL ISLANDS * 26 .85 ** 53a 2.40 ** 64a, C2a 3.00 ** 81a 1.80 ** 159a 2.00 ** 168-84 30.30 ** 170a booklet 3.75 ** 173a booklet 5.00 ** 188-9 3.90 ** 189 2.25 ** 239-41, 245a 5.85 ** 239-40 1.60 ** 247a-8, 250a-1, 253a-4 6.75 ** 248, 251, 253a-4 4.50 ** 255-6, 260a, 264a-5 10.30 ** 264a 4.00 ** 270a, 275, 282 3.70 ** 275, 282 1.20 ** 291a 4.00 ** 292, 295a, 297-8,		

MEXICO	* 815 ng .25	o 1258 nx .25	** 2721 1.25	o C446, C448 nx .60
(cont'd)	* 832-3 ng .50	Δ 1297a nx 4.00	** 2722 1.25	o C446 nx .35
SCOTT CAT	o 857-64 nx 2.00	o 1346 son .25	** 2723 1.25	** C463 .25
307 4.80	o 857 nx .25	** 1347 .45	** 2724 1.25	o C474 nx 1.00
** 292, 295a, 297-8 4.20	* 871 ng .45	** 1351-6 6.00	** 2729 1.25	** C486-91, C493, C495-9 5.85
o 308-11 nx 4.00	** 876, 878, 880-1 5.60	o 1372 nx .25	** 2730-1 2.50	** C486, C495 1.50
** 316-7, 320, 322-3 3.65	** 878, 881 1.60	** 1378 .35	** 2733 1.25	o C489, C491 nx .50
** 412 .75	** 882a 7.00	* 1378 ng .35	** 2734 3.75	o C491 nx .25
** 627 18.00	** 934 .60	o 1378 nx .25	** 2735 1.25	** C491a 1.00
** 645abc singles 3.75	o 938 nx .25	** 1379 .45	** 2737 1.25	o C491a nx .25
** 646 18.00	o 965-6 nx .50	o 1379 nx .25	** 2738 1.25	** C520 .25
** 654 18.00	o 984, C328 nx .50	** 1385 3.50	** 2740 1.25	** C521 .25
** 657 17.50	** 996-7, 999, C340-1 6.30	o 1407 nx .25	** 2742 1.25	** C522 .25
** 679 17.50	o 996-9 nx 1.25	** 1436 .25	** 2743 1.25	** C523 .25
** 702 18.00	** 997 .75	** 1444 6.00	** 2746 1.10	** C524 .25
** 711 18.00	o 997 nx .25	o 1468a nx .25	** 2747 1.10	** C526 .25
** 723 18.00	o 1002 nx .25	o 1470b nx .30	** 2748 1.10	** C527-31 1.25
** 726 18.00	** 1005 .35	o 1495, 1499-1505 nx 13.95	** 2750 1.10	** C527-8, 530 .75
** 730 18.00	** 1006 .30	o 1495, 1500-5 nx 12.70	** 2751 1.75	** C532 .35
** 873 8.75	o 1007 nx .25	o 1500-1 nx 3.20	** 2754 6.75	** C533 .25
** 899 .85	** 1008-12 2.25	** 1554 1.00	** 2756 1.10	** C534-5 .60
** 900 10.50	** 1008 .45	** 1555 3.50	** 2758 1.10	** C536 .25
** 937 11.00	o 1008, 1011 nx .50	o 1584, 1588, 1589, 1591, 1593-4, 1598 4.30	o C66, C68, C70-1 nx 1.00	** C540 .25
** 1063 4.75	** 1024-5 .60	o 1601 nx 4.30	o C100 nx .25	** C541-2 .55
** 1125 11.50	o 1025 nx .25	o 1584a nx .40	o C108-9 nx .55	** C543 .25
** C12a 3.00	** 1026 .30	o 1588, 1589, 1593-4, 1598, 1601 nx 3.50	o C141 nx .25	** C544 .25
	** 1027 .30	o 1588, 1589, 1593-4, 1598, 1601 nx 3.50	o C158 nx .25	** C545 .25
	** 1028 .30	o 1588, 1589, 1593-4, 1598, 1601 nx 3.50	* C180 .25	** C546 .25
	o 1028 nx .25	o 1589 nx .40	o C180 nx .25	** C547 .25
MEMEL	** 1029 .30	o 1695gn 4.32	** C193-4 6.00	** C548-52 1.25
* 8 ng .25	** 1030 .30	o 1704 .60	o C193-6 nx 2.00	** C553-4 .55
* 18-22 4.30	** 1052 .30	o 1708 nx .60	o C193-4 nx .75	o C553 nx .25
o 18, 26 nx 7.25	o 1059 nx .25	o 1718 nx 1.00	o C193-4 .75	** C555 .25
* 44-5 .80	** 1086 .30	o 1720de nx 7.41	o C198a nx 100.00	** C558 .25
* 51, 60 1.05	o 1086 nx .25	o 1730 nx .95	* C202 ng .35	o C558 .25
* 51 .80	o 1088 nx .25	o 1789 .30	o C206 nx .25	** C559-60 .55
* 52 ng .50	** 1107 .30	** 1840-1 1.90	** C218 .25	o C596, C599, C602 nx 1.25
* 69 .30	** 1108 .30	** 1936 .75	o C219a nx .40	o C596, C599 nx .50
	o 1108 nx .25	o 1966 nx .35	o C220ACFGH, C221 nx 2.80	* C599 .35
For an explanation of abbreviations, see page 1.	** 1109-11, 1112a, 1113, 1117-7a, 1126, 1128, 1133, 1134-6 23.35	* 2021 1.40	o C220Bl nx .25	** C601 4.50
	* 1109 1.00	** 2049 1.25	o C220EFGH, C221 nx 2.55	** C614 1.75
MEXICO	o 1112-5, 1117, 1119-20, 1121C, 1124, 1127-9, 1133, 1134-5, 1137 nx 5.30	o 2262, 2265 nx 1.60	o C220EG, C221 nx 1.25	o C617 nx .25
o 174 nx .75	** 1112a .90	o 2262 nx .65	o C220En nx .25	o E16 nx .25
o 178 se 1.00	o 1113a nx .25	** 2490d, 2491d, 2493d, 2500d, 2502d "2009" 4.20	o C220Fo nx .60	o E18-19 nx 1.65
o 178 nx 3 mgns avg 1.00	o 1114-5, 1119-20, 1123-4, 1129, 1133, 1137 nx 2.75	** 2488d, 2489d, 2490e, 2491e, 2492d, 2493e, 2499d, 2500e, 2502E, 2503D, 2504D "2010" 11.50	o C220Gp nx .30	o E18 nx .25
* 187 bg 2.75	o 1114-5, 1119-20, 1129, 1133 nx 1.50	** 2488e, 2489e, 2490f, 2491f, 2492e, 2493f, 2499e, 2500f, 2501b, 2502f, 2503e, 2504e "2011" 12.25	o C227 nx .30	** E19 cm 1.25
o 187 nx .60	** 1118a 3.00	** 2664 1.00	** C237 .85	** E20-1 2.05
o 213, 213a, 216, 218 nx 2.60	o 1119-20, 1123-4, 1129, 1133, 1137 nx 2.75	** 2668 1.10	o C237 nx .35	** E25 .25
o 218 nx .35	o 1114-5, 1119-20, 1123-4, 1129, 1133, 1137 nx 2.75	** 2669 1.10	o C243 nx .25	** E27 .25
o 244c nx 20.00	o 1114-5, 1119-20, 1129, 1133 nx 1.50	** 2670 1.10	o C246 nx .25	** G23-4 3.65
o 247-8 nx 1.35	** 1118a 3.00	** 2671 1.10	o C248 .25	** G29-32 7.30
o 248 jumbo, se, nx 1.00	o 1120a nx .25	** 2675 1.10	* G31 ng 1.50	* JX26-31 3.00
o 257-9, 261 nx 5.50	o 1125a .30	** 2676 1.10	o C253-4 nx .50	* Q10 ng 4.25
o 257 nx 1.25	** 1140 .75	** 2679 1.10	o C258 nx .25	o RA5 nx .25
o 261d nx 20.00	** 1141 .30	** 2680 1.10	o C260 nx .25	o RA8 nx .25
o 294, 297, 300 nx 1.10	** 1144 .30	** 2681 1.10	* C265b 3.50	o RA14 nx .25
o 297 nx .35	** 1146 .30	** 2682 1.10	o C265b nx .30	
o 307 nx .35	** 1147 .30	** 2683 1.10	o C265c nx .25	
o 307 .35	** 1148 .30	** 2684-92 9.90	o C266, C268 nx 4.50	
o 614 .50	** 1149 .30	** 2696 1.10	o C290 nx 1.40	MICRONESIA
o 710, 712, 719 nx .75	** 1150 .30	** 2700 1.25	** C319 .90	** 5-20 18.10
o 712 nx .25	** 1151 .30	** 2701 1.25	** C327 nx .25	** 21, C4-6 3.00
* 722 .50	** 1152 .30	** 2707a 2.50	** C329 .45	** 22, C7-9 3.55
o 732 nx .25	** 1153 .30	** 2708 1.25	** C336-7 1.05	** 28a, C15 3.60
* 738 .35	** 1154 .30	** 2717-8 3.80	o C337 nx .30	** 28a 2.60
* 738 ng .35	** 1155 .30	** 2719 1.25	** C346 .40	** 57 3.25
o 746 nx .25	** 1156-7, C537-9 1.45	** 2770a 2.50	** C350 1.25	** 58, C31-3 3.30
o 747 nx .25	** 1158 .30	** 2708 1.25	** C352 .30	** 62a, C38a 4.30
* 750 ng .25	** 1159 .30	** 2719 1.25	** C353 .50	** 62a 2.40
o 750 nx .25	** 1160 .30	** 2770 2.50	** C354-6 2.70	** 70a 1.90
* 752-3 .50	** 1161, C556-7 .85	** 2770 2.50	** C370 .35	o 88 nx .40
o 752-3 nx .50	o 1172 nx .25	** 2770 2.50	** C371 .35	** 106-9 6.05
o 762 nx .30	** 1241 .40	** 2770 2.50	** C372-3 2.50	** 114 2.00
o 776 nx .75		** 2770 2.50	** C375 .50	** 115 2.00
o 780 .75		** 2770 2.50	** C376 .30	** 130a 3.25
o 782 nx .30		** 2770 2.50	** C381 .30	** 186b .70
o 813-5 nx .75		** 2770 2.50	o C399 nx .25	** 496 7.25
		** 2770 2.50	o C424 nx .25	** C1-3 2.40
		** 2770 2.50	** C445 .90	** C19 1.40

MOROCCO (cont'd)	SCOTT CAT	* J16-18 2.40	* 145a 1.10	- NORTHERN ZONE	* 433 .40
** C38a 1.90		* J23-5 2.80	* 146 .50	o 12-14 nx .85	* 435-7 .75
MOLDOVA		MONTENEGRO - ITALIAN OCCUPATION	* 154 .70	MOZAMBIQUE	o 438-47, 450-1, 453-4 nx 6.10
** 115-7 8.15		** 2N22 2.17	* 169, 171, 175, 179 1.35	o 17a avg, nx 6.00	** 447, 449, 451-2, 454 9.25
o 127 nx 1.90		** 2N33-5 12.28	o 171-2, 174-5, 178-9, 185-6 nx 2.40	o 97 fine, nx 2.00	o 455 nx .25
** 282 6.00		* 2NJ6-7 5.50	o 172, 175, 178-9, 185 nx 1.30	* 99 .30	o 456 nx .25
o 539-40 nx .50			o 175, 179, 185 nx .80	* 108 1.50	* 457 .25
** 647 1.25		MOROCCO	o 179, 185 nx .55	o 115-6, 120 (115 avg) nx .85	o 458-9, 461-3 nx 1.65
o 647 nx 1.25		* 1-7 10.90	* 190 .50	* 149-52, 156 2.85	** 463 1.00
** 655-8 4.00		o 1-7 nx 2.30	* 191-2 2.05	** 149-51 1.05	o 464 nx .25
** 669-72 2.50		o 1-6 nx 1.50	* 193-4 1.60	* 149-51 1.05	* 466-8, 477 2.15
** 679 .40		o 1-6 nx 1.50	* 199, 201, 205-6 6.15	* 149 .35	o 478-9 nx .65
** 680-3 2.50		o 1-3 nx .75	o 217 nx .35	o 150-1,153-7, 159-64, 166, 168-9, 173, 178, 180-1, 183, 185, 188 nx 12.90	** 479 .80
** 684-5 1.60		o 2 nx .25	o 221 nx .95	o 155, 157 nx 1.00	o 480 nx .25
o 686 nx 1.20		* 4, 7 5.35	** 222 .65	* 232-3 2.10	o 481-3 nx .75
** 687-8 1.25		* 8-12 19.10	* 222 .65	o 252-7, 259-64, 266-8 nx 5.10	o 482 nx .25
** 689-92 1.50		* 13-15 7.50	* 223 1.25	o 256, 263 nx .75	** 484 .25
** 696-8 2.50		* 16-18 6.40	* 226 .50	* 270 .25	* 484 .25
** 699-704 1.55		* 16 ng 1.50	** 228 .90	o 271-87 nx 6.50	* 485 .25
o 700 .25		* 19-21 5.80	* 228 .90	o 272, 278-9, 283, 287 nx 2.45	o 485-9 nx 1.30
** 714a 8.50		* 22-4 1.35	* 229 .50	o 302 nx .40	o 490 nx .25
** 715-8 1.25		* 25-7 1.35	* 230 .55	* 305 .25	o 491 nx .25
** 716 .25		* 28 .90	* 235 .55	o 305-24 nx 8.35	** 492 .25
** 719 .30		* 29-31 2.55	o 277, 281, 285, 287, 291 nx 1.25	o 306-10, 312-4, 317-9, 321-3 nx 5.10	o 492 nx .25
** 721-4 2.10		* 32-4 1.45	* 281 .25	o 310 nx .20	o 493 nx .25
** 726 1.10		** 35 1.10	o 285, 291 nx .50	o 328 nx 1.50	o 494-9, 501-2 nx 2.65
** 727 .30		* 35 1.10	** 316-7 1.15	* 332-3, 335-7 1.65	* 503 .40
o C3 nx 1.50		* 36-7 .80	* 340 .95	o 333-42, 344-5, 347-51, 353-5, nx 29.30	o 504 nx .25
MONGOLIA		* 38 1.40	o 357-60 nx 1.25	o 338-42, 347-51 nx 4.30	o 505 nx .25
* 389-96 5.30		* 39-43 5.70	o 357, 360 nx .70	o 347 nx .25	* 511, 515 1.15
** 768-73 4.55		* 44 .60	** 360 1.25	o 356 nx 1.00	o 512 nx .25
** 993-4 2.40		* 45-52 4.10	** 363 .35	o 356 + label, nx 1.00	* 531-8 7.45
** 1347-51 1.70		o 45-52 nx 2.20	** 375-6 1.40	o 357-8 nx 1.50	* 546, 548, 550 2.80
** 1379-87 6.95		* 53-5 1.40	o 406 nx .35	o 359 nx .55	* 549 ng .80
o 1465-7 nx .75		* 56-57A 1.95	** 430-1 1.20	o 360 nx .45	o 552 nx .30
** 1628-36 6.70		* 58-9 .75	** 455 .55	* 361 .25	* 555-62 2.80
** 1677-83 3.45		* 60-1 .75	** 477-8 3.25	o 362-3 nx .70	o 579-84 nx 2.10
o 1714 nx .50		* 62-4 2.00	o 505, 507, 514, 516-8, 520-4A nx 3.75	* 364-7 1.60	o 652 nx .45
** 1934-42 8.00		* 65 .55	o 505, 513-4, 516-7, 520, 522, 524, nx 2.20	* 364-5 .80	o 924 nx 1.40
** 2025-32 11.50		* 66-7 .85	o 513, 520, 524 nx .95	* 364-83 nx 7.50	** 986-9 6.00
** 2229 5.00		* 68-9 1.35	** 521 .40	* 366 ng .40	** 1024-9 7.40
** 2288-9 12.00		* 70-2 2.60	o 524 nx .45	o 368-9, 371, 373-4, 376-83 nx 5.65	** 1036-40 4.25
** 2290-3 14.00		* 73 .55	o 566, 571, 573 nx 2.00	o 373 nx .50	** 1334-5 16.00
** 2667-8 .75		* 75, 80, 82-4 3.50	o 571, 573 nx 1.75	o 384-5 nx 1.25	** 1535-7 33.00
** 2672 .85		o 77-9, 81, 83-4 nx 1.50	** 642 .50	o 386 nx .55	** 1538-40 14.50
** B7 .45		o 78, 84 .50	o 717 nx .25	o 387-94 nx 2.25	o C1-7 nx 2.45
** C181-4 1.25		* 80 .25	** 1075 1.00	o 387-90, 93-4 nx 1.60	o C3 nx .25
MONTENEGRO		* 86-8 1.50	** 1081 1.00	o 388-90 nx .75	o C35 nx .40
* 17, 21 p11.5 9.50		** 89-90 1.25	** 1085 1.00	o 389-90 nx .50	o J36, J40, J42 nx 1.15
* 17 p10.5 4.75		* 97 .55	** 1088 1.00	o 389 nx .25	o MR4 nx .70
* 21 p11.5 4.75		* 98 .55	** 1093 1.00	* 395 nx .30	* RA1-3 .90
o 24 nx 1.60		* 99 .55	** 1103 4.00	o 396-7 nx .65	o RA49-54 nx 7.50
* 32, 42 .95		* 100 .60	** 1110 1.00	o 398-9 nx 1.00	o RA49-52 nx 5.00
* 45-56 6.80		** 101 2.50	** 1111 1.00	o 400-1 nx .65	o RA55-6 nx 1.20
* 45-50, 54 2.95		* 101 nx 2.00	* B1-5 5.90	* 407-9 .75	o RA55 nx .60
* 45-9, 54 2.55		* 102-3 1.05	* B6-7 2.05	o 410-23 nx 5.45	* RA58 .85
* 57-8, 61-2, 64 2.95		* 104 .40	o B6-7 nx 2.05	o 412-3, 415-7, 420 nx 1.65	o RA68 nx .25
* 75-86 10.60		** 106-8 1.60	* B8-9 1.50	o 412, 416, 420 nx .90	* RA69 .40
* 80 .45		* 106-8 1.60	* B10-11 2.30	** 415, 420-2 7.35	o 19 nx .60
o 87-98 nx 9.00		* 109 .55	* B13 1.90	o 416 nx .25	o 67-70, 73 nx 3.35
* 99-110 8.40		* 111-4 4.30	* B14 .60	o 424-7 nx 1.00	o 75B-84, 86-9 nx 4.40
** 187 .95		* 115-7 3.35	* B15-16 2.85	o 426 nx .25	o 90-8, 100-4 nx 7.45
** 201-6 5.70		o 117 nx 1.25	* C1-3 6.50	* 430 1.40	* 108, 111, 125-6, 130-1 6.70
** 228 1.40		* 118 .50	* C5-6 1.70	o 431 nx .25	o 109, 111-7, 120-45 nx 23.30
** 236 .95		o 122 nx .25	* C5 .70	* 432 .45	
** 255 1.00		o 125 .40	o C5-9 nx 3.70		
** 256 .95		o 131 nx 1.50	o C5-6 nx .50		
** 257 .95		** 133, 136 1.00	o C6 .25		
** 258 1.75		o 137 nx .25	o C10 nx .70		
** 260 1.00		** 139 .25			
** 266-7 2.25		* 140 .50			
** 270 .95		** 141 .50	MOROCCO		
** 271 .95		* 141 .50			
* J5 .55		** 142-3 .80			
		** 143 .35			

NETHERLANDS							
(cont'd)	SCOTT CAT						
o 111-2, 116, 120-1,		o 377-8 nx	.70	o 767	.25	o 1361 nx	.30
124, 126-8, 130, 132,		o 378 nx	.45	o 772-9, 783, 785		o 1418h nx	.35
134-44 nx	17.35	o 381 nx	.25	nx	4.40	* B107	7.75
o 155-61 nx	6.40	o 381	.25	o 786, 789-90 nx	.80	* B164-9	3.00
o 158 nx	.80	o 384	1.50	o 793 nx	.25	o B187-8 nx	.90
* 162-3	3.90	o 387	.25	o 802 nx	.25	o B192-3 nx	.90
o 162-3 nx	2.00	o 389 nx	.25	o 803 nx	.25	o B223 nx	8.00
o 164 nx	1.60	o 394 nx	.25	o 804 nx	.25	o B232 nx	.25
* 175-93 (no 190) 12.10		o 399, 403 nx	.50	o 806c nx	.94	o B257	.25
* 175-84, 186, 189,		o 401 perfin "K", nx	.25	o 807 nx	.25	o B381 nx	.25
191-3	10.80	o 403 nx	.25	o 817 nx	.25	o B426 nx	.25
** 175-80, 183, 193		** 413-4	1.35	o 817	.25	** B522-6	6.95
5.10		o 413 nx	.25	o 819-20 nx	.50	o B526a nx	3.25
* 175-80, 183-4, 186,		o 416 nx	.25	o 819 nx	.25	o B565	.70
189	3.70	o 418, 420 nx	.50	o 821-2 nx	.50	o B579-80 nx	2.10
* 175-8, 180, 186 1.80		o 427 nx	.25	o 823-4 nx	.50	o B597	.80
* 175-8, 180	1.50	o 430	.25	o 823 nx	.25	o B617-8	2.05
o 177, 179, 186 nx .85		o 431 nx	.25	o 828 nx	.25	o B645 nx	1.10
* 190 ng	1.50	o 438 nx	.25	o 831 nx	.25	o B646a 75c sgl from bkt	
* 192-3	5.25	o 454 nx	.25	o 831	.25	imperf 2 sides, nx 1.32	
o 195-6, 199 nx 2.95		o 455 nx	.25	o 833 ns nx	1.75	o B649 nx	1.25
* 197	3.00	o 458 nx	.25	o 834-5	.50	o B659a nx	1.00
* 201	1.50	o 461-8, 469, 471-4		o 840 nx	.90	o B697 nx	1.40
* 202-7	3.90	nx	4.35	o 844-5 nx	.50	o B711-3 nx	4.20
* 202-4, 207 ng 2.60		o 461-8, 469, 471A-2,		o 845 nx	.25	o B736 nx	1.40
o 204 nx .50		474 nx	3.85	o 845	.25	** B765	11.50
* 205-6	1.30	o 461A-64, 468, 469,		o 848-9 nx	.50	o C16 nx	.90
** C1-15	10.20	472, 474 nx	2.60	o 848 nx	.25	** J44	1.12
** C1-4	1.00	o 462-3, 469 nx .75		** 850-1	1.45	* J44	.25
* C1-3, 12, 14, 15 6.15		o 469 nx	.25	o 863 nx	.25	NETHERLANDS ANTILLES	
* C1-2, 4, 14 2.15		** 477	.25	o 869 nx	.25	* 13-16	15.45
* C1, 2 .50		o 480 nx	.25	o 871-2 nx	.50	o 14, 15 nx	7.50
o J21, J25 nx .60		o 483 nx	.25	o 878 nx	.25	o 20, 22 nx	14.25
NETHERLANDS		o 485 nx	.25	o 886-7 nx	.50	o 26 nx	7.50
o 23, 23a, 25 nx 3.15		o 485	.25	o 887 nx	.25	o 29 nx	9.50
o 23 se, nx .30		o 490, 492	.50	o 887	.25	o 34, 36-7 nx	3.80
o 35-6 nx 3.00		o 502	.25	o 906 nx	.25	o 46-9, 51, 56, 58,	
o 41 nx .25		o 504	.25	o 912 nx	.25	60-1, 63-4, 67-8	
o 124, 127 .50		o 510 nx	.25	o 916-7 nx	.50	p12.5 nx 18.85	
o 127 nx .25		o 510	.25	o 916 nx	.25	o 46-9 nx	2.25
o 143-7, 149, 151, 153		** 521	.35	o 930 nx	.25	o 76 nx	3.00
nx 4.45		o 536-45 nx	2.50	o 930	.25	o 95, 97-100, 102-4	
o 144, 149, 151, 153		o 546-8, 551-3 nx 1.50		o 942 nx	.25	p11.5 nx 22.15	
nx 1.75		o 547, 551-3 nx 1.00		o 947-50 nx	1.00	o 95, 97-100 nx 3.90	
o 166-9, 172-5, 177,		o 559 nx	.25	o 948, 950 nx	.50	o 95, 97-8 nx 2.35	
180-1 nx 2.75		o 561	.25	o 952-3 nx	.75	o 95, 98 nx 1.75	
o 166-9, 172-3, 175,		o 575 nx	.25	o 952 nx	.25	o 98 perfin "MB" nx 1.35	
177, 180 nx 2.25		o 581 nx	.25	o 959 nx	.25	o 106 nx	1.15
o 200 nx .75		o 594 nx	.25	o 959	.25	o 109 nx	1.15
o 207 nx .25		o 594	.25	o 962 nx	.25	o 111, 113-7, 121-3	
o 216, 217, 219, 221,		o 599 nx	.25	o 967	.25	nx 53.10	
225B nx 3.00		o 608 nx	.25	o 973 nx	.25	o 111 nx	.40
o 252, 257 nx .50		o 608	.25	o 973	.25	o 127-36, 138-41 nx	9.25
o 252 nx .25		o 611	.25	o 977-80 nx	1.00	o 130-2, 134-5 nx	2.25
o 282-3, 285 nx .75		o 612 nx	.25	o 980 nx	.25	o 130, 132, 134 nx	
o 304 nx .25		o 615 nx	.25	** 981a	12.50	o 127, 131 p12.5 nx .50	
o 304 .25		o 620-31 nx 3.00		o 984 nx	1.75	o 134 nx .95	
o 306-8, 310-3, 317-9		o 620-2, 624-31 nx 2.75		o 1031-2 nx	.50	o 153-4 p13 nx 2.30	
nx 2.50		o 620-2, 624-7, 629		o 1073 nx	.25	o 154, 160 p12.5 nx	
o 307 nx .25		nx 2.00		o 1074 nx	.25	5.65	
o 340-43A nx 1.25		o 632-5 nx 1.00		o 1075 nx	.25	* 164-8	2.70
o 344-7, 348-50,		o 647	.25	o 1078 nx	.25	* 164-6	1.10
352-5, 357, 360		o 650 son	.25	o 1078	.25	o 165, 169 nx 1.05	
nx 3.50		o 656 nx	.25	o 1105-6 nx	.55	* 166	.60
o 344-7, 348-50,		o 659 nx	.25	o 1106 nx	.25	* 170-2	2.20
352-5, 357 nx 3.25		o 661 nx	.25	o 1126 gutter pair with		o 176, 180, 183-4 nx	4.30
o 344-7, 348, 352-5,		o 672-3 nx .50		label nx 1.90		o 188, 190-1, 194-5,	
nx 2.75		o 685-94 nx 1.75		o 1134-5 nx .55		197 nx 19.20	
o 344-6, 348, 352-5		o 686-94 nx 1.50		o 1138a-t (no d,g) nx	4.50	o 190 nx .80	
nx 2.50		o 721 nx .25		o 1138abcehijnlprst	3.50	o 204 nx 3.00	
o 361, 364 nx 1.75		o 730 nx .25		nx 3.50		o 209-27 nx 10.60	
o 361 nx .25		o 737 nx .25		o 1139-40 nx .55		o 211, 215-8, 226-7	
o 366 nx .25		o 739 nx .25		o 1140 nx .30		nx 3.55	
o 366 .25		o 751 nx .25		o 1170a nx .50		o 215-8, 227 nx 2.90	
o 367 .25		o 752-3 .50		o 1175 nx 4.00		o 230 nx .90	
o 368-9 nx 1.75		o 753 nx .25		o 1182 nx .25			
		o 759 nx .30		o 1249a	5.00b		
		o 763 nx .50		o 1314h	.30		
		o 765 nx .25		o 1323h nx	.25		
		o 767 nx .25					

NETHERLANDS ANTILLES		o J4, J8 nx 23.00		* J32, J35 3.00		o 901 .25		o 2 nx 3.50	
(cont'd) SCOTT CAT		o J12 nx 1.60		* J48, J50, J53, J59 7.75		* 946-50 1.25		* 8-11 14.00	
o 448 nx .70		o J27 p12.5 nx .40		* O1, O7 .50		** 946, 948 .50			
o 450 nx .35		NETHERLANDS INDIES		o O3, 6-7, 10 nx 1.15		** 978-88, C876-9 6.20		NORWAY	
** 454-5 wide side margins from booklet pane .75		o 5 nx 4.00		o O3, O7 nx .50		** 978-80 .75		o 70, 73 nx 6.25	
o 458a 45c sgl nx .40		o 17, 18, 20, 22 nx 1.00		o O3 nx .25		** 1099-1100 .50		o 115, 117-21, 126-8 nx 5.15	
o 483 nx .70		o 18 nx .25		NETHERLANDS NEW GUINEA		o 1206 nx .40		o 152 nx .50	
o 498 nx 1.15		o 23, 26 nx 1.90		o 25, 27, 31, 34 nx 1.00		o 1610, 1612-3 nx 1.35		o 170, 176 nx .50	
o 499, 501, 503-4 nx 1.60		o 23 nx .30		o 31 nx .25		o 1618 nx .25		o 181-3 nx 4.30	
o 501, 504 nx .90		o 31, 33-4 nx 1.15		** 39-40 1.40		o 1674B nx ECV 2.00		o 182 nx .55	
o 501 nx .35		o 31 nx .25		* 39-40 1.40		o 1719-25 nx 2.05		o 186 nx .50	
o 515-6, 519-20 nx 3.00		o 38-41 nx 1.00		* 41-2 .60		o 1761 nx .25		o 188 nx .25	
o 516 nx .60		o 48-9, 53, 55-7 nx 1.60		** B1-3 36.00		o 1831 .25		o 263 nx .25	
** 536-7 tete-beche gp 3.10		o 48-9, 56 nx .80		** B19-22 3.00		** 2177-83 6.00		** 267 .60	
** 536-7 1.55		o 49, 56 nx .55		* B19-22 3.00		** 2185 6.50		o 275, 277 nx .50	
o 543A, 544-51 nx 7.05		o 102-4, 106-10, 112-4 115-9, 121-3, 126-7 129-34 nx 7.50		** B23-6 6.80		** 2248-50 3 ss of 6 stamps each 22.50		o 275 nx .25	
o 544-6 nx 3.65		o 102-3, 106, 109, 112-3, 115, 117, 119, 121-3, 126-7, 130-4 nx 5.20		* B23-6 6.80		** 2248-50 3.75		o 282, 284, 289 nx .85	
o 575a nx 2.50		o 113, 115, 131-3 nx 1.25		** B31-4 1.00		o C18-19 .65		o 282 nx .25	
o 619 nx 4.50		o 134a nx .25		* J1-6 18.75		o C136 .25		o 282 .25	
** 687-90 6.80		o 136b nx .70		NICARAGUA		** C215a ngai horiz pr .25		o 316 .25	
o 823 nx 3.00		o 144-9 nx 1.85		* 51-3, 55-60 2.25		** C215a ngai single .13		o 322-3 .50	
o 833 nx 3.00		o 144-7 nx 1.00		* 61-4, 66-70 2.25		* C221G .25		o 323 nx .25	
* B4-9 15.00		o 144-7 nx 1.00		* 62-3 .50		o C230 .25		o 332 .40	
o B4 nx 1.60		o 144, 147 nx .50		* 83 ng .30		o C237-9 .75		o 335 nx .40	
o B13 nx 4.25		o 151-4 nx 1.35		* 113 .25		o C237, C239 .50		o 343 nx .40	
* B37 1.75		o 158 nx .25		o 113 nx .25		** C253 2.00		o 349 nx .40	
* B39-42 3.80		o 163 nx .25		o 185 avg nx .25		o C277, C280 .55		o 356 nx .50	
** B64-7 1.60		o 164-71, 173-8, 183-6 nx 5.25		o 298, 301-2 .75		* C280 .30		o 360, 363-5, 367, 370-2 nx 3.50	
** B68-71 1.20		o 165, 170-1, 173-8, 183-6 nx 4.00		o 301 nx .25		* C283-5 .75		o 370-1 nx .50	
** B68-71 1.20		o 192-3 nx .65		o 350-1 nx .50		* C283 ng .25		o 380 nx .50	
** B72 .25		o 192 nx .25		o 408-10 .75		* C296-300 1.75		o 385 nx 3.50	
** B73-6 1.00		o 194 nx .25		o 409 .25		* C296-7 .70		o 411 nx .25	
o B73-6 nx 1.00		* 231 .25		o 410 nx .25		o C303 .30		o 414 nx .50	
o B76 nx .25		o 234, 243 nx .85		o 410 .25		o C310, C312-3 1.15		o 416-7, 419, 422-3, 427-8 nx 4.10	
* B77-80 1.00		o 250-62 nx 3.55		o 417 .25		o C312 nx .25		o 417, 419, 422-3 nx 1.00	
* B81-4 1.00		o 250-61 nx 3.05		o 455 .25		* C330 .25		o 417, 419, 423 nx .75	
** B101-4 1.60		o 255-61 nx 1.80		o 513 .25		* C339 .25		** 433-6 3.75	
** B108 .40		o 255-6, 260-1 nx 1.00		o 652-4 .75		* C353-6 1.00		o 452 nx .90	
o B146 nx 2.50		* 262 ng 3.75		o 666-7 nx .50		o C434 .30		o 459 nx .50	
o B155a nx 1.60		o 263-7 nx 1.25		* 674 .25		* C475-9 1.25		o 462, 466a, 467-8 nx 1.05	
o B177a nx 1.90		o 265 nx .25		o 675, 677 .25		** C521-2 .50		o 462, 466a, 467 nx .80	
o B191a nx 3.25		o 271 nx 1.25		o 677 .25		o C547 .25		o 462, 466a nx .55	
o B192, B194 nx 1.10		* 281-8 2.55		o 689-90, C261-2 nx 1.00		o C562 1.10		o 462 nx .25	
o B198 nx .95		* 288a .75		o 689, C261-2 nx .75		o C568 .25		** 473-4 5.50	
o B202a nx 3.25		* 291-2 .60		* 695-7 .85		o C592 .25		** 490-1 2.25	
o B209, B211 nx 2.25		o 291 nx .25		** 701 .25		o C597 nx .25		** 492-3 1.40	
o B225 nx 1.45		o 293A, 293B nx .50		* 702, 704 nx .50		** C822-34 6.00		o 497 nx 2.50	
o B236, B238 nx 1.40		* 294a .55		o 702 .25		o C828 .25		** 498-9 4.00	
o B248-9 nx 1.50		* 301 nx .25		* 706-8 .75		** C839-41 .75		** 504-5 3.25	
o B270 nx 2.10		* 315, 320 .60		* 706-7 .50		** C934 5.75		** 506-7 1.10	
** B274 tete-beche gp 2.30		o 325-6 nx .50		o 709, 712, 714 1.00		o CO10-11, C13 .75		** 517-8 3.90	
** B274 1.15		o B25, B28 nx .90		o 709, 712 .50		o CO10-11 .50		* 523-4 1.85	
o B274 tete-beche gp nx 1.50		* B30-1 2.50		o 712 nx .2		o CO26 nx .60		o 529 son .25	
o B274 nx .75		o B30-1 nx 1.50		o 712 tete-beche pair nx .50		** CO57 .25		o 529 nx .25	
o B279a nx 1.25		* B32 1.10		* 717-21 2.65		** J37-8 .50		o 538, 540-3 nx 2.00	
o B439a nx 2.00		o B35-6 nx 1.35		* 717-8, 720-1 2.20		* O42-3 .60		o 538, 540-2 nx 1.00	
o B451a nx 1.60		o B35 nx .25		* 717-8 1.25		* O52-3 .50		o 541-2 nx .50	
o C4-6, C8, C10-11, C13-15 nx 11.10		o B36A, B36B nx 1.40		o 722 .25		* O117 fine 20.00		o 562 nx 1.75	
o C4 nx .25		* B37-41 4.30		o 731, C310, C312-4, C045 nx 2.10		* O121 2.50		o 562 .75	
o C18-32 nx 60.50		o B48 nx .40		o 731, C310, C312-3 nx 1.40		* O130, O132-3, O135 1.00		o 572 nx .75	
o C18-20, C23-5 nx 2.10		o C6 nx .25		o 735 .25		* O332-4 .75		o 578 nx 3.00	
o C18-19, C23, C25 nx 1.30		* C12 nx .25		o 741, 743, C323-4 1.00		* O332 .25		o 584 nx .50	
o C18-19, C25 nx .75		* C14 2.25		* 755-9 1.25		o O362 .25		o 600 nx 1.25	
o C25 nx .25		o J11 p12.5x12 nx .75		* 755 .25		* RA17 ng .25		o 602-3 nx 1.75	
o C32A-34, C36-7, C41-4 nx 5.15		o J13b nx 2.50		o 762, 765, C359 nx .75		o RA39 nx .25		** 617-8 2.75	
o C32A-34 nx 1.05		o J18 nx .25		* 794-6 .75		o RA55 nx .25		o 624 nx .30	
o C33, 33A, 34 nx .80		o J19, J20 nx .55		o 796 .25		o RA60 nx .25		** 643-4 1.90	
o CB13-20 nx 20.00		* J20 2.25		o 811 nx .25		o RA61 nx .25		o 658 nx .25	
		o J26 nx .25		o 891 .25		o RA65 .25		** 663-4 1.70	
		** J27 .25				o RA68, RA72, RA74 .75		o 664 nx 1.10	
						NORTH INGERMANLAND		o 667-8 nx 1.50	
						* 1, 3, 4 well-centered 16.00		o 668 nx 1.25	
						* 2 2.50		o 669 nx .25	
								** 673-4 1.85	

PANAMA (cont'd)	o 1098 nx .50	** 75a booklet 8.50	o 468-468C, 468E nx 1.50	o RA49, RA51 nx .50
SCOTT CAT	o 1117-8 nx .75	** 76a booklet 10.50	o 469-469D nx 4.00	** RA52-6, 58-61 2.25
** 675-6 2.00	o 1142 .25	** 76b booklet 12.00	o 471-471D nx 1.00	* RA62 ng .25
** 685-7 1.75	o 1152 nx .55	** 89a 3.75	o 472-472B nx 2.00	o RA62 nx .25
o 686-7 nx .75	o 1180, 1183 nx .50	** 121f 4.50	o 474-474E nx 2.00	o RA64-8 nx 1.25
** 688-9 1.50	o 1183 nx .25	** 126-42 39.75	o 474-474D nx 1.25	o RA65, RA67 nx .50
o 690-1 nx .50	o 1211-2 nx .75	** 126-41 22.75	o 476-476D nx 1.65	
o 690 nx .25	o 1212 nx .25	** 126-30, 132, 135-6, 138-41 20.45	o 477-477D nx 1.65	PARAGUAY
o 690 .25	o 1241 nx .30	** 149a 2.25	o 478-478E nx 2.00	* 481-3 .75
o 697 nx 1.25	o 1260 nx .25	** 154a 3.00	o 479-479B, 479D-E nx 1.45	** 569-71, C272-3 1.50
o 699, 700 nx 2.00	o 1272 nx .25	** 186a 3.50	o 481-481F nx 1.54	** 619, 621-2 .75
o 699 nx .25	o 1275 nx .25	** 190a 3.50	o 482-482C, 482E nx 1.74	** 623-7 2.20
o 707 nx .35	o 1282A-4 nx 1.40	** 196 3.00	o 484-484D nx 1.25	** 760-6 9.00
o 710, 715, 719, 721, 723-4 nx 1.55	o 1282A nx .25	** 234a 4.00	o 496H nx .60	** 1616-23 5.00
o 715, 719, 721, 723-4 nx 1.30	o 1304 nx .30	** 238-41 3.60	** 660A-D 5.15	** 1616-21 2.25
o 715, 719, 723-4 nx 1.05	o 1305a-7a nx 1.05	** 245a 3.75	o 740 nx .70	** 1845-53 14.65
o 715, 723-4 nx .80	o 1306a-7a nx .75	** 257a 4.25	o 754 .75	** 2076 singles 2.39
o 737 nx .25	o 1306a nx .25	** 294 5.00	** 757-9, C447 4.45	** 2234-6 10.00
o 744 nx .25	o 1320 nx .30	** 314 2.25	** 769 1.10	o 2428 nx .90
o 744 .25	o 1354 nx .25	** 440 ss of 6 7.50	o 784 nx .85	** 2441-4 3.20
o 748 nx .25	o 1354 .25	** 440 1.25	o 796b nx 2.54	** 2558-60 3.15
o 755-6 .50	o 1389-91 nx 1.05	** B1-4 3.50	o 819 nx 2.50	** 2595-7 4.75
o 779 nx .25	o 1440-1 nx .60	** B2a, B4a 4.00	o 831 nx 1.10	** C226-7 .80
o 799 nx .60	o 1466 nx .50	** C4a 3.50	** 836 1.10	o C227 nx .25
o 804 nx .35	o 1480 nx 2.50	** C17 1.00	o 845 nx 1.25	** C662-4 6.00
o 811 nx .25	o 1484 nx .50		o C2 nx .50	o C723 nx 2.00
o 813 .75	o 1505 nx .50	PALESTINE AUTHORITY	** C5 .50	o C827 nx 1.25
o 814 1.00	o 1510-4 nx 2.90	** 30-3 9.40	o C5 nx .50	
o 818 nx 1.00	o 1560 nx .70	** 34-8 6.35	o C7 nx .25	PERU
o 821-2 nx .50	o 1563 nx .50	** 61-5 6.30	o C7 .25	* 34 ng imperf 75.00
o 847 nx .25	o 1574 nx 1.25	** 66-7 4.50	* C10, C11 .55	* 125 .55
o 850-3 nx 1.50	o 1599 nx 2.50	** 93-5 3.65	o C10 .25	o 145 nx .30
o 860 nx .25	o 1611-2 nx 9.00	** B2 3.75	o C17 nx .50	o 177-80 nx 1.05
o 861 nx .30	o 1635 nx 3.00		o C46-7 nx 1.50	o 177-8, 180 nx .75
o 865-6 nx .75	o 1637 nx 4.00	PANAMA	o C49-51 nx 1.05	o 177 nx .25
o 869-70 nx .75	* B14 .40	o 8, 10 1.15	o C56-8 nx .85	o 209, 211-2, 214 nx 1.15
o 875, 878-83 nx 1.80	* B27 .90	o 16-18 1.00	o C75-7 nx .75	o 209 nx .25
o 878-81, 883 nx 1.30	o 038A nx .25	o 186-7, 189 1.05	o C75 .25	* 210 .35
o 884-9 nx 1.50	o 055 nx .25	o 197-8 nx .80	o C84 nx .25	o 212, 214 nx .60
o 885, 887 nx .50	o 060-1 nx 1.15	* 201 ng 3.75	o C84 .25	o 242, 245, 245A nx .80
o 890-1 nx 1.25	o 061 nx .25	* 204 .40	o C89 .25	o 242, 245 nx .50
o 892 nx .40	o 073-4, 079 nx .75	o 205 .30	o C105-6 nx .50	o 242 nx .25
o 895 nx .75	o 0104, 0110, 0114 nx 1.00	* 225 ng 2.75	o C119 nx .25	o 242 nx .25
o 904 nx .50	o 0114 nx .25	* 234-7 1.20	o C148 nx .25	o 276, 279 nx .60
o 905-6 nx 1.15		o 234-7, 240 nx 1.40	o C199 nx .25	o 292-6 nx 1.10
o 907 nx .55	NYASSA	o 235-7, 240 nx 1.15	o C230 nx .25	o 302 .25
o 911-2 nx 1.30	* 26-30, 34 9.75	* 256 ng .40	** C234 .25	o 309 nx .25
o 913 nx 1.00	* 26, 28, 31, 33, 37 .85	o 261-2 nx .50	** C248 .25	o 319-21 nx .75
o 915-6 nx .80	* 26 ng 8.55	o 274 nx .30	** C283 imperf .45	o 375, 377-82 nx 1.75
o 915 nx .30	* 26 1.60	* 278-81 2.45	o C289 nx .25	o 375, 377-8, 380 nx 1.00
o 917-9 1.90	o 29, 32, 35 nx 2.15	* 311 2.10	o C338 nx .25	o 388 nx .25
o 918 nx .30	* 44 32.50	* 321A .45	o C343-8 nx 2.10	o 390 nx .30
o 925-7 nx 1.40	* 51-6, 58, 60-1 12.40	o 322, 324, 326 nx .85	o C343-6, C348 nx 1.75	o 406 nx .25
o 930 nx 1.00	* 53, 55 2.00	o 324 nx .25	o C354 nx .25	o 410, 412-5 nx 1.25
o 937 nx .30	* 53 1.00	o 332 nx .30	o C361, C361A nx 1.70	o 412-4 nx .75
o 945 nx .30	* 108-10, 112-5, 122 8.00	* 342-4 .75	o C394 nx .25	o 421 nx .35
o 951 nx .30	* 112 1.00	* 344-5 nx .50	o C407 .25	o 427-8, 430 nx .80
o 957 nx .50	* J1-3, J5-6, J9 6.00	* 357 .25	o C448 nx .65	o 434 nx .25
o 960-1, 963, 968 1.25	* J5-6 2.00	o 359 nx .25	o C451 nx .85	o 440 nx .25
o 968 nx .50		o 376-7 nx .50	** F27 1.00	o 458-9, 461-5 nx 1.75
o 970, 973 nx .50	The right hand column in black shows previous Scott Catalog values. The latest 2021 Scott Catalog values are in blue.	o 376 nx .25	* F27 1.00	o 465 nx .25
o 1005-8, 1011, 1017, 1019 nx 1.75	PALAU	o 383, C131 nx .50	o J6 .60	o 470, 472-3 nx .75
o 1005, 1008, 1011, 1019 nx 1.25	** 4a 2.75	o 387 .25	o RA1, RA3-4 nx .75	o 476-7 nx .50
o 1005, 1008 nx .50	o 6 nx .45	o 389-90 nx .50	o RA1, RA4 .50	o 476 nx .25
o 1019b .75	** 8a 2.50	o 397 .25	o RA4 nx .25	o 482 nx .30
o 1020a nx 2.00	** 9-21 20.25	** 398 .45	o RA5 nx .75	o 486, 488 nx .50
o 1033 nx .25	** 9-19 5.50	o 399, C153 nx .50	o RA7 nx .25	o 495 nx .30
o 1039 nx .50	** 9-19 no 11 5.25	** 441 .25	o RA10 nx .25	o 500-1 nx .60
o 1051-2 nx .50	** 32a 2.75	** 461 .25	o RA17 nx .25	** 615, 618-9 2.45
o 1051-2 .50	** 40a 5.00	o 462-462C, C337 nx 1.25	o RA17 .25	o 752 nx 1.00
o 1051 nx .25	** 66a 4.50	o 463-463A, C339-41 nx 1.25	o RA24-7 nx 1.00	** 821 .80
o 1061 nx .25	** 70a 2.25	* 464, 464A .50	o RA25 .25	o 829 nx .75
o 1086, 1088 .50	** 75-81 4.30	o 464-464D nx 1.65	o RA30 nx .25	o 912 nx 1.90
o 1086 nx .25		o 465-465B nx 3.25	o RA31, RA33 nx .50	o 914 nx .60
o 1090 son .25		** 466 .25	o RA34 nx .25	** 945 .70
o 1090 nx .25		o 466, 466A nx .64	o RA36 nx .25	o 947 nx 1.10
			o RA37 nx .25	o 950 nx .60
			o RA39 nx .25	o 950 .60

PORTUGAL (cont'd)	SCOTT CAT	508, 510, 512, 517, 519 nx 2.00	771-3 nx 2.75	o 1138 nx .25	
o 11 nx 6.50		o 497-8, 500, 506, 508	o 762-4, 766, 768-9, 771-2 nx 2.25	o 1144 nx .25	PORTUGUESE GUINEA
o 41 p12.5 nx 3.75		o 510, 517 nx 1.75	o 776 nx .25	** 1160-3 3.65	* 160-5, 167-8, 171, 173-4 5.50
o 58, 61 p11.5 nx 6.50		o 528, 530 nx .50	o 778 nx .25	o 1171 nx .65	** 160-2 3.50
o 64-6 nx 23.00		o 536 nx .50	o 780 nx .25	o 1177 nx .25	* 160 .25
o 66 nx 3.00		o 543-4 nx 1.60	o 782 nx .25	o 1183 nx .25	o 260 nx .25
o 67, 71a p11.5 nx 4.00		o 556 nx .35	o 784-5, 787 nx 2.50	o 1190 nx .25	* 271 3.25
o 68, 72 p13.5 nx 13.25		o 558-9 nx 2.00	o 792-3 nx .90	o 1198 nx .25	* 272 4.50
o 71a nx 2.00		o 561-9 nx 8.40	o 794-5 nx .50	o 1208-10, 1212, 1214 nx 1.25	* 273-4 3.50
o 79 p11.5 nx 8.75		o 561-4, 567, 568A nx 2.60	o 800 nx .25	o 1209 nx .25	* 281-2, 285 1.10
* 80 16.00		o 561-2, 564, 567 nx 1.00	o 814-5 nx 7.00	o 1220 nx .25	o 281, 286-7 nx .75
o 110-2, 115-24, 126, 129-30 nx 13.95		o 570 nx .25	o 828 nx .25	o 1226 nx .25	* 283-4 ng .50
o 110-1, 116-7 nx 1.00		o 571 nx .85	o 830 nx .25	o 1233-4 nx 1.75	o 286-7 nx .50
o 111, 116-7 nx .75		o 572-3 nx .50	o 843 nx 1.60	o 1238 .25	* 294 .65
o 137 nx 1.00		o 572 nx .25	o 854 nx 1.10	o 1322 .25	* 295 2.75
o 147-8, 150 nx 1.20		o 575, 577 nx .90	o 860 nx .25	o 1360, 1362, 1365, 1369, 1373, 1374, 1379 nx 2.10	* 297 .40
o 150 nx .50		o 579-83, 585-6 nx 8.50	o 866 nx .25	o 1365 nx .25	* 298 .40
* 152 avg ng 45.00		o 581, 583 nx .65	o 882 nx .50	o 1365 .25	o 299 nx .25
* 156 ng .25		o 583 nx .40	o 883 .25	o 1395 nx .25	* 305 1.25
o 157, 160-2 nx 1.80		o 587-94 nx 6.05	o 885, 887 nx .50	o 1423 nx .30	* 306-8 2.00
* 158 .25		o 590-1, 594 nx 3.35	o 887 nx .25	** 1452-3 3.75	o 310-2 nx 1.05
o 161 nx .25		o 595-8, 602 nx 4.50	** 903-5 2.90	** 1512-5 7.50	* 319 .65
o 170-6, 179-80 nx 8.70		o 598 nx .25	o 903 nx .25	** 1523-4 2.40	** 320 1.90
o 175 nx .25		o 605-13 nx 11.55	o 909-10 nx .50	o 1589 nx .25	* 332 .35
o 185, 187 nx .50		o 615-31 nx 6.35	o 916 nx .25	** 1606-9 9.25	* 333 .25
* 186 .80		o 615-22, 625-8 nx 3.25	o 919 nx .25	o 1643, 1645, 1649 nx .85	** 335 .35
o 193-4 nx 1.00		o 616-22, 625, 628 nx 2.25	o 923 nx .25	** 1741-4 5.60	o 336 nx .25
o 207-9, 212-3, 216 nx 47.55		o 632-3 nx .65	o 925 nx .25	** 1745 9.00	o 337 nx .25
o 213 nx .55		o 634-7 nx 3.05	o 928 nx .25	o 1839, 1842, 1848, 1851 nx 1.00	o 342 nx .25
o 227-9, 231-6, 238-44, 247-8, 254 nx 81.95		o 635 nx .25	o 932 nx .50	o 1839, 1842, 1848 .75	o 343 nx .25
o 227-8, 230, 234-5, 239-40, 245 nx 3.35		o 638-41 nx 4.85	o 940 nx .25	o 1848 .25	** 344 .45
o 230, 235, 239-40, 245 nx 2.60		o 642, 644-9 nx 10.15	o 942 nx .25	** 1918-23 21.00	o 344 nx .35
o 235 .25		o 645 nx .25	o 945 .25	o 1978 .75	* J30-1 .50
o 256-7, 259, 263-4, 268, 275, 279, 281, 285-7, 290, 292-3, 295, 298B, 298N nx 10.60		o 650-5 nx 6.40	o 947 nx .25	** 1989 1.25	* J40 .25
o 257, 260, 264, 266-7, 269-72, 276, 279, 283-7, 290, 292-3, 295-6, 298, 298B-C, 298G-H nx 24.05		o 658-61 nx 4.00	o 950 nx .25	o 2049 .50	PORTUGUESE INDIA
o 260, 264, 275, 281, 285, 292-3, 295, 298B, 298N nx 8.20		o 662, 664-9 nx 14.40	o 955 nx .25	o 2279 nx .65	* 135 fine ng 19.00
o 275, 293, 298N nx 5.50		* 663 .25	o 958-60 nx 2.75	o 2334 nx .50	* 162, 164, 166 2.15
* 307, 310 .75		o 670 nx .25	o 975 nx .55	o 2460 nx .60	* 174-5 7.00
* 315-21, 324, 338 3.30		o 671-4 nx 3.85	o 983, 985 nx .50	o 2537 nx .60	* 189 1.00
* 346-8, 351, 359 ng 1.65		o 675-9 nx 1.55	o 1001 son .25	** 2610-5 2.50	o 198, 203, 205 nx 1.05
* 349-50, 52, 55 1.05		o 678 perfin "RR" .25	o 1005, 1007 nx 1.90	o C11 nx .40	o 357-9, 361, 364, 366-8 nx 3.95
o 354 nx .30		o 680 perfin "BNU" nx 4.00	o 1005 .95	* J22 avg .60	* 358 .35
* 378-81 1.00		o 683-5 nx .75	o 1021 1.25	** J28 .35	* 375B avg .80
o 398-421 (no 409) nx 19.00		o 689-90, 692 nx 3.25	o 1028 nx .25	* O2 ng .45	o 375Q nx .70
o 418 nx 1.00		o 692 nx 2.75	o 1038 .25	o P1 nx 1.40	o 427 nx .25
* 422-4, 431 1.40		o 693 nx .25	o 1046 nx 1.40	o RA3 nx .70	o 439-40, 444 nx .80
o 425-7 nx .85		o 694-6, 700 nx 2.75	o 1048 nx .45	* RA3 .70	o 439, 444 nx .55
* 428 ng 1.00		o 702-10 nx 14.30	o 1052, 1055 nx 1.65	* RA4 .35	o 454-6 nx 6.00
* 437-43 2.75		o 702-6 nx 3.35	o 1052 nx .25		o 458-9 nx 3.05
* 446 nx .75		o 702-3, 705 nx 1.10	o 1060 nx .25		o 460-2 nx 3.35
* 453-4 .80		o 711-2 nx .50	o 1063, 1065 nx 1.25	PORTUGAL - AZORES	o 464-6, 469, 471 nx 2.80
o 458-9, 461, 467, 469, 471-3, 479, 484 nx 5.25		o 713-6 nx 5.25	o 1067 nx .25	o 315 nx .50	o 471 nx 1.50
o 472 nx .35		o 717-20 nx 31.10	o 1073 nx .25	o 317 nx .25	* 472 .80
o 490, 492-3 nx 1.45		o 721-3, 725-6 nx 11.95	o 1077, 1079 nx .95	** 426 1.25	o 475-9 nx 6.70
o 497-519 (no 511, 515) nx 8.30		o 722-3 nx .70	o 1080, 1083 nx .85		* 481-3 3.00
o 497-8, 500-1, 506,		o 727-8 nx .65	o 1085-6 nx .50	PORTUGAL - MADEIRA	o 484 nx 1.90
		o 729-30 nx .75	o 1086 nx .25	** 67a 3.75	o 490-1 nx 1.30
		o 731-4 nx 4.35	o 1088-90, 92 nx 1.75	** 74a 4.00	o 492-5 nx 1.60
		o 732 nx 1.75	o 1088 nx .25	o 88 nx .50	o 496-7, 502-3 nx 2.00
		o 735-6 nx .80	o 1094 nx .25	** 88a 10.00	* 498-500 3.10
		o 736 nx .35	o 1098 nx .25	** 94a 10.00	o 496 nx .30
		o 737-8 nx 1.65	o 1103 son .25	** 101a 10.00	* 501 ng 1.50
		o 739-41, 743, 745-6 nx 5.25	o 1108 nx .30	** 107a booklet 5.00	* 504 .80
		o 743 nx .25	o 1110 nx .25	** 152 12.00	o 505 nx .40
		o 747 nx .25	o 1113 nx .25	** 174 1.25	o 506 nx 1.00
		o 749 nx .25	o 1116 nx .25		* 507, 509 1.10
		o 751-2 nx 4.50	o 1119 nx .25	PORTUGUESE AFRICA	* 507 .40
		o 757 nx .25	o 1124-7, 1129, 1131-2 nx 1.75	* MR2 fine p12x11.5 2.00	o 510-5 nx 2.80
		o 761-75 nx 6.20	o 1124-6, 1129, 1131-2 nx 1.50		o 516 nx 2.00
		o 761-75 (no 767, 774) nx 4.65	o 1131 nx .25	PORTUGUESE CONGO	o 517-9 nx 2.25
		o 761-4, 766, 768-9,	o 1135 nx .25	* 104 .75	o 518-9 nx 2.00
					o 519 nx 1.40
					* 524 .65
					o 524-6 nx 2.55

<p>RUSSIA (cont'd)</p> <p>SCOTT CAT</p> <p>o 524 nx .25 * 527 nx .95 * 528 .40 o 528-9 nx .55 o 530 nx .40 o 531 nx .55 * 532-3 .85 * 534-6, 540, 549 7.35 o 537, 543-7 nx 2.50 o 543, 545 nx .70 * 552-3 .55 * 552 .25 o 553, 555 nx .65 * 560-7 4.30 ** 560-2 .90 * 561-2 .60 o 573-6, 582-7 nx 3.35 o 574, 582, 586 nx 1.05 * 598-602 1.50 * 598-600 .90 ** 599 .30 o 605 nx .25 * 618 (see note after) \$2.50 Malaria .75 * J53 .25 * J54 ng .35 * MR1 2.25 * RA1-3 1.50 o RA5 nx 2.75 * RA13 1.00 o RA15 nx .60 * RA17 .25</p> <p>PUERTO RICO * 56 fine .90 o 67 nx 1.25 * 75-7, 81, 85-6 1.55 * 76-7, 85-6 1.00 * 77, 85-6 .75 o 106, 110, 116 nx 2.55 * 136, 142 .50 * 142 .25 * 155-6 2.25</p> <p>RIO MUNI * 10-11 .50 * 12 .25 * 16-18 .75 * 19-21 .75 * 22-3 .50 * 24-6 .75 * 27-8 .50 * 29-31 .75 * 32-3 .50 * 35-7, 39 1.60 * 44-6 .75 * 47-9 .75 * 59 .25 * 63-6 1.00 * 67-9 1.05 * B2 .25 * B3-6 1.00 * B7-9 .75 * B10-3 1.00</p> <p>ROMANIA ** 21 (see last note after) Set of 3 12.00 * 182 1.90 * 709 imperf 1.50 * 760-3 5.50 * 782 2.10 o 787-90 nx 3.00</p>	<p>* 983 2.00 o 1178 nx .30 o 1428 nx .25 ** 1536-9 1.85 ** 2006 5.00 ** 2209-14 2.65 ** 2288 1.25 ** 2583-8 2.30 o 2589, 2591, 2593 nx .75 ** 2659-60 .50 ** 2824-9 2.35 ** 2950-5 2.75 o 3110-7 nx 2.50 ** 3166-71 1.95 ** 3202-6 1.40 o 3362, 3365 nx 9.00 ** 3487-94 3.25 ** 3487-90 1.20 o 3679 nx .25 o 3710 nx .25 o 3778 nx .25 o 3839 nx .25 o 3946 nx .30 ** 4335 ss of 4 4.00 ** 4335 1.00 o 5107 nx .55 * B70-4, B76 12.35 ** B430 1.25 * C51a, C52a 12.00 ** C206-7 .50</p> <p>ROMANIA - GERMAN OCCUPATION o 3N8-9, 11, 12 nx 5.10</p> <p>RUANDA-URUNDI * 68-73 1.50 * 68-9 .50 * 90 .25 * 114-5 .50 * 137-9 .75 * J1, J3 .55</p> <p>RUSSIA * 43 6.00 o 45 nx 3.00 ** 63 25.00 o 63 nx .75 ** 74, 74a, 77 nx 1.65 o 74, 74a, 78, 78a, 79 nx .50 o 89, 92 nx .50 ** 181, 183 .50 ** 181 .25 ** 201, 201b 1.25 * 212 .60 ** 216, 219-20 3.00 * 216 1.00 * 221 ng 1.10 ** 231 .25 * 241 .25 ** 241A .35 o 252 nx .40 o 290 2.00 o 417, 422 nx .50 o 611-3 nx 4.85 o 735-6 nx .50 ** 736 1.47 o 843-4 nx 1.50 o 1260 nx .25 ** 1306 50.00 o 1307-9 nx 1.20 ** 1343, 1345-6 8.00 o 1514 nx 6.00 o 1529-31 nx 2.05 o 1537-8 nx 1.00 o 1545, 1547 nx 2.15</p> <p>o 1563-5 nx 1.50 o 1593 nx 1.00 o 1617-8 nx 1.00 o 1628 nx .30 o 1714 nx .35 o 1757 nx .50 o 1766-7 nx 4.00 o 1791 nx 1.00 o 1797-8 nx 2.00 o 1808, 1812 nx 1.00 o 1890 nx .75 o 1905 nx .50 o 1907-8 nx .80 o 1987 nx 1.00 o 2032-5 nx 1.25 o 2044-6 nx 1.00 o 2180 nx .25 o 2218-9 nx 1.25 o 2232-5 nx 1.05 * 2280 4.50 ** 2290-3 2.75 o 2292-3 nx .50 o 2337 nx 3.00 o 2379-80 nx .55 o 2394 nx .50 ** 2486-91 2.95 ** 2492 3.00 o 2557 nx .60 o 2633 nx .30 o 2653 nx .30 o 2740 nx .25 o 2905-6 nx .50 o 3219 nx .25 o 3250 nx .50 o 3259, 3264 nx .50 o 3287 nx .75 o 3316-7 nx .50 o 3331 nx .30 o 3372 nx .25 o 3387-96 nx 2.50 o 3409 nx .25 o 3549-56 nx 2.00 o 3560 nx .25 o 3640 nx .25 o 3783 nx .25 o 3790, 3792 nx .50 o 3857 nx .25 o 3942 nx .45 o 3982 nx .25 ** 4312-5 5.50 o 4351 nx .25 ** 4428 .35 ** 4446-7 .60 o 4525-6, 4528 nx .75 o 4528 nx .25 o 4602A nx .25 o 4610 nx .25 o 4800 nx .25 o 4863 nx .25 o 4873 .25 o 4904 nx .75 o 4908 nx .25 o 4941 nx .25 o 4945 nx .25 o 4955 nx .25 o 5023-4 nx .50 * 5066 .50 ** 5083 2.00 o 5113 nx .35 ** 5222-5 1.00 o 5280-1, 5283-4 nx 1.00 o 5322 nx .25 o 5535 nx .55 ** 5627-31 2.15 ** 5627-30 1.45 ** 5632 2.00 ** 5680-4 2.00 ** 5685 1.50 * 5733 ng .80 o 5747-9 nx .80</p>	<p>** 5783-5 1.00 ** 5826a 3.00 ** 6009-11 1.05 ** 6056-8 1.95 o 6071A nx 1.00 o 6120 nx .50 ** 6257 b4 5.00 ** 7153-4 1.75 o B64 nx .30 ** B96, 99, 101, 103, 105 2.50 o C16 nx 40.00 o C91 nx .50 o C94 nx .25 o C97 nx .50</p> <p>RUSSIA - ARMY OF THE NORTH ** 1-5 3.00 ** 1, 2, 5 1.80</p> <p>RUSSIAN OFFICES IN THE TURKISH EMPIRE * 238-42, 246-7, 249-52, 254 22.75 * 262 1.20 * 321, 324 5.45 * 339-41, 344, 345-6, 348-49A 12.00 * 350 .75</p> <p>RWANDA ** 23-6 1.45 ** 99 .25 ** 109 .25 ** 211-8 2.90 ** 295-6 3.50 ** 310-7 4.80 ** 326-33 7.75 ** 423-30 3.80 ** 506-13 5.00 ** 506 .25 ** 523-30 5.25 ** 594-601 3.75 ** 722-9 4.30 ** 983-91 8.95 ** 1191, 1193-6 4.55 ** C4 3.25</p> <p>RYUKYU ISLANDS - see JAPAN</p> <p>SAAR * 4-8, 11-15 ng 5.45 * 85 .40 o 88-9 nx 1.00 o 89 nx .50 o 100-1, 103, 107-10 nx 4.50 o 107 nx .40 * 108 avg 2.00 o 120, 122, 124-7, 131-3 nx 4.55 o 125-7, 131-2 nx 2.55 o 126-7, 132 nx 1.55 o 126-7 nx 1.05 ** 157-9, 161-3, 170 2.27 * 171 .25 ** 172 .34 * 175 .25 o 182 nx .65 * 188-9 .70 o 192, 195-6 nx 1.10 o 195 nx .30 o 203 nx .50</p>	<p>* 204-5 .50 * 204 .25 o 206-9, 212-3, 215-6 nx 2.90 o 206-9, 212-3, 216 nx 2.55 o 206, 216 nx .70 o 239, 244 nx 1.20 o 246 nx 1.60 o O22b, O23 nx .75 o O22b nx .40</p> <p>ST. THOMAS & PRINCE IS. * 15 ng 3.75 * 214-6, 219-23 2.00 * 214-6, 222-3 1.25 * 323 .25 * 356 .30 * 357-9 .75 * 357 .25 o 360-2 nx .75 o 362 nx .25 * 363 .25 * 380 2.00 ** 382 .70 * 383 1.50 o 443 nx .30 o 522 nx .40 o 629cd nx 3.25 o 629d nx 1.63 o 672c nx 1.75 o 690, 696 horiz prs, nx 8.00 o 696 vert pr, nx 4.50 ** 820 singles 8.00 ** 1308 25.00 ** 1480 9.50 ** 1490 9.00 ** 1856 12.50 * J42-5 1.00 * RA1-3 1.35</p> <p>EL SALVADOR * 1 ng 2.00 * 2 2.00 * 23-4 .80 * 48-9, 51-2, 54-6 ng 5.25 * 60, 62 ng 1.00 * 63 .50 * 63 avg .50 * 76-9 ng 2.00 * 86 .75 * 91-3, 95, 101 4.10 * 92 jumbo .75 * 106, 114 .75 * 120, 122 19.50 * 135 ng .50 o 135 nx .50 * 136 .50 * 150, 152, 155-7 33.75 * 157D 6.00 * 170C .75 o 170E .90 * 175-6 3.00 o 175 nx CAM 1.00 * 178-9, 181, 184 ng 21.25 * 200 ng .25 o 283-4 nx 1.20 * 286 ng 1.00 * 337-40, 346 1.35 o 336, 339 nx .50 * 340 ng .25 * 355, 360, 362 .75 o 355-6 nx .50 * 361 ng .25 * 362 .25</p>
---	---	---	---

SAN MARINO (cont'd)	o 841A nx .25	* 296-7 .50	* 30 1.50	
SCOTT CAT	o 861 nx .25	** 336 .25	o 40, 42, 44 nx .85	SOMALIA
o 378, 382-3 nx .75	o 871 nx .25	o 364 nx .25	o 48, 50-1, 53 nx 1.10	* 10 avg 6.50
* 391 .25	o 881 nx .25	** 375 .25	* 59-61, 63 1.40	* 198 .30
* 395 .25	o 886 nx .25	o 418 nx .25	o 59 nx .35	o 200, 202-4 nx 2.70
o 397 nx .25	o 907, C449 nx .50	o 498 nx .25	o 69-71 nx 1.05	o 202-3 nx 1.05
* 402 1.00	* 929-30 3.65	** 572-6 1.25	* 83-4, 86 7.50	o 212 nx .75
o 403-8 nx 1.55	o 946 nx .25	** 582-6 1.25	o 88-9 nx .50	* 221-7 1.75
o 407 nx .25	o 951 nx .25	o 746 nx .25	* 108-11, 113, 115, 119, 122-3 2.70	* 221-2, 224-5 1.00
o 414-6, 418-9 1.30	o 969a nx 1.90	o 967 nx .25	o 110-4, 116-20, 122-3 nx 3.30	** 221-2 .50
o 414 .25	o 981 nx .25	** 1308-9 2.05	o 110, 116, 120, 123 nx 1.15	* 224 .25
* 416 .25	** 999-1004 2.25	** 1442-3 2.55	* 155-6 .50	o 242, C68-9 nx 96.50
o 431-4 1.00	o 1048 nx .25	** 1450-4 6.05	o 156, 158-60, 162-5 nx 2.00	o 250-1, 253-6 nx 2.20
o 441-6 nx 8.80	o 1066 nx .25	** 1505-8 7.75		o 256 nx .80
o 458-9 .50	o 1122 nx .30	** C41-5 1.25		** 269, C89 3.40
o 474, 476-7, 479 nx 1.00	o 1186 .25	** C82-4 .75		** 274-5, C95-6 4.10
o 482 nx .25	o 1217 .25			** 278, C99-100 3.50
o 495-500, 503 1.85	o 1260 nx .55	SAUDI ARABIA	SHANGHAI	o 279 nx .25
o 496, 498 nx .50	o 1265 nx .65	o L8-10 nx 4.20	o 153a .50	** 295-8 2.80
o 520, 523 nx .50	o 1281 nx .40	* 75-80 42.00	* 154a .55	o 296 nx .25
o 548 .25	o 1298, 1300 nx .85	* 79 5.25	* 161 .65	** 299-300 .50
* 559-61, 563-4 1.60	o 1359d nx .42	o 98, 100, 102 nx 4.35	* 170 .30	o 311, 313 nx 2.35
o 559-63 1.25	o 1375 .30	o 102 nx 2.25		o 313 nx 2.10
o 562 .25	** 1456 .80	o 117 nx 4.50	The right hand column in black shows previous Scott Catalog values. The latest 2021 Scott Catalog values are in blue. You pay only 45% of the 2021 catalog amount (with minimum).	o 323-31 nx 5.30
* 572, C61 1.90	* C7 1.00	o 131 nx 2.50		o 331 nx .45
* 572 .95	o C11, C13-4 .75	o 159, 161, 161a, 163, 166, 166a, 168-9 nx 6.85		o 337, 339 nx 1.45
o 573 .25	o C51 nx 1.00	o 161, 163, 165, 168-70 ng 73.50		o 340-2 nx 1.70
o 574-80 1.75	o C57-8 nx .50	o 161, 161a, 163, 166, 168-9 nx 4.65		o 346 nx 3.00
o 584 .25	o C57 nx .25	o 161, 168-9 nx 2.55		o 347, 349 nx 2.00
o 589, C92 .50	o C66-8 .95	o 213 nx .30		o 349 nx 1.75
o 590 .25	o C73-4, C76-7 nx 1.85	o 228, 238 nx 2.15		o 350, 352 nx 4.40
o 596-9, 601-2 nx 1.50	o C73, C76 .70	* 230 ng 1.50		o 352 nx 4.00
o 602 nx .25	o C86 .25	** 274-6 4.95		** 357-8 .70
o 614 .45	o C93-5 nx .75	o 332 nx .55	SLOVAKIA	o 358-9 nx 2.55
o 631-2, C142-3 nx 1.00	o C99-101 nx 1.15	o 511 nx 2.25	o 152, 156 nx 1.75	o 359 nx 2.10
* 652-6, 658-60 2.00	o C102-3 nx .50	o 612 nx .60	o 156 nx 1.50	o 361-2 nx .80
o 677, C166-7 .95	o C107 nx .25	** 630 8.00	** 180 3.25	o 364-7 nx 2.35
o 679-80, C170-1 nx 1.30	* C108-9 .70	o 692-3, 703 nx .75	o 204 .45	o 364 nx .25
o 682, 684, C173-7 nx 2.00	o C113 nx .45	o 692-3, 703 .75	o 220, 222 nx .55	** 370-1 2.50
o 685, 689-90, C179-80, C182 nx 1.75	o C119 .25	o 719 nx .25	o 248 nx .35	o 370 nx .40
o 695 .25	o C146 .25	o 750 nx .65	o 358 nx .25	o 372-3 nx 2.05
o 698, 700-2 nx 1.00	o C224 nx .25	o 987 nx .70		o 373 nx 1.50
o 707, 709, 711-2 nx 1.80	o C246 nx .50	o 1009 nx .25	SLOVENIA	** 374-7 8.10
o 719, 723-7 nx 1.65	o C250 nx .25	o 1009 .25	o 151 nx 1.25	o 378-9 nx 2.60
** 726 .55	o C270 nx .25	o C1-4 + C2a nx 4.25	o 154-8, 160, 161-3 nx 4.20	o 380 nx .25
** 737 .95	o C272 nx .25	o C1-4 nx 2.50	o 154-7, 160, 161-3 nx 3.85	** 383-4 2.15
o 738, 740, 743, C204-5 nx 2.90	o C276, C288 1.30	* C2 ng 5.75	o 154, 156, 161, 163 nx 2.10	o 387 nx 2.10
* 739 .75	o C305 .25	** C4 16.00	o 156, 161, 163 nx 1.75	** 388-92 4.90
** 741 .75	o C383 nx .25	o C11 nx .30	o 156, 163 nx 1.30	o 399 nx 1.90
o 744-5, C208 nx .75	o C391 nx .25	* J17, J18 8.00	o 156 nx .35	** 412-3 2.00
** 746, C210 3.10	o C430 .25	o RA5 nx .30	** 195a 5.00	** 436-9 4.45
o 747-9, C212-3 nx 1.45	o C437 nx .40	* RA6, 6a, 6b ng 21.75	o 196d nx 1.63	** 444-9 14.30
o 752-6, C215-8 nx 2.25	o C438 nx .25	** RA6 5.50	o 208A, 209-10A, 213, 215-6 nx 4.65	** 481-4 5.60
o 757, C222 nx .50	o C452 .25	o RA6 nx .30	o 209, 213, 215-6 nx 3.90	** 491-3 5.75
* 761-2 .50	o C468 .55	o RA6a nx .30	o 271-2 nx 1.10	** 526 strip of 8 11.00
o 766, C228, C230 nx 2.75	** C477-8 5.90	* RA8 4.75	** 286 1.25	** 572-5 6.35
o 768, C231 nx .50	o C483 nx .25	* RA8 ng 4.75	o 298 nx .30	o C45 nx 7.50
o 770-1 nx .65	o C514 nx .25	o RA8 nx .30	** 318 1.40	** C73-4 2.60
o 772 nx .25	o C521m nx .25	o RA8 .30	** 325 1.25	o C78 nx 1.10
o 775, C239 .50	o C540 nx .25	SCHLESWIG	o 336 .80	** C82-3 2.65
* 781 .25	* J1 .40	* 1-6 1.50	** 357-60 3.40	* C89 2.75
o 782 nx .25	o J8 nx CAM .90	* 1, 2, 5 .75	o 404-5, 407, 415 nx 1.65	* C98 5.25
* 785, 787 .55	* J25 ng .40	** 1 .25	o 417 nx .25	* C101-2 3.70
o 796-7 nx .50	* J33-4 4.00	o 2-5, 7-14 nx 13.45	o 540 nx .75	* C103 1.75
o 801 nx .25	* J49 ng .40	o 3 nx .80	o 596 nx .70	o C103 nx 1.75
o 802 nx .25	* O74 ng .30	* 15, 16 .50	o 598 nx .75	** C108 1.75
o 803 nx .25	* O129-30, O134, O136 O138-9 85.00	* 15 .25	o 609 nx .45	o E11 nx 1.25
o 814 nx .25	* O149 .30	o 15 nx 2.40	o 612-4 nx 1.50	SPAIN
o 820 nx .25	* O273, O275-6 .75		o 614 nx .71	o 263 .25
o 830, C309 nx .60	o O321 nx .25		o 658 nx .80	** 388 .25
o 835, C314 .50	o O342, O344-5 nx .75		o 659 nx .80	o 411 nx .25
	SAN MARINO			* 418, 421-2 .75
	* 200 .30			o 773 nx .25
	* 203 .30			o 795 nx .35
	* 213-4 .50			o 804, 807 nx .50
	* 260-2 .90			o 908 .25
		SERBIA		o 911 nx .25
				o 971 nx .25

SPAIN							
(cont'd)	SCOTT CAT						
o 986 nx	2.50	o 1700	.25	o 3457	.35	o 149-52, 159 nx	6.75
o 990 nx	.25	o 1702 nx	.25	o 3461	.40	o 151a nx	.25
o 990	.25	o 1764-5 nx	.50	o 3462	.40	o 174 nx	.25
o 1023 nx	.25	o 1771 nx	.25	o 3501 nx	.40	* 176	.25
o 1023	.25	o 1788	.25	o 3515f nx	3.25	* 180-3	6.50
o 1032 nx	.55	o 1789 nx	.25	o 3526c nx	.80	* 180-1	3.75
o 1033 nx	.25	** 1794-8	2.60	o 3534	.25	* 184-6, 189	3.30
o 1045, 1047-8,		o 1795 nx	.25	o 3546	1.22	o 187, 190, 192-7, 199,	
1051-3 nx	1.65	o 1817-8	.50	o 3595e nx	.85	201, 203-4 nx	15.80
o 1057-9, 1061, 1063-4,		** 1824-8	1.60	o 3827 nx	.69	o 192, 195-6 nx	1.50
1066, 1068 nx	3.70	o 1833, 1836	.50	o 3878b	1.10	* 209-10	2.00
o 1070, 1072-4 nx	1.00	** 1838-9	.50	o 3917	1.40	o 210 nx	.50
o 1083, 1085, 1092		o 1838 nx	.25	o 3925 nx	.70	* 211-2, 214, 223, 225	
nx	.75	o 1843 nx	.25	o 3925	.70		5.50
o 1096 nx	.25	o 1873 nx	.25	o 3930 nx	2.75	o 211, 213-8, 222-3	
o 1106 nx	.25	o 1935 nx	.25	** C55	16.56	nx	4.20
o 1109 nx	.25	o 1946 nx	.25	o C112-3 nx	.50	* 234-5	2.20
o 1109	.25	o 1964 nx	.25	o C154-7 nx	1.00	* 236-7	7.00
o 1124 nx	.60	o 1993 son	.25	o C154, C157	.50	* 240	.60
o 1144, 1146, 1149-50		o 2002, 2005	.50	o RA35 nx	.25	o 241-2 nx	2.50
nx	1.00	o 2016 nx	.25	o RA35	.25	o 249 nx	1.60
o 1162, 1164, 1166		o 2023 nx	.25	SPANISH GUINEA			
nx	1.00	o 2074 nx	.25	* 325, B26	.60	* 259, 263	7.75
o 1166 nx	.50	o 2075	.25	o 340-1	.60	o 264	.80
** 1173	.25	o 2086 nx	.25	** 340-1	.60	* 265-8	11.85
o 1175 nx	.25	o 2108 son	.25	* 340	.30	* 275	9.00
o 1178	.25	o 2114	.25	* 351-2	.50	* 277-9	4.75
o 1189-90, 1193-4		o 2117	.25	* 358, B48	.60	* 282	.70
nx	3.75	o 2119 nx	.25	** B26	.30	** 284-90	1.75
o 1190, 1194 nx	2.50	o 2136-7 nx	.50	** B31	.30	o 288 nx	.25
		o 2137 nx	.25	* B41	.25	o 291-5 nx	3.20
		o 2141 son	.25	SPANISH MOROCCO			
		o 2148	.25	* 301	.25	o 293 nx	.30
		o 2162 nx	.25	** 317-8	.50	** 315	.40
		o 2172 nx	.25	** 318	.25	* 317-8	.60
		o 2188	.25	SPANISH MOROCCO -			
		o 2208 nx	.25	TANGIER			
		o 2230 nx	.25	o L20 nx	.25	o 323-5, 327 nx	2.00
		o 2231 nx	.25	SPANISH SAHARA			
		o 2231	.25	* 65	.25	o 323, 325 nx	1.00
		o 2268 nx	.25	* 68	.25	** 331-2	1.20
		o 2340	.25	* 74-5	.65	* 333-6	1.00
		** 2384-7	1.00	* 79, B38	.60	** 337-8	1.20
		o 2497 nx	.25	* B19	.30	o 337-8 nx	1.20
		o 2498 nx	.25	* B25	.25	** 339-40	1.20
		o 2541 nx	.25	* B29	.25	** 341-2	1.20
		o 2541	.25	* B31-2	.50	* 343-4	.60
		o 2556 nx	.25	* B33	.25	** 345-6	.80
		o 2581 nx	.25	** B35	.25	** 347-8	.60
		o 2687	.25	* B35	.25	** 349-51	1.20
		o 2691 nx	.25	* B39-40	.50	** 352-3	.75
		o 2705	.25	* B44	.25	** 354-5	.75
		o 2848 nx	.25	* B50	.25	** 356-8	.90
		o 2895	.25	* B53	.25	o 357 nx	.30
		o 2904 nx	.25	* B58-9	.50	o 360 nx	.50
		o 2979	.50	o B58 nx	.25	o 364 nx	.75
		o 3076 nx	.74	* B60-1	.50	* 368	.50
		o 3081 nx	.85	* B67-8	.50	** 371-2	.75
		o 3082 nx	.70	SPANISH WEST AFRICA			
		o 3089 nx	1.48	* 2-4	1.20	* 373-4	.75
		o 3092 nx	.65	SURINAM			
		o 3093 nx	.25	* 2 ng	1.75	* 385-7	1.75
		o 3106 nx	.25	* 20	5.75	* 388	.60
		o 3120 nx	.85	o 33 nx	5.00	* 389-90	.75
		o 3130jk nx	.50	o 70 nx	.95	* 391	.80
		o 3198 nx	.85	* 74, 91, 97, 100 ng	10.40	o 391 nx	.85
		o 3201	.55	* 75, 77-81, 83, 90,		* 392-4	1.75
		o 3272 nx	.35	95-6, 99	34.05	o 392 nx	.55
		o 3281ab	.70	* 117	2.25	* 405	.80
		o 3345 nx	.35	o 118 nx	1.60	o 405 nx	.80
		o 3347	.35	* 141	6.75	* 406-7	1.05
		o 3348 nx	.35	SWEDEN			
		o 3370	.35	o 22 nx	1.00	o 28, 30, 32-3, 36 nx	
		o 3380d	.35	o 28 avg nx	18.00	o 30, 33 nx	2.00
		o 3398a	.35	o 33 nx	1.00	o 32 nx	1.00
		o 3401-2	.72	o 45 nx	.50	o 33 nx	1.00
		o 3401	.36	o 55-6, 58-64 nx	4.60	o 45 nx	.50
		o 3429	.38	o 56, 58-63 nx	3.25	o 55-6, 58-64 nx	4.60
		o 3439	.35	o 56a nx	.30	o 56, 58-63 nx	3.25
		o 3444 ns	.35	o 58, 60, 62 nx	1.10	o 56a nx	.30
		o 3455	.35	o 58, 60 nx	.70	o 58, 60, 62 nx	1.10
				o 77-8, 80-4, 86-9,		o 58, 60 nx	.70
				93-4 nx	4.25	o 77-8, 80-4, 86-9,	
				o 77, 80-1, 83-4, 86-9,		93-4 nx	4.25
				93-4 nx	3.65	o 95-8 nx	1.20
				o 95-8 nx	1.20	o 96-8 nx	.90
				o 96-8 nx	.90	o 99 nx	.40
				o 99 nx	.40	o 116-9, 121 nx	2.05
				o 116-9, 121 nx	2.05	o 116 avg	.40
				o 116 avg	.40	o 126, 128 nx	1.85
				o 126, 128 nx	1.85	o 128	.85
				o 128	.85	o 134 nx	37.50
				o 134 nx	37.50	o 145-8, 150-6, 158-60	
				o 145-8, 150-6, 158-60		nx	13.80
				nx	13.80	o 150, 152-4, 158 nx	
				o 150, 152-4, 158 nx			1.80
				o 164 avg nx	.40	o 164 avg nx	.40
				o 167-8, 170-1, 175,		o 167-8, 170-1, 175,	
				180, 182, 185 nx	4.55	180, 182, 185 nx	4.55
				o 167-8, 170, 185 nx	2.15	o 167-8, 170, 185 nx	2.15

SWEDEN	o 766 nx .30	o 1271 nx .50	o 2125-6 nx 3.50	o 270-8 nx 3.00
(cont'd)	o 766 .30	o 1274 nx .60	o 2137 nx 2.25	o 271-8 nx 2.75
SCOTT CAT	* 806 .50	o 1277 nx .25	o 2149 nx 1.25	o 272-8 nx 2.50
o 232 nx .40	o 815 nx .40	o 1292 nx .30	o 2186 nx .45	** 273a b4 7.44
o 242, 244 nx .80	o 817 nx .25	** 1298 2.40	o 2226 nx .60	** 273a 1.86
o 253 nx .25	o 830 son .70	o 1325 nx 1.10	o 2227 nx .45	o 278a nx .50
o 268-74 nx 4.20	* 835 .25	** 1334 4.00	o 2234 nx 1.90	o 284-5 nx 1.55
o 269 nx .30	o 836 son .25	o 1340 nx .25	o 2236 nx 2.00	o 284a, 286a nx 2.50
o 274a nx 4.75	o 836 nx .25	o 1351 nx .75	o 2276 nx .40	o 284a nx .50
o 280-2, 284-6 nx 2.20	o 852 nx .60	o 1373 nx 1.25	o 2280 nx .35	o 294-5 nx .50
o 281-2, 285 nx 1.20	o 853-4 nx 1.70	** 1386 6.00	o 2289 nx 2.25	o 313 nx .25
o 294 .30	o 859 nx .25	o 1388-9 nx 1.30	o 2364 nx 2.00	o 316-8, 321 nx 1.50
o 341 nx 1.10	o 869, 871-2 nx 1.05	** 1392-5 4.00	o 2373 nx .45	o 317-8 nx .50
** 342-4 2cp + pr 22.00	o 869 nx .40	o 1397 nx .25	o 2390 .60	o 329-39 nx 3.65
o 342 nx .25	o 875-6 vert pr nx 2.00	o 1400 nx .25	o 2391 .75	o 329-34, 336-9 nx 3.05
o 358 son .25	o 884 nx .25	** 1419 5.00	o 2397 nx .50	o 329-33, 36-9 nx 2.80
o 360, 362 nx .70	o 886 nx .35	o 1427 nx 1.10	o 2405 nx .45	o 344 nx 10.50
o 374 nx .25	o 919 nx .25	o 1431-4, 1439, 1444 nx 2.85	o 2410 nx .50	o 345-6 nx .50
o 391-5 nx 1.25	o 924 .90	o 1431-4 nx 1.00	o 2410 nx .50	o 345 nx .25
o 391-3 nx .75	o 937 nx .50	o 1433 .25	o 2427 nx 1.25	** 346 .55
o 412, 414 nx .50	o 951, 953 nx .50	o 1447 nx .25	o 2432 1.10	o 347, 350 nx 3.75
o 419, 422 nx .50	** 954-8, 963 1.80	** 1454-5 2.00	o 2458 nx 1.10	o 352-4 nx 3.10
o 422 nx .25	o 954-5, 957, 960, 962-3 nx 1.50	o 1457 nx .25	o 2464a nx 1.25	o 357-8 nx 1.90
o 435 nx .25	o 954-5, 957, 960, 962 nx 1.25	o 1467 nx .25	o 2505 nx 2.50	o 359, 361-2 nx 2.00
o 449 nx .25	o 954-5, 957, 962 1.00	** 1473 5.25	* B50 .30	o 363-4 nx .70
o 456-7 nx .50	o 954-5, 957, 962 1.00	** 1486 1.00		o 363 nx .35
o 462 nx .45	o 954, 962 nx .50	o 1490 nx .25	SWITZERLAND	o 366 nx .25
** 472 .60	** 956-7 .55	o 1528 nx .40	o 52-3 nx 2.80	o 369 nx .60
o 474 nx .25	o 962 nx .25	o 1571, 1573 .85	o 53 nx 1.00	** 371a 14.00
o 499 nx .25	o 962 .25	o 1584 .35	o 69, 71-4, 73a, 76 nx 10.90	o 374-5 nx .75
o 503-6, 508-9, 513-4, 517 nx 2.25	o 1006-8 nx 3.30	o 1625 nx .25	o 69, 71-4, 73a nx 6.90	o 375 nx .45
o 503-6, 509, 513 nx 1.50	o 1010, 1012 nx .90	o 1656a nx 4.00	o 69, 71-3, 73a nx 6.20	o 378-81 nx 5.75
o 503, 506 nx .50	o 1016-7 nx .50	** 1677a bkt 10.50	o 69, 72-3 nx 2.85	o 379, 381 nx 4.25
o 520 nx .55	o 1022 nx .25	o 1685 nx .25	o 83 nx 3.25	o 382-3, 385, 387, 389-90, 393-4, 396 3.40
o 537 nx .25	o 1023-5 nx .85	o 1723-5 nx .90	o 86 nx 25.00	
o 538 nx .25	** 1036-8 1.00	o 1723, 1725 nx .65	o 99, 100 nx 37.00	o 382-3, 385, 387 3.40
o 542 nx .90	o 1039 nx .25	o 1731 nx .55	o 113, 115 nx 3.20	o 389-90, 393, 396 2.00
** 548-9 3.95	o 1050 nx .30	o 1772-3 nx 2.20	o 128-9, 133-4, 136-7, 139-40, 144 nx 5.35	o 382-3, 385, 387, 390, 396 nx 1.50
o 556 nx .25	o 1068, 1070-2, 1076, 1079, 1081-2 nx 2.00	o 1776-7 nx .50	o 133, 136-7, 139-40, 144 nx 3.85	** 382d-398b 15.40
o 556 .25	o 1070, 1082 nx .50	o 1784, 1790, 1792, 1794, 1796 nx 4.25	o 135, 139-40 nx 2.15	o 382d, 385d-6a, 389a-91a, 393a-5a, 398b nx 4.35
o 574, 577, 586 nx .75	o 1096-1100 nx 4.50	o 1784, 1792 nx .85	o 148 nx .25	o 385d, 389a, 390d-1a, 393a-5a nx 2.10
o 574, 586 nx .50	o 1097-1100 nx 3.60	o 1784 nx .25	o 149-51 nx 8.50	o 385d, 389a-91a nx 1.15
o 594 nx .25	o 1101ab nx 2.00	o 1819, 1821, 1823, 1826 nx 1.60	o 153, 157-62 nx 1.75	** 399B 3.75
o 606 nx .25	** 1108 .65	o 1826 .40	o 157-61 nx 1.25	o 403-4 nx .85
o 611 nx .35	** 1109-11 1.35	o 1849 nx .50	o 164, 166 nx 1.50	o 403 .25
** 613-6 2.05	** 1112-4, 1116 1.00	o 1868-9, 1871 nx .85	o 164 nx .40	o 406-9 nx 3.95
** 615-6 1.25	o 1116 nx .25	o 1869, 1871 .50	o 167-9, 172, 174-6, 178, 180 nx 3.35	o 406-7 nx .50
o 615 nx .30	** 1117-8 1.50	o 1874 nx .25	o 167-9, 172, 174, 176, 180 nx 2.00	o 407 nx .25
* 616 1.00	o 1118 nx .25	o 1884, 1886 .50	o 203 nx 6.75	o 410-1 nx .60
o 617 nx .30	o 1119-20 nx .50	o 1889-90 nx 1.00	o 211-3 nx 2.10	o 413, 415 nx .85
** 623-5 .95	o 1120 .25	** 1894-7 4.40	o 211-2 .50	o 413 nx .25
o 624 nx .35	** 1128a 5.50	o 1897 nx .70	o 216-8 nx 2.60	** 425 1.60
o 638 nx .50	** 1139 .30	** 1906 imperf "specimen" 5.00	o 216 nx .25	o 431-2 nx .65
o 643-5 nx .95	o 1140-1 nx .50	** 1906 multi-color imperf 5.00	o 220-3, 225 nx 6.45	o 438-9 nx .50
o 647, 649, 653, 654, 659, 665, 669 nx 2.15	o 1140 nx .25	** 1906a 13.00	o 221, 223, 225 nx 2.95	** 440-55 43.50
o 665 nx .25	o 1145 nx .30	o 1920, 1922-8, 1932-3 nx 3.05	o 221, 223 nx .85	o 440-8, 452, 455 3.25
o 674 .25	o 1152 nx .25	o 1922, 1924, 1926, 1928, 1932 nx 1.50	o 221 .25	o 440-1, 443-5, 447-8, 455 nx 2.35
o 683 nx .25	o 1154-5 nx .60	o 1924, 1926 .55	o 227-32, 234, 236 nx 3.10	o 440-1, 443-5, 447-8 nx 1.75
o 692 nx .30	o 1154 nx .30	o 1926 nx .30	o 227-8, 230-32, 234, 236 nx 2.85	o 463 nx .25
o 693 nx .25	** 1159-60 1.30	o 1952 nx .25	o 228, 230-30B, 232, 234, 236 nx 1.50	o 471 nx .25
* 701 .25	o 1163-4 nx .50	o 1991-2 .90	o 228, 230B, 232, 234, 236 nx 1.25	** 479 .30
* 710 .55	o 1164 nx .25	o 2004 .75	o 229b nx .25	o 479 nx .25
o 719, 723 nx .50	o 1173-7 nx 1.25	o 2014 nx .35	o 229b .25	** 487-90 2.55
o 724 nx .25	o 1173-4, 1177 nx .75	o 2032-3 nx .70	o 237 nx .50	** 491-4 2.55
o 733 nx .35	o 1173, 1177 .50	o 2040 1.75	o 243 nx .25	o 491 nx .25
* 735-6 .55	o 1173 nx .25	o 2047-8, 2050, 2054, 2055, 2060A nx 4.20	o 243 .25	** 495-9 7.05
o 737-9, 743-9, 751-1B, 753-5A, 757 nx 4.75	o 1185 nx .25	o 2047-8, 2055 nx 1.10	o 247-53 nx 12.50	o 495, 497 nx .50
o 737-9, 743-4, 746, 748-9, 751, 757 nx 2.50	o 1190 nx .40	o 2073 nx .45	o 250-1 .50	o 506 nx 1.00
o 738-9, 744, 748-9, 751, 757 nx 1.75	o 1194 .55	o 2085 nx .40	o 251 nx .25	o 507-8 nx .50
** 747A, 751A .95	o 1195 .25	o 2123 nx .45		
o 748-9, 751 nx .75	o 1212 .40			
o 748, 751 nx .50	o 1215-9 strip/5 nx 2.00			
o 751 nx .25	o 1227-8 nx .50			
	o 1233 nx .25			
	o 1234 nx .25			
	o 1258 nx .45			
	o 1266 nx .25			

Country	Stamp Description	Value	Country	Stamp Description	Value	Country	Stamp Description	Value	
SWITZERLAND	(cont'd) SCOTT CAT								
	o 512 nx	.25		o 1261 nx	.70		o 315-8, 321 nx	1.30	
	o 517 nx	.25		o 1307 + tab nx	.50	*	358	.30	
	o 521-3 nx	1.10		o 1307 no tab nx	.50	o	359 nx	.25	
	o 528 nx	.60		o 1337 nx	.75	o	379, 381-3 nx	1.00	
	o 531 nx	.25		o 1341 + tab nx	.50	o	381 nx	.25	
	o 542 nx	.30		o 1341 no tab nx	.50	o	412 nx	.25	
	o 544 nx	.25		o 1364 nx	.60	o	447 nx	.25	
	o 549 nx	.60		o 1428 nx	1.50	**	453, C291	.75	
	o 557 nx	.50		o B58 nx	.85	o	461 nx	.25	
	o 558-9, 562, 564-71,			o B92-3 nx	1.10	o	484 nx	.25	
	573-4, 576-7 nx	6.75		o B151 nx	.50	o	521 nx	.25	
	o 559, 564, 566-9,			o B174 nx	1.25	o	552-3, 557 nx	.75	
	573-4, 576-7 nx	4.35		o B231 nx	7.00	o	639 nx	.25	
	o 559, 562, 564-5,			o B254 nx	.75	o	647-51 nx	1.25	
	567, 569, 576 nx	1.90		o B277 nx	.30	o	647, 649-51 nx	1.00	
	o 564, 576 nx	.65		o B278-9 nx	.60	o	647	.25	
**	585	5.50		o B329-30, B333 nx	3.05	o	660 nx	.50	
	o 591 nx	.25		o B330 nx	1.25	o	987 nx	1.40	
	o 594 nx	.25		o B351	.25	o	1134 nx	1.90	
**	606-9	3.60		o B358 nx	.25	**	1141-2	7.25	
	o 613 nx	1.00		**	B374-7	2.55	o	1244 nx	1.10
	o 623 nx	1.75		**	B378-81	2.55	**	1295	2.25
	o 627 nx	.25		o B386-8 nx	.75	o	1473 nx	.25	
	o 629-31 nx	1.65		o B386-7 nx	.50	o	C160 nx	.40	
	o 630 nx	.40		o B386 nx	.25	o	C151 nx	.75	
	o 633-4, 637-8, 640,			o B396 nx	.25	o	C166-7 nx	.60	
	642-4 nx	3.20		o B419 nx	.25	o	C175-6	.50	
	o 633-4, 638, 640,			o B448 nx	.35	**	C253	2.75	
	642-3 nx	2.05		o B452-3 nx	1.05	*	C291a	1.50	
	o 633-4, 638, 640,			o B455-6 nx	.90	o	C315, C317 nx	.50	
	643 nx	1.75		o B460-1 nx	1.25	o	C396, C399 nx	.55	
	o 652-3 nx	.50		o B464, B466 nx	1.95	o	C479 nx	.25	
	o 653 son	.25		o B464 nx	.45				
	o 656cdefh nx	4.65		o B467-8 nx	.50	TAJIKISTAN			
	o 657 nx	.30		o B468 nx	.25	**	1	.35	
	o 659-60 nx	.90		o B472, B474 nx	1.55	**	2	.30	
	o 663 nx	.25		o B475-6 nx	.50	**	3	.30	
	o 666 nx	.35		o B476 nx	.25	**	4	.40	
	o 667-8 nx	.55		o B480 nx	.30				
	o 668 nx	.30		o B484-5 nx	.55	TANNU TUVA			
	o 671-2 nx	.50		o B485 nx	.30	*	47-8, 50 imperf	18.28	
	o 675 nx	.35		o B488-9 nx	.55	*	49	3.50	
	o 677 nx	.25		o B488 nx	.25	*	58	3.50	
	o 681-4 nx	2.30		**	B492-6	5.15	*	61-3 ng	4.80
	o 681 nx	.25		o B493-4 nx	.55	*	61	1.60	
	o 685 nx	.25		o B532 nx	.35	*	70	4.00	
	o 687-8 nx	.50		o B537-8 nx	.55	o	74a, 77, 79-81 nx	5.40	
	o 692 nx	.25		o B547 nx	.30	*	C1	1.40	
	o 695 nx	.25		o B551 nx	.30	*	C9a ng	40.00	
	o 699 nx	.35		o B555-8 nx	1.55	o	C13, C15 nx	6.50	
	o 702 nx	.25		o B556, B558 nx	.80				
	o 704-5 nx	.55		o B556 nx	.25	TETE			
	o 704 nx	.25		o B560 nx	.30	o	5 nx	2.10	
	o 708 nx	.30		o B565-6 nx	.85	o	14 nx	3.00	
	o 711 nx	.30		o B565 nx	.30	o	24 nx	2.10	
	o 717-9A, 723, 725-6,			o B572, B574 nx	.95	o	25, 37 nx	6.75	
	728 nx	5.90		o B572 nx	.40	*	29, 30	2.80	
	o 717-9, 723, 725-6,			o B581-2 nx	.70				
	728 nx	4.50		o B591-2 nx	.80	THAILAND			
	o 717-8, 723, 725-6,			o B591 nx	.40	o	12, 13, 16, 17 nx	13.50	
	728 nx	4.20		o B599 nx	.45	o	16 nx	3.50	
	o 717, 723, 726, 728			o B607b nx	.55	o	75, 77, 85 nx	5.00	
	nx	3.60		o B609 nx	.50	o	93, 95, 105 nx	13.00	
	o 723, 728 nx	2.50		o B617-9 nx	1.80	*	128-9	62.50	
	o 723 nx	1.00		o B617 nx	.55	o	130, 132, 137 nx	5.20	
	o 729-30 nx	.50		o B627 nx	1.60	o	140-1, 143-4 nx	16.50	
	o 730 nx	.25		o B661 nx	1.25	o	145 nx	1.20	
	o 734 nx	.30		o B668 nx	1.40	o	157-60 nx	4.20	
	o 737 nx	.25		o C17 nx	2.50	o	159-60 nx	3.00	
	o 739 nx	.35		o C42 nx	20.00	o	166-8 nx	3.80	
	o 740 nx	.25		SWITZERLAND - U.N.		o	168 nx	1.40	
	o 748 nx	1.00		**	7038-9	2.50	o	186 nx	1.50
	o 752 nx	.25					o	187-90, 192-4, 197-8	
	o 774 nx	.90		SYRIA					
	o 780-1, 783-4, 786,			Gained Independence in 1946.					
	789-90 nx	3.95		For pre-1946 Syria issues see					
	o 780-1, 783-4, 786			our French list.					
	nx	2.15		*	288-92	20.00			

UNITED NATIONS - NY (cont'd) SCOTT CAT	** 1956-8 2.05		3.37	o 190 .25	** 88-9 2.85
TURKEY - HATAY	o 1965, 1969 nx .60	* 2h-60h, 100h (11 stamps) 2.72		o 203 nx .25	** 91-2 3.10
* 1 1.75	o 1996 nx .25	* 2, 10, 20, 30, 40, 50, 60, 100h 2.54		o 203 .25	** 95-6 1.25
TURKEY	o 2063 nx .25	* 3, 5, 10, 15, 40, 50, 80h ng 1.75		o 216 .25	** 99-100 3.25
* 65 ng 3.00	** 2414-7 5.00	** 10, 15, 20, 40h 1.00		o 222 .25	** 103-4 3.80
o 67, 69 p13.5 nx 2.50	o 2447 nx .50	** 10, 20h .50		o 224 .25	** 105 5.00
o 68 p11 1.25	o 2540-3 nx 6.15	** 10h .25		* 226 1.30	** 183a ss of 4 blocks of 4 16.00
o 97-8 nx 5.00	o 2542 nx 1.75	-----		* 227 .25	** 183a b4 4.00
o 130 nx 1.00	** 2597-8 2.00	1923 overprints (see note before #100)		o 227 nx .25	o 213 nx 1.00
o 254, 260 nx 1.00	o 2681 son .65	* 1000, 2500, 4000, 5000h 12.23		* 229 .25	** 248 booklet 20.00
* 345-6 1.50	o 2742, 2744 nx 1.95	-----		o 229 .25	** 252 booklet 9.50
** 545A 1.25	o 2744 nx 1.40	o 238 ns 2.25		* 232 .25	** 258a 1.60
* 545A 1.25	o 2829, 2832 nx .94	o 663, 666 nx 1.30		o 239 .30	
** 548A 2.50	o 2948 nx .69	o 666 nx .80		o 249-50 .50	
* 548A 2.50	o 2964 nx .60	o 698ef nx 1.25		o 252 .25	U.S.A.
o 636, 640-1 nx 1.25	o 3169, 3175 nx .80	** 784 7.00		o 267-8, 271 1.15	o 183 nx 5.00
o 687 nx .50	* 3228a .75	* B1-4 4.00		** 269 .25	* 233 VF ng 55.00
o 740, 744, 746, 749 nx 1.00	* B46 1.25	* B1, B3-4 3.00		o 268, 271 .90	* 328 v1h 22.50
o 746 nx .25	** B205-7 4.45			o 291 nx .25	* 367 5.00
* 875 .25	o C13-17 nx 2.40			o 295 .40	* 370 7.50
o 877, 883, 885 nx .75	o C16, C17 nx .90	UNITED ARAB EMIRATES		o 296 .25	* 397-8 34.50
o 896, 900, 902, 912 nx 3.00	o C34 nx .40	o 13-16, 18, 19, 21 nx 16.05		o 305 .25	** 610 1.10
* 897 .40	** Q23f 4.00	o 13, 18, 19 nx 2.75		** 320-1 .65	** 617-8 ng 5.85
* 963 .30	** O38 .40	o 18, 19 nx 2.50		o 326, 335 .50	* 621 10.00
* 1015 .25	* RA14 1.00	o 36, 38 nx 1.90		** 371-2 .90	** 643 2.00
o 1021, 1027, 1030 nx 1.65	o RA50 nx .25	o 36 nx .40		** 373 .45	* 646 1.00
o 1064 nx .25	* RA56 .40	o 48-9 nx 1.75		o 425 .35	** 647-8 28.75
o 1119, 1126 nx .50	* RA66 .25	o 48 nx .65		o 442 .85	* 647-8 15.00
o 1141, 1143 nx 1.50	* RA71 .40	o 51, 54-5 nx 6.00		** 546-7 1.70	** 647 7.25
** 1188, 1191 1.30	* RA93 .35	o 54 nx 2.95		** 549 .65	** 649 1.75
o 1196, 1200 nx .50	** RA113 .25	o 63 nx 4.50		** 550-1 1.60	* 649 1.10
** 1219-21 .75	** RA122, 124, 126 1.05	o 104 nx 24.50		** 570-1 1.15	** 683 1.65
* 1226, 1228 .65	* RA122-4 1.05	** 112-5 8.85		** 573-4 1.50	** 690 .40
o 1229, 1231 nx .50	** RA132 .30	** 116 15.00		** 577-8 2.40	** 703 .50
o 1248-9 nx .50	** RA152-4, 156 4.25	** 121-4 9.50		** 579 3.50	** 704-8, 710, 712-4 12.90
* 1264 .25	** RA161-2 1.50	** 125 11.50		** 660a ss of 4 blocks of 4 9.00	** 704-8, 710, 712-3 9.65
o 1274-5 nx .50	* RA161-2 1.50	** 189-95 17.50		** 660a b4 2.25	** 717 .35
o 1342 nx .25	* RA170-1 .50	** 197-8 17.00		** 743 booklet 24.00	** 745 1.65
o 1426 nx .25	* RA181-2 .50	o 299, 301-2, 306, 309 8.65		** 756 booklet 19.00	** 746 1.10
o 1429 nx .25	* RA181 .25	o 301-2, 306, 309 8.40		** 762a 1.75	** 748 2.40
o 1430 nx .25	** RA186 .50	o 301-2, 306, 309 nx 8.40		o 773 nx .50	** 859-63 2.85
** 1436-7 1.25	* RA187A .25	o 301-2 1.65		o C2 nx .30	** 864-8 3.00
** 1440 .55	** RA187c 1.00	o 301 nx .40		o C10 .25	** 869-73 3.50
** 1442 .25	** RA187c 1.00	o 399 2.25		* C15-18 1.00	** 874-8 2.75
o 1444-6, 1448, 1452 nx 1.35	** RA188-9, 191-2 2.50	** 774-7 4.75		o C17 nx .25	** 879-83 5.00
** 1454 7.75	* RA188-91 2.00			UNITED NATIONS - GENEVA	** 884-8 3.05
** 1469-71 1.00	* RA188-90 1.50	UNITED NATIONS - NEW YORK		o 57 nx .90	** 1355 pb4 1.75
** 1472 3.50	* RA207-9 1.50	* 3 .25		o 57 .90	** 1381 pb4 2.50
** 1476-7 .50	** RA207 .50	o 3-4 .50		** 86 .60	** 1382 pb4 1.00
** 1478-9 .55	* RA207-8 1.00	** 47 .25		** 92 .85	** 2419 pb4 20.00
o 1485 nx .25	* RA214-7 2.25	o 47 .25		** 93-4 1.00	o 2592 nx 2.50
** 1486-7 .60	* RA215-6 .50	o 49-50 .50		** 96-7 .90	o 3204c nx CAM .65
** 1493-4 2.10		o 53 nx .25		** 98 .55	o C2 nx .35
** 1515-7 1.05	TURKEY IN ASIA	o 59 nx .25		** 99-100 1.25	o C7, C9 2.35
** 1518-20 2.45	* J1 1.00	o 61 nx .25		** 101 .80	* C22 11.00
** 1550, 1552 1.05		o 63 .25		** 107-8 1.40	** C42-4 pb4 6.65
** 1553-5 3.00	TURKMENISTAN	** 64 .25		** 109-10 1.40	** C46 b4 19.00
** 1564-6 1.05	** 22 9.25	o 67 .25		** 173-4 3.00	* C46 4.75
o 1619 nx .25	** 29-30 .50	o 73 nx .25		** 176-7 3.25	* E14 2.00
** 1633, 1635 1.05	** 32 12.00	o 73 .25		** 180-1 1.35	** E17 pb4 2.75
** 1650 .40	o 36 nx .95	o 83 .25		** 184-5 2.75	** E22-3 pb4 11.00
o 1652 nx .25		o 90-1 .50		** 188-9 3.35	** FA1 pb4 4.25
o 1698 nx .25	UKRAINE	o 92 .30		** 190 6.00	* J89-104 15.95
** 1708-9 .80	* 1-5 + 3a 4.50	o 97 .25		** 267a ss of 4 blocks of 4 18.00	* 0127-30 2.00
o 1789 nx .40	* 1, 2, 4, 5 1.40	o 104, 106 .50		** 267a b4 4.50	** 0129A .45
o 1811 nx .25	* 2, 5 .70	o 139 .25		** 331 booklet 18.00	* 0129A .45
o 1873 nx .40	* 2 .35	o 149 .25		** 335 booklet 14.00	* 0135-6 prs 5.50
o 1880-1 nx .50	* 3a 2.75	o 154 nx .25		** 335f .80	* 0136 pr 2.00
o 1911 .25	* 29 .25	o 154 .25		** 341a 2.00	* 0138 5.00
o 1921-3, 1926-7, 1930, 1931A nx 1.75	The following are from the 1920 set (see the third note after #87)	o 165 nx .25		UNITED NATIONS - VIENNA	** RF27 3.00
o 1921, 1924 nx .50	* 2h-100h (12 stamps)	o 166 nx .25		** 11 .45	U.S.A. - CONFEDERATE STATES
o 1946 nx .25		o 166 .25		** 27 .60	* 11a VLH, 4 margins 50.00
				** 28-9 1.20	U.S.A. - HAWAII
					o 39 nx 3.00

<u>VENEZUELA</u>	o 270 nx .25	o 832, 834-7 nx 2.82	** 1508 ngai 1.79	o 345-7, 350-1 nx 1.25
(cont'd)	o 272-3, 275 nx 1.30	** 839-40 ngai .50	o 1523-9 nx 2.50	o 345-7, 351 nx 1.00
SCOTT CAT	o 272, 275 nx 1.00	** 846 ngai .84	o 1531-3 nx .93	o 345, 347 nx .50
o 1075, 1085 nx .65	o 275 nx .75	o 852 .70	o 1536-9 nx 1.38	o 347 .25
o 1085 nx .40	o 287-8 nx .55	o 856-7, 860, 862-3 nx 1.04	o 1543-6 nx 1.90	o 454 nx .30
o 1092 nx .35	o 290A nx 2.50	o 864-5, 867-71 nx 1.88	** 1544 ngai .68	o 461-3 nx 1.40
o 1118 nx .25	o 291 nx .25	** 873-4 ngai .84	o 1576-81 nx 1.20	o 480-2 nx .75
o 1124-5, 1127-8, 1130, 1132, 1136-7 nx 8.40	o 291 nx .25	o 876-82 nx 1.21	o 1585-91 nx 2.75	o 513, 518 nx .50
o 1128 nx .25	o 294 nx .25	** 893 ngai .67	o 1585-7, 1589 nx 1.02	o 559 .25
o 1171 nx .25	o 301 nx .25	** 897 ngai .41	** 1605 ngai 1.50	o 573 nx .30
o 1171 nx .25	o 305 nx .25	o 901-5 nx .71	o 1606-10 nx 1.25	o 597-9 nx .90
** 1233 .75	o 307, 309 .65	o 909-12 nx 1.50	o 1614-20 nx 2.25	o 597 nx .30
o 1271 nx .25	o 307 son .25	o 926-33 nx 1.50	o 1633-9 nx 2.75	o 683 nx .25
o 1362, 1364 nx .70	o 311-2 nx .55	o 926-31 nx .76	o 1686-92 nx 1.50	o 690 nx .25
** 1420 1.75	o 311 .25	** 936 1.03	o 1705-9 nx 1.38	o 840 nx 2.00
o 1484, 1490 1.10	o 343-4 nx .55	o 964-7 nx .80	o 1705-6, 1709-10 nx 1.10	** 876-7 nx .50
o 1484 .25	o 363 nx .45	o 972-9 nx 1.25	** 1713-4 ngai 3.00	** 929, 930A .80
o 1508dh nx 3.60	o 365 nx .70	o 983 nx .25	o 1732-7 nx 1.50	* 929 .40
o C79, C92 nx .75	o 374 nx .30	o 985-9 nx .44	o 1738 nx, 4 pairs 3.50	o 929, 936 nx .50
o C122-3 nx .50	** 389 .25	** 1007 ngai 1.17	** 1746 ngai .76	o 929 .25
o C136-7, C139 nx .75	o 398, 400 nx 1.10	** 1037 ngai 2.00	** 1819 ngai 1.19	o 958 nx .25
o C137 nx .25	o 402 nx .30	o 1038, 1040-2 nx .40	o 1915 nx 1.25	o 1064, 1066, 1073, 1073E, 1073F nx 1.25
o C142 nx .45	o 408-9 nx .55	o 1052-7 nx .64	o 1949-55 nx 1.90	** 1070, 1073A, 1073E 2.75
o C142 .45	o 408 .25	o 1070-5 nx .89	o 1957-63 nx 1.90	o 1179 nx 1.00
o C237 .25	o 408 .25	o 1070-3 nx .40	o 1971 nx 1.25	o 1193, 1198, 1201 nx .75
o C242-3 .50	o 413 nx .30	** 1091 ngai 1.40	o 1972-8 nx 1.90	o 1193a nx .25
o C259 nx .25	** 415 .25	o 1093 nx .25	o 2063-6 nx 1.50	o 1226 nx .25
o C556 nx .25	o 426 nx .50	o 1098-1105 nx 1.25	o 2068-73 nx 1.50	** 1235-9 1.25
o C576 nx .25	o 426 .50	o 1098-1102 nx .44	o 2126-32 nx 1.50	o 1247, 1250-1 nx .75
o C611 nx .25	o 434-5 nx 1.20	o 1106-10 nx 1.06	o 2164-5 nx CAM 2.00	o 1247, 1251 nx .50
o C661, C663 nx .50	o 438 1.40	o 1124-9 nx 1.52	o M33 nx .75	o 1303 .25
o C677-8 .50	o 450 nx 30.00	** 1150 ngai 1.00	** M42 ngai 1.50	o 1424 nx .25
o C722-3 nx .50	* 466 1.75	o 1154-8 nx .72	** O35 ngai 1.72	o 1460 nx .25
o C932 nx .55	** C9 5.25	** 1167, 1169 ngai 1.93	<u>YEMEN</u>	o 1607 nx .25
o C937-8, C941-5 nx 1.75	o J3, J5, J6 nx 5.75	o 1180-7 nx 1.40	o 29 nx 3.50	** 1636a nx .95
o C937, C941, C943-5 nx 1.25	o J10 nx .65	o 1180-4, 1186 nx .94	** 56 2.25	** 1667-71 1.50
o C937, C944-5 nx .75	o J21-2 nx 3.00	o 1192-7 nx .76	** 72, 74, 76 5.90	** 1680-1, 1683 3.10
o C953, C955 nx .50	o J21 nx 1.50	o 1202-6 nx .85	** 74 fine 1.25	o 1807, 1810 .65
o C953 nx .25	** M1 4.00	o 1210-5 nx 2.50	o 112 nx 1.60	o 1838 .55
o C961, C963-4 nx .75	For an explanation of abbreviations, see page 1.	o 1210-4 nx 1.59	** 126 1.50	** 1884-5 2.10
o C964 nx .25	<u>VIETNAM</u>	o 1221-7 nx 1.57	** 149-52 2.80	o 1941 nx .55
o C977-8 .50	** IL3a ngai 6.00	** 1230 ngai 1.00	** 162-3 2.15	** 1957 .50
o C978 nx .25	** IL5 ngai 8.00	** 1231-3 ngai 2.12	** 163 (see note after) ss imperf 12.00	** 1966abcdef 1.80
o C992 nx .50	** IL33 ngai 45.00	** 1233 ngai 1.32	o 327, 329-30 nx 1.55	** 1967 .75
o C1012 nx .25	** 81 ngai 9.00	o 1235-42 nx 1.50	o 329 nx .60	o 2007-8, 2017 .95
<u>VIETNAM - SOUTH</u>	** 200 ngai .34	o 1248-53 nx 2.00	o 685 nx CAM 2.25	** 2035 8.00
o 1 nx .25	** 334 ngai .53	o 1261-7 nx 2.00	o 685 CAM 2.25	** 2129-30 3.50
o 42-3 nx 1.00	o 368-73 nx 2.50	o 1261-2, 1264-7 nx 1.89	** 857-62 13.00	** 2242-3 4.00
** 55-8 8.05	o 436-41 nx 2.50	o 1308-15 nx 3.00	** 863 6.00	** 2410 1.25
** 63-5, 67 7.50	o 463-8 nx 2.50	o 1308-13 nx 1.80	** 906-9 3.50	o B5 nx .25
o 64, 66 nx 1.25	o 484-91 nx 3.25	o 1317 nx .25	** C3, C6 3.90	* B23-4 .50
o 66 nx .70	o 515-9 nx 1.70	o 1319 nx .25	** C3 1.40	o J16-18 nx .75
o 66 .70	o 521-5 nx 1.57	o 1319 nx, avg .25	o C47 nx 2.75	o J67, J72 nx .50
o 68-9 nx .50	o 546, 549, 551 nx 1.41	o 1339-46 nx 3.00	<u>YEMEN (PDR)</u>	** RA5 .25
o 68 nx .25	o 560-5 nx 2.75	o 1339-44 nx .75	** 406-9 6.20	* RA18 .30
o 73, 75 nx .65	o 581-3 nx .75	o 1351-7 nx 2.00	<u>YUGOSLAVIA</u>	** RA20 .25
o 75 nx .40	** 621 ngai .25	o 1351-6 nx .89	* ILJ12 .55	** RA24 .25
o 84-5 nx .65	o 644-5, 647-8 nx 1.27	o 1363-9 nx 1.00	** 1 .25	** RA25 .30
o 89, 90 nx .70	o 645, 647-8 nx 1.13	o 1363-7 nx .60	* 1 .25	* RA28 .30
o 103-4 nx 2.85	o 648 nx .54	o 1370-6 nx 2.50	o 2-13 nx 3.00	o RA28 nx .25
o 113 nx .25	o 669-73 nx 1.48	o 1370-4 nx .88	o 2-7, 10-13 nx 2.50	** RA29 .25
o 119 nx 2.25	o 677-9, 682 nx 1.00	o 1378-84 nx 2.00	o 15, 17 nx .50	** RA37 .25
o 124 nx .25	o 687-90 nx 1.50	** 1385 ngai 10.00	o 29-34 nx 1.50	** RA39 .25
o 160 nx 1.20	o 702-6 nx 1.44	o 1397-1404 nx 3.00	o 29-31, 33 nx 1.00	** RA41 .25
o 162, 164 nx .65	o 731-7 nx 2.49	o 1397-1402 nx .74	o 41-6 nx 1.50	** RA43 .25
o 166 nx .25	o 731-2, 734-6 nx 2.19	o 1405-11 nx 3.00	o 41-5 nx 1.25	** RAJ2 .50
o 184 nx .65	o 747-50 nx 2.00	o 1418-27 nx 2.50	o 43 nx .25	** RAJ23 nx .25
o 190-2 nx 1.35	o 755-6, 758-60 nx 1.42	o 1428-35 nx 3.00	o 79, 80-1, 84 nx 1.00	** RAJ24 .30
** 207-10 3.25	o 755, 758-9 nx .76	o 1445-51 nx 2.50	o 120 nx .25	** RAJ25 .50
o 224 nx .30	o 768-75 nx 3.00	o 1456-61 nx 2.75	o 167, 169 nx 1.85	
o 231, 233 nx .70	o 790-7 nx 3.00	o 1456-60 nx 1.37	o 175-6, 178-9, 183 nx 1.25	<u>ZAMBEZIA</u>
o 233 .45	o 798, 800-5 nx 2.75	o 1464-78 nx 4.00	o 203 nx .25	o 14, 15, 17, 18, 20, 27 nx 6.20
o 244 .25	o 808-15 nx 2.50	o 1470 nx .25		
o 247 nx .25	o 822-9 nx 2.00	o 1482-5 nx 1.50		
o 251 nx .45	o 822-3, 825-7 nx 1.00	o 1487-91 nx .88		
o 265 nx .75		o 1487-90 nx .50		
		o 1494-1500 nx 3.00		

<p>o 20 nx .85 o 74-5 nx 3.00</p> <p>End of List.</p> <p>Thank you for going through this list. Please use the order form provided. Download it and print it out. Then fill it out, scan it as a PDF and attach it to your email to us.</p>	<p>NOTE The right hand column in black shows the Scott Catalog value (it varies from 2018-2022). The latest 2021 Scott Catalog values are in blue. Your order will be updated to the latest 2024/2023 Scott Catalog value. You pay only 45% of this amount (with minimum). Except for mint China, at 60%.</p> <p>Catalog values are subject to change with the publication of each volume of the Scott Catalogs. The latest catalog value is always used to calculate the discount.</p> <p>IMPORTANT A lot of stock, especially 1950 and earlier, are one of a kind. So please list alternate choices on a separate piece of paper.</p> <p>ERRORS If you see any errors in catalog prices or numbers on this list, please let us know so that we can correct them in the computer, on the next update. Thanks.</p> <p>WANT LISTS Sorry, time does not permit us to accept your want lists. Everything we have in stock is on this list. We are constantly buying new material and new additions will be added to future lists. Check back periodically for updates.</p>	<p>BUYING: <u>BRITISH COMMONWEALTH & FRANCE AND COLONIES</u></p> <p>We will buy your British Commonwealth and France and Colonies duplicates.</p> <p>We are interested in MNH complete sets & souvenir sheets, especially for the period 1984 to 2023. We are also looking for MNH and MLH sets prior to 1960. Also singles, mint or used 1840 to 1940.</p> <p>We will make you a prompt offer. If not accepted, we will return the stamps to you.</p>		
---	---	---	--	--

REST OF THE WORLD STAMPS ORDER FORM

CHINA MNH & NGAI only in this column 60% OF THE SCOTT 2021 CATALOG 45% FOR ALL OTHERS - USE COLUMN AT RIGHT				Rest of theWorld */**/Used 45% OF THE SCOTT 2021 CATALOG (China MNH & NGAI only - use column at left)			
	CHINA MNH	CAT #'s	CAT \$		COUNTRY	CAT #'s	CAT \$
1				20			
2				21			
3				22			
4				23			
5				24			
6				25			
7				26			
8				27			
9				28			
10				29			
11				30			
12				31			
13				32			
14				33			
15				34			
16				35			
17				36			
18				37			
19				38			
COLUMN TOTAL				39			

COLUMN TOTAL

TOTAL X .6 =

COLUMN TOTAL

UNDER \$60 x .5 =
OVER \$60 x .45 =

PLUS BOTTOM LINE
FROM LEFT COLUMN

SUB-TOTAL

+ POSTAGE
MINIMUM \$4.85* (LARGE
ORDERS OR SS, \$8.95**)

TOTAL \$

NOTE:
LISTED CAT. VALUES WILL BE ADJUSTED TO 2023 CAT.

NAME _____ APS # _____

ADDRESS _____

CITY _____ STATE _____ ZIP _____

PHONE # (____) _____ E-MAIL: _____

CREDIT CARD # _____ EXP DATE _____

CVV# (3-digit code on back of credit card) _____

SIGNATURE _____ DATE _____
(Required for all Credit Card orders)



* Includes \$4.00 for certified mail to US & possessions addresses. ** Includes Priority Mail with Delivery Confirmation.
Foreign destinations - Regular Airmail with Proof of Mailing \$4.45, OR \$20.95 (includes \$18.25 Registered Mail fee) for a minimum weight of 2 ounces.
WE USE STAMPS ON ALL MAILINGS (no meter labels). List alternates on a separate piece of paper (or above, if there is room).

I am paying by (circle one) AMERICAN EXPRESS DISCOVER MASTERCARD VISA
E-MAIL your order with your Credit Card information (including billing address)
to: stamps@stamparound.com

18JUL22